
Tes

T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690 Model No.

EC-3102-TMV4V05

Item No.



Drawn: KJG | Checked: GEF | Approved: JHB | Date: 03/16/16 | Scale: 1:8 | Sheet: 1 of 2

ANSI A117.1 (ADA)

UL 1951

Valves, 18" Flixible Stainless Steel Supply Hoses & 4" c/c Deck Plate



T&S BRASS AND BRONZE WORKS, INC.


2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690

Model No.


EC-3102-TMV4V05

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com



be Hardwire Connected and Powered by EC-HARDWIRE ChekPoint Hardwire AC Transformer. (Sold Separately)



Label for Flow Control Switch Settings is Located on Inside of Back Cover.

Flow Control Switches are Located Inside Module Housing in Black Box Next to Battery Compartment.
*Switches are Set to DEFAULT Position:

- - Auto Time Out = 15 Seconds
 - Shut Off Delay = 1 Second
 - Auto Flush = ÓFF

Remove (4) Screws and Back Cover to Access Switches.



- Auto Time Out: 15 sec, 30 sec, 45 sec, 60 sec, 3 min, 20 min - Shut Off Delay: 1 sec, 10 sec, 15 sec, 30 sec

(3)

(5 6

- Auto Flush (30 Seconds After Every 12 Inactive Hours): ON or OFF

Product Specifications:

Chrome Plated Brass Electronic Faucet: Single Hole Deck Mount Spout w/ VR 0.5 GPM Spray Device, AC/DC Control Module w/ Internal Flow Control Setting Switches, Thermostatic Temperature Control Mixing Valve w/ Check Valves, 18" Flixible Stainless Steel Supply Hoses & 4" c/c Deck Plate

Product Compliance:

ASME A112.18.1 / CSA B125.1 NSF 61 - Section 9 NSF 372 (Low Lead Content) ANSI A117.1 (ADA) UL 1951 ASSE 1070 (TMV)

Drawn: KJG Checked: GEF Approved: Date: 03/16/16 Scale: NTS Sheet: 2 of 2