Tes

T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690 Model No.

EC-3142

Item No.

ANSI A117.1 (ADA)

1:6


Sheet: 1 of 2

Scale:

UL 1951

11/22/16

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com



Steel Flexible Supply Lines & 3/8" Compression Inlets

JRM

Approved:

Date:

Checked:

Drawn:

DMH




T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690 Model No.

EC-3142

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com



ITEM NO.	SALES NO.	DESCRIPTION	
1	B-0199-08	VR 2.2 GPM Aerator, 13/16-27 UN Male w/ Key	
2	019087-45	6VDC Lithium Battery, CR-P2	
3	019088-45	Auxiliary Power Connector Cable	
4	019082-45	Lever Asm & Body Screw Kit w/ L-Key	
5	018544-45	SS Flex Hose w/ Check Valve Adapter	
6	5EF-0002	Plug-In A/C Transformer	
7	019086-45	Body Plug, Pre-Set Temperature	



A maximum of (8) ChekPoint faucets can be powered by EC-HARDWIRE ChekPoint Hardwire AC Transformer when connected using EC-ADEWIRE cables. (Both sold separately)



015425-45 VR Aerator Key



018543-45 Sev Torx T-20 VR L-Key

Optional Plug Replaces Lever Handle When Pre-setting Temperature (Installs from Inside of Body)

Flow Control Switches are Located Behind the Sensor. Remove Battery to Access Switches.

- * Switches are set to DEFAULT position:
 - Auto Time Out = 15 secondsShut Off Delay = 1 second
 - Auto Flush = ÓFF
- * Available Water Flow Control Selections:
 - Auto Time Out: 15 sec, 30 sec, 45 sec, 60 sec, 3 min, 20 min
 - Shut Off Delay: 1 sec, 10 sec, 15 sec, 30 sec
 - Auto Flush (30 Seconds After Every 12 Inactive Hours): ON or OFF

Product Specifications:

Chrome Plated Brass Above Deck Electronics Faucet, Single Hole Deck Mount, Cast Spout w/ 2.2 GPM VR Aerator, Point-of-Use Temperature Control, Battery or AC Adapter Powered, 19" Stainless Steel Flexible Supply Lines & 3/8" Compression Inlets

Product Compliance:

ASME A112.18.1 / CSA B125.1 NSF 61 - Section 9 NSF 372 (Low Lead Content) ANSI A117.1 (ADA) UL 1951

Drawn: DMH Checked: JRM Approved: JHB Date: 11/22/16 Scale: NTS Sheet: 2 of 2