

The Pro Cart Ultra® Pan Carriers
Holding and Transport

HOT and **COLD**
in the Same Cart, at the
Same Time!



NEW MODEL! PCUL1000
Holds 10x GN 1/1, 4" Deep Food Pans



CAMBRO
TRUSTED DURABILITY

Customize Your Pro Cart to

Hot Module

PCMHX


- Safely maintain food temperatures between 150°F (65,6°C) to 165°F (73,9°C) with gentle, non-radiant heat.
- Adjustable temperature from 140°F (60°C) to 185°F (85°C).
- Heats from room temperature to 165°F (73,9°C) in 15 minutes.



Cold Module

PCMCX

- Thermoelectric cooling technology is safe for transport.
- Cools down to 32.5°F (0,28°C) without a compressor.
- Adjustable temperature from 32.5°F (0,28°C) to 40°F (44,4°C).



Passive Module

PCMPX

- CFC-free, polyurethane insulation maximizes hot or cold retention for 4 hours without electricity.
- Most cost-effective solution.
- Perfect for short term holding and transport.



*Average recovery time based on ambient temperature of 74°F (23,33°C), Empty Compartments - Door open for 30 seconds.

Order your Pro Cart in any possible combination of Hot, Cold, and/or Passive. Add additional modules for greater flexibility.



Your Needs



Hot Models Only

PCU800
PCU1000
PCU1600
PCU2000

Save Up to
56%
on energy costs
vs. other
electric cabinets.

Electrical Specifications

(Per Compartment)

	HOT MODULE		COLD MODULE	
REQUIRED VOLTAGE	115-230 VAC		115-230 VAC	
AMPS	3.9a @ 115v	2.17a @ 220v	3.6a @ 115v	1.7a @ 230v
WATTS	450w @ 115v	500w @ 230v	414w @ 115v	393w @ 230v
HERTZ	50/60		50/60	
PHASE	Single		Single	
PLUG BODY FOR THESE COUNTRIES	US/Canada/Mexico (3)*, Europe (4), UK (5), Australia(6), South Africa (7), Japan (8), China (9).			

*220 Voltage with 6-15P plug end.

If country is not listed, please call Cambro Customer Service for details.





Power Cord Storage:
PCU1000, PCU2000



Touch Screen

Durable, Heavy-Duty
Stainless Steel Hinge

Ergonomic,
Molded-In
Handles

Spring-Loaded
Magnetic Door
Catch (close door
hands-free)

Power Cord
Holder:
PCUL1000,
PCU800,
PCU1600

Nylon Paddle-
Style Latches

6" (15 cm)
Nylon Casters
PCU800 and PCU1000.

6" (15 cm) Heavy Duty Casters
PCU1600, PCU2000, and PCUL1000 only.



The Pro Cart Ultra[®] Pan Carriers



PCU800

Total capacity
8, 4" (10 cm) deep
GN 1/1 Food Pans

PCU1000

Total capacity
10, 4" (10 cm) deep
GN 1/1 Food Pans

PCU1600

Total capacity
16, 4" (10 cm) deep
GN 1/1 Food Pans

PCU2000





Total capacity
20, 4" (10 cm) deep
GN 1/1 Food Pans

PCUL1000

Total capacity
10, 4" (10 cm) deep
GN 1/1 Food Pans

Holding Capacity

FOOD PAN DEPTHS

GN FOOD PANS		 2 1/2" (6,5 cm)					 4" (10 cm)					 6" (15 cm)					 8" (20 cm)				
GN 1/1		12	14	24	28	14	8	10	16	20	10	6	6	8	12	6	4	4	4	8	4
GN 1/2		24	28				16	20				12	12				8	8			
GN 1/3		36	36				24	24				18	18				12	12			
		PCU800	PCU1000		PCU1600		PCU2000		PCUL1000												

PCU800

PCU1000

PCU1600

PCU2000

PCUL1000



CODE	DESCRIPTION	DIMENSIONS W x D x H	PRODUCT WEIGHT (LBS/KG)	LIST PRICE EA.
PCU800				
PCU800HH	2 active hot compartments	21.9" x 34" x 59.1" (55,63 x 86,36 x 150,1 cm)	101.94 / 46,24	\$ 6,830.00
PCU800HC	1 active hot compartment (top), 1 active cold compartment (bottom)		110.69 / 50,21	8,640.00
PCU800CC	2 active cold compartments		119.44 / 54,18	10,445.00
PCU800PP	2 passive compartments		89.88 / 40,77	3,550.00
PCU1000				
PCU1000HH	2 active hot compartments	22" x 34" x 67" (55,88 x 86,36 x 170,18 cm)	143.5 / 65,1	7,955.00
PCU1000HC	1 active hot compartment (top), 1 active cold compartment (bottom)		152.25 / 69,06	10,035.00
PCU1000CC	2 active cold compartments		161 / 73,03	12,115.00
PCU1000PP	2 passive compartments		131.44 / 60	4,380.00
PCU1600				
PCU1600HH	2 active hot compartments	30" x 38" x 59" (76,2 x 96,52 x 149,86 cm)	162.25 / 73,6	8,990.00
PCU1600HC	1 active hot compartment (top), 1 active cold compartment (bottom)		171 / 77,57	11,000.00
PCU1600CC	2 active cold compartments		179.75 / 81,31	13,000.00
PCU1600PP	2 passive compartments		150.19 / 68,13	5,480.00
PCU2000				
PCU2000HH	2 active hot compartments	30" x 38" x 68" (76,20 x 96,52 x 172,72 cm)	189.94 / 86,16	9,485.00
PCU2000HC	1 active hot compartment (top), 1 active cold compartment (bottom)		198.69 / 90,12	11,570.00
PCU2000CC	2 active cold compartments		207.44 / 94,1	13,655.00
PCU2000PP	2 passive compartments		177.88 / 80,69	5,940.00
PCUL1000				
PCUL1000H New!	1 active hot compartment	30" x 38" x 39.5" (76,2 x 96,52 x 100,33 cm)	117.50 / 53.30	6,060.00
PCUL1000C New!	1 active cold compartment		126.25 / 57.27	6,725.00
PCUL1000P New!	1 passive compartment		111.50 / 50.58	4,065.00
Modules				
PCMCX	Cold Module	—	20.72 / 9,42	4,065.00
PCMHX	Hot Module	—	11.97 / 5,44	2,055.00
PCMPX	Passive Module	—	5.95 / 2,7	300.00

Case Pack: 1 **Color:** Charcoal Gray (615). Other configurations and Security Package available. Tow Hitch Package Available for PCU2000 and PCUL1000 Only.



Hot & Passive Only

For more information about Cambro products visit www.cambro.com or contact your Distributor, Cambro Sales Representative or the Cambro Customer Service Department.

CAMBRO
TRUSTED DURABILITY
www.cambro.com

© Cambro Manufacturing Company
5801 Skylab Road, Huntington Beach, California 92647-2056
Prices subject to change without prior notification.
LITD2510 REV C 06/25.



Access our Digital Catalog.
Scan the QR code or visit
cambro.com/catalog

D052404