



SPEC SHEET

KoolMore 29 in. One Door Commercial Reach-in Refrigerator, 23 cu. ft. in Stainless-Steel

SKU: RIR-1D-SS

FEATURES

- Three Adjustable Shelves: Each shelf can hold up to 88 lbs. providing robust storage for all your ingredients and supplies. The shelves are coated in epoxy for maximum corrosion resistance.
- Bottom-Mounted Compressor: The bottom-mounted compressor and raised bottom shelf allow for easy loading, unloading, and maintenance.
- External Digital Temperature Controls: Easily monitor and adjust the temperature with the external digital display.
- One-Door Design: Featuring a recessed handle for easy access and a self-closing door to ensure food remains fresh.
- Portability: Equipped with four casters, including two locking casters, for easy mobility and stability.



CLOSE UP IMAGES



TECHNICAL SPECS

Dimensions

Depth	32.2
Width	29
Height	82.5
Interior Depth	24.4
Interior Width	24.4
Interior Height	51.6
Shelf Width	23.6
Shelf Depth	19.3
Depth Including Handles	32.2
Depth Excluding Handles	32.2
Depth Less Door	29.4
Depth With Door Open 90 Degrees	59
Power Cord Length	98.5

Capacity

Weight	282
Gross Cubic Feet	23.1
Net Capacity Cu. Ft.	20.6
Individual Shelf Capacity	88 lbs.


Features & Material

Door Style	Swing
Number Of Doors	1
Number Of Shelves	3
Defrost Type	Automatic
Refrigerant Type	R-290
Temperature Control Type	External Digital
Ambient Temperature Range	100 F
Temperature Range	33-40 F
Casters	4
Light Type	Fluorescent Bulb
Shelf Material Type	Epoxy Coated
Interior Material	Stainless Steel 201
Exterior Material	Stainless Steel 304

Electric Data & Certifications

Amps	3.6
Phase	1
Plug Type	NEMA 5-15P
Voltage	115
Hertz	60
Wattage	348
Horsepower	0.33
Certifications	ETL Listed for Safety and Sanitation

Plan View



CERTIFICATIONS



706 Eastern Parkway STE 1G, Brooklyn NY 11213
718-576-6342
info@koolmore.com