



## PRODUCT INFORMATION SHEET



Quick-Qool™ Walk-in Coolers and Freezers are manufactured by Pacific Refrigerator Company in Apple Valley, California. The Quick-Qool™ brand provides a standard sized box that can be shipped from the factory within 5 business days of receiving your order.

Standard size doesn't work for your application? Pacific Refrigerator Company specializes in designing and manufacturing custom walk-in coolers and freezers tailored to your specific needs. From compact reach-in units to expansive 120' x 120' warehouse solutions, we deliver exceptional quality for a wide range of applications. Contact us today to discuss your project and receive a personalized quote.



**PACIFIC REFRIGERATOR COMPANY**  
**PACIFIC**  
EST. 1945



## Standard Features

- 4" walls and ceiling, 26 ga. stucco embossed galvanized steel-clad foam insulated panels
- 4" 26 ga. smooth aluminum heavy duty foam insulated floor with anti-slip tape (when floor is specified)
- 100% ASTM E84/UL723 Class 1 fire resistant foam insulation
- No wood products
- 1 ¾" metal-clad urethane screed (when no floor is specified)
- Matching interior galvanized cove base provided
- Cam-lock assembly
- Flush mounted 36" 3-hinge self-closing door with inside push button safety release, stucco embossed galvanized steel
- Heated door and frame (freezer)
- Heated vacuum vent (freezer)
- RAB Seal4 48" interior LED light
- Exterior light switch with integrated digital thermometer
- Interior light switch with pilot light
- R-33 (cooler) and R-34 (freezer) insulation factor
- NSF approved manufacturing and materials

## Options

- **Ramp**
  - Smooth aluminum with anti-slip tape
  - 38 1/4" wide, 22" long, inset to floor panel behind door
- **Door kickplate**
  - Interior and exterior, 35 ½" x 30"
  - Choice of aluminum treadplate or stainless steel
- **Heated Viewport (Window)**
  - 14"x24" heated
- **Refrigeration System**
  - Air cooled condensing units with scroll compressors, medium and low temperature applications.
  - Electrical requirements: 208-230V/Single Phase/60Hz. Three phase available upon request.

## Limited Warranty

- Insulated Panels – 5 years
- Hardware and Parts – 1 year
- (Optional) Refrigeration
  - Comprehensive – 1 year
  - Compressor – 5 years

**Quick-Qool™ WALK-IN COOLERS, NO FLOOR**

| PRODUCT     | EXTERIOR<br>DIMENSIONS<br>(LxWxH) | INTERIOR<br>DIMENSIONS<br>(LxWxH) | VOLUME              | WEIGHT |
|-------------|-----------------------------------|-----------------------------------|---------------------|--------|
| QR080608XFL | 8'x6'x7'8"                        | 7'4"x5'4"x7'4"                    | 282 FT <sup>3</sup> | 1308   |
| QR080808XFL | 8'x8'x7'8"                        | 7'4"x7'4"x7'4"                    | 389 FT <sup>3</sup> | 1503   |
| QR081008XFL | 8'x10'x7'8"                       | 7'4"x9'4"x7'4"                    | 496 FT <sup>3</sup> | 1752   |
| QR081208XFL | 8'x12'x7'8"                       | 7'4"x11'4"x7'4"                   | 602 FT <sup>3</sup> | 1948   |
| QR101008XFL | 10'x10'x7'8"                      | 9'4"x9'4"x7'4"                    | 631 FT <sup>3</sup> | 1965   |
| QR101208XFL | 10'x12'x7'8"                      | 9'4"x11'4"x7'4"                   | 767 FT <sup>3</sup> | 2176   |

**Quick-Qool™ WALK-IN COOLERS WITH HEAVY DUTY INSULATED FLOOR**

| PRODUCT      | EXTERIOR<br>DIMENSIONS<br>(LxWxH) | INTERIOR<br>DIMENSIONS<br>(LxWxH) | VOLUME              | WEIGHT |
|--------------|-----------------------------------|-----------------------------------|---------------------|--------|
| QR080608HD1  | 8'x6'x7'8"                        | 7'4"x5'4"x7'0"                    | 271 FT <sup>3</sup> | 1546   |
| QR080808 HD1 | 8'x8'x7'8"                        | 7'4"x7'4"x7'0"                    | 373 FT <sup>3</sup> | 1874   |
| QR081008 HD1 | 8'x10'x7'8"                       | 7'4"x9'4"x7'0"                    | 475 FT <sup>3</sup> | 2148   |
| QR081208 HD1 | 8'x12'x7'8"                       | 7'4"x11'4"x7'0"                   | 577 FT <sup>3</sup> | 2423   |
| QR101008 HD1 | 10'x10'x7'8"                      | 9'4"x9'4"x7'0"                    | 605 FT <sup>3</sup> | 2460   |
| QR101208 HD1 | 10'x12'x7'8"                      | 9'4"x11'4"x7'0"                   | 736 FT <sup>3</sup> | 2770   |

**Quick-Qool™ WALK-IN FREEZERS WITH HEAVY DUTY INSULATED FLOOR**

| PRODUCT      | EXTERIOR<br>DIMENSIONS<br>(LxWxH) | INTERIOR<br>DIMENSIONS<br>(LxWxH) | VOLUME              | WEIGHT |
|--------------|-----------------------------------|-----------------------------------|---------------------|--------|
| QF080608 HD1 | 8'x6'x7'8"                        | 7'4"x5'4"x7'0"                    | 271 FT <sup>3</sup> | 1546   |
| QF080808 HD1 | 8'x8'x7'8"                        | 7'4"x7'4"x7'0"                    | 373 FT <sup>3</sup> | 1874   |
| QF081008 HD1 | 8'x10'x7'8"                       | 7'4"x9'4"x7'0"                    | 475 FT <sup>3</sup> | 2148   |
| QF081208 HD1 | 8'x12'x7'8"                       | 7'4"x11'4"x7'0"                   | 577 FT <sup>3</sup> | 2423   |
| QF101008 HD1 | 10'x10'x7'8"                      | 9'4"x9'4"x7'0"                    | 605 FT <sup>3</sup> | 2460   |
| QF101208 HD1 | 10'x12'x7'8"                      | 9'4"x11'4"x7'0"                   | 736 FT <sup>3</sup> | 2770   |

**Quick-Qool™ COMBO FREEZER/COOLER WALK-IN**

| PRODUCT                                           | EXTERIOR<br>DIMENSIONS<br>(LxWxH) | INTERIOR<br>DIMENSIONS<br>(LxWxH)                      | VOLUME                                                          | WEIGHT |
|---------------------------------------------------|-----------------------------------|--------------------------------------------------------|-----------------------------------------------------------------|--------|
| QC101208 XFL<br>(No Cooler Floor)                 | 10'x12'x7'8"                      | Cooler<br>9'4"x7'2"x7'4"<br>Freezer<br>9'4"x3'10"x7'0" | Cooler<br>486 FT <sup>3</sup><br>Freezer<br>250 FT <sup>3</sup> | 2528   |
| QC101208HD1<br>(With Cooler and<br>Freezer Floor) | 10'x12'x7'8"                      | Cooler<br>9'4"x7'2"x7'0"<br>Freezer<br>9'4"x3'10"x7'0" | Cooler<br>466 FT <sup>3</sup><br>Freezer<br>250 FT <sup>3</sup> | 2924   |