



STAINLESS STEEL

MULTI-STATION FLOOR MOUNTED SQUARE CORNER SINKS WITH TUBULAR LEGS & CROSS BRACING

ELECTRONIC OPERATED



19-FM-23EF Shown



19-FM-60EF Shown



19-FM-80EF Shown




19-FM-120EF Shown

Item #: _____ Qty #: _____

Model #: _____

Project #: _____



K-175 Electronic Faucets
Included On All "EF" Models

FEATURES:

8 1/2" high backsplash.

Standard Series: 8" sink bowl depth.

A.D.A. Series: 5" sink bowl depth.

Stainless steel "Z" brackets.

3 1/2" K-6 rear basket drain(s).

Tubular stainless steel legs with flanged feet.

Side & rear adjustable cross-bracing with leg clamps.

Electronic Operated: Includes K-175 Electronic Faucet(s).

CONSTRUCTION:

All TIG welded.

Welded areas blended to match adjacent surfaces and to a satin finish.

MATERIAL:

16 gauge type "304" stainless steel.

1 5/8" tubular "304" stainless steel supports.

MECHANICAL:

Single faucet hole punch at each station.

# Of Stations	16 Gauge Sinks Without Faucets	# Of Faucets
1	19-FM-23EF	1 Faucet
2	19-FM-40EF	2 Faucets
2	19-FM-48EF	2 Faucets
3	19-FM-60EF	3 Faucets
3	19-FM-72EF	3 Faucets
4	19-FM-80EF	4 Faucets
4	19-FM-96EF	4 Faucets
5	19-FM-100EF	5 Faucets
6	19-FM-120EF	6 Faucets



A.D.A. COMPLIANT - 5" BOWL DEPTH



# Of Stations	16 Gauge Sinks Without Faucets	# Of Faucets
2	19-FM-40EFADA	2 Faucets
2	19-FM-48EFADA	2 Faucets
3	19-FM-60EFADA	3 Faucets
3	19-FM-72EFADA	3 Faucets
4	19-FM-80EFADA	4 Faucets
4	19-FM-96EFADA	4 Faucets
5	19-FM-100EFADA	5 Faucets
6	19-FM-120EFADA	6 Faucets

WARNING: Equipment that include faucets on this page may contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.



Customer Service Available To Assist You 1-800-645-3166 8:30 am - 7:00 pm E.S.T.

For Orders & Customer Service:

Email: customer@advancetabco.com or Fax: 631-242-6900

For Smart Fabrication™ Quotes:

Email: smartfab@advancetabco.com or Fax: 631-586-2933

REF-JJ


DETAILS and SPECIFICATIONS

TOL ± .500"


FITTINGS SUPPLIED AS SHOWN

ALL DIMENSIONS ARE TYPICAL


MULTI-STATION FLOOR MOUNTED SQUARE CORNER SINKS WITH TUBULAR LEGS & CROSS BRACING ELECTRONIC OPERATED



SEE PAGE 3
FOR
PLUMBING
ROUGH-INS



Stainless Steel Rear & Sides
Adjustable Cross-Bracing



# Of Stations	L	16 Gauge Sinks Without Faucets	Wt.	# Of Drains	# Of Faucets	Cu.
STANDARD - 8" DEPTH						
1	23"	19-FM-23EF	55	1	1	11
2	40"	19-FM-40EF	75	1	2	15
2	48"	19-FM-48EF	83	1	2	16
3	60"	19-FM-60EF	94	1	3	22
3	72"	19-FM-72EF	102	1	3	23
4	80"	19-FM-80EF	118	1	4	28
4	96"	19-FM-96EF	132	1	4	30
5	100"	19-FM-100EF	145	2	5	35
6	120"	19-FM-120EF	170	3	6	42
A.D.A. COMPLIANT- 5" DEPTH						
2	40"	19-FM-40EFADA	70	1	2	16
2	48"	19-FM-48EFADA	79	1	2	16
3	60"	19-FM-60EFADA	90	1	3	22
3	72"	19-FM-72EFADA	99	1	3	23
4	80"	19-FM-80EFADA	112	1	4	28
4	96"	19-FM-96EFADA	140	1	4	30
5	100"	19-FM-100EFADA	138	2	5	35
6	120"	19-FM-120EFADA	162	3	6	42




PLUMBING ROUGH-INS

TOL ± .500"

FITTINGS SUPPLIED AS SHOWN


ALL DIMENSIONS ARE TYPICAL

MULTI-STATION FLOOR MOUNTED SQUARE CORNER SINKS WITH TUBULAR LEGS & CROSS BRACING ELECTRONIC OPERATED



Leg Support Locations

Model #	L1	L2	L3	L4
19-FM-23EF	2 5/8"	20 3/8"	N/A	N/A
19-FM-40EF	2 5/8"	37 3/8"	N/A	N/A
19-FM-48EF	2 5/8"	45 3/8"	N/A	N/A
19-FM-60EF	2 5/8"	57 3/8"	N/A	N/A
19-FM-72EF	2 5/8"	69 3/8"	N/A	N/A
19-FM-80EF	2 5/8"	77 3/8"	N/A	N/A
19-FM-96EF	2 5/8"	38 1/4"	57 3/4"	93 3/8"
19-FM-100EF	2 5/8"	40 1/4"	59 3/4"	97 3/8"
19-FM-120EF	2 5/8"	40"	80"	117 3/8"



# Of Stations	L	16 Ga. Without Faucets	B	C	D	X1	X2	X3	X4	X5	X6
STANDARD - 8" DEPTH											
1	23"	19-FM-23EF	11 1/2"	N/A	8"	11 1/2"	N/A	N/A	N/A	N/A	N/A
2	40"	19-FM-40EF	20"	N/A	8"	11"	29"	N/A	N/A	N/A	N/A
2	48"	19-FM-48EF	24"	N/A	8"	11"	37"	N/A	N/A	N/A	N/A
3	60"	19-FM-60EF	30"	N/A	8"	11"	30"	49"	N/A	N/A	N/A
3	72"	19-FM-72EF	36"	N/A	8"	11"	36"	61"	N/A	N/A	N/A
4	80"	19-FM-80EF	40"	N/A	8"	11"	30 5/16"	49 11/16"	69"	N/A	N/A
4	96"	19-FM-96EF	27"	42"	8"	11"	35 11/16"	60 5/16"	85"	N/A	N/A
5	100"	19-FM-100EF	29"	42"	8"	11"	30 1/2"	50"	69 1/2"	89"	N/A
6	120"	19-FM-120EF	29"	31"	8"	11"	29"	51"	69"	91"	109"
A.D.A. COMPLIANT- 5" DEPTH											
2	40"	19-FM-40EFADA	20"	N/A	5"	11"	29"	N/A	N/A	N/A	N/A
2	48"	19-FM-48EFADA	24"	N/A	5"	11"	37"	N/A	N/A	N/A	N/A
3	60"	19-FM-60EFADA	30"	N/A	5"	11"	30"	49"	N/A	N/A	N/A
3	72"	19-FM-72EFADA	36"	N/A	5"	11"	36"	61"	N/A	N/A	N/A
4	80"	19-FM-80EFADA	40"	N/A	5"	11"	30 5/16"	49 11/16"	69"	N/A	N/A
4	96"	19-FM-96EFADA	27"	42"	5"	11"	35 11/16"	60 5/16"	85"	N/A	N/A
5	100"	19-FM-100EFADA	29"	42"	5"	11"	30 1/2"	50"	69 1/2"	89"	N/A
6	120"	19-FM-120EFADA	29"	31"	8"	11"	29"	51"	69"	91"	109"

