




AIR-COOLED MODULAR WALL MOUNT DISPENSER



JOB	
AREA	
ITEM NO.	
MODEL NO.	

MODELS
3076



Mounting Bracket

KEY PRODUCT FEATURES AND BENEFITS

- Seamless head in lengths up to 96" (6-32 faucets)
- "Gang Run" multiple heads to create unlimited length and faucet count
- Beer leads exit through the back
- Accessory Glass Rinser can be added to each glass rack
- Faucets not included
- Faucets located on 3" centers
- Easy installation system – heavy duty 14 gauge mounting bracket with slotted hole mounts allows anchoring to multiple wall studs along the length of the dispensing head
- Air system kits are available with all necessary hardware to support multiple mounting methods - *see page 5 and 6 for more detail*



AIR-COOLED MODULAR WALL MOUNT DISPENSER

LEADS OUT THE BACK:

Part No. 3076	-6	-7	-8	-9	-10	-11
Number Of Faucets	6	7	8	9	10	11
Number Of Glass Racks	1	1	1	2	2	2
Length in. (mm)	18" (457)	21" (533)	24" (610)	27" (686)	30" (762)	33" (838)
Height in. (mm)	22-3/4" (578)					
Faucet Centers in. (mm)	3" (76)					
Drain Location "D1" in. (mm)	7" (178)	8-1/2" (216)	10" (254)	4-3/4" (121)	5-5/8" (143)	6-1/4" (159)
Drain Location "D2" in. (mm)	N/A	N/A	N/A	22-1/8" (562)	24-3/8" (619)	26-5/8" (676)
Acc. Glass Rinser Location "G1" in. (mm)	9" (229)	10-1/2" (267)	12" (305)	6-3/4" (171)	7-5/8" (194)	8-1/4" (210)
Acc. Glass Rinser Location "G2" in. (mm)	N/A	N/A	N/A	20-1/8" (511)	22-3/8" (568)	24-5/8" (625)

Part No. 3076	-12	-13	-14	-15	-16	-17
Number Of Faucets	12	13	14	15	16	17
Number Of Glass Racks	2	2	2	2	2	3
Length in. (mm)	36" (914)	39" (991)	42" (1067)	45" (1143)	48" (1219)	51" (1295)
Height in. (mm)	22-3/4" (578)					
Faucet Centers in. (mm)	3" (76)					
Drain Location "D1" in. (mm)	7-1/8" (181)	7-3/4" (197)	8-1/2" (216)	9-1/4" (235)	14-1/8" (359)	6-5/8" (168)
Drain Location "D2" in. (mm)	28-7/8" (733)	31-1/4" (794)	33-1/2" (851)	35-3/4" (908)	33-7/8" (860)	23-1/2" (597)
Acc. Glass Rinser Location "G1" in. (mm)	9-1/8" (232)	9-3/4" (248)	10-1/2" (267)	11-1/4" (286)	12-1/8" (308)	8-5/8" (219)
Acc. Glass Rinser Location "G2" in. (mm)	26-7/8" (683)	29-1/4" (743)	31-1/2" (800)	33-3/4" (857)	35-7/8" (911)	25-1/2" (648)

Part No. 3076	-18	-19	-20	-21	-22	-23
Number Of Faucets	18	19	20	21	22	23
Number Of Glass Racks	3	3	3	3	3	3
Length in. (mm)	54" (1372)	57" (1448)	60" (1524)	63" (1600)	66" (1676)	69" (1753)
Height in. (mm)	22-3/4" (578)					
Faucet Centers in. (mm)	3" (76)					
Drain Location "D1" in. (mm)	11-1/8" (283)	7-5/8" (194)	8-1/8" (206)	8-5/8" (219)	9-1/8" (232)	9-5/8" (244)
Drain Location "D2" in. (mm)	29" (737)	26-1/2" (673)	28" (711)	29-1/2" (749)	31" (787)	32-1/2" (826)
Drain Location "D3" in. (mm)	46-7/8" (1191)	49-3/8" (1254)	51-7/8" (1318)	54-3/8" (1381)	56-7/8" (1445)	59-3/8" (1508)
Acc. Glass Rinser Location "G1" in. (mm)	9-1/8" (232)	9-5/8" (244)	10-1/8" (257)	10-5/8" (270)	11-1/8" (283)	11-5/8" (295)
Acc. Glass Rinser Location "G2" in. (mm)	27" (686)	28-1/2" (724)	30" (762)	31-1/2" (800)	33" (838)	34-1/2" (876)
Acc. Glass Rinser Location "G3" in. (mm)	44-7/8" (1140)	47-3/8" (1203)	49-7/8" (1267)	52-3/8" (1330)	54-7/8" (1394)	57-3/8" (1457)




AIR-COOLED MODULAR WALL MOUNT DISPENSER

LEADS OUT THE BACK:

Part No. 3076	-24	-25	-26	-27	-28	-29	-30	-31	-32
Number Of Faucets	24	25	26	27	28	29	30	31	32
Number Of Glass Racks	4	4	4	4	4	4	4	4	4
Length in. (mm)	72" (1829)	75" (1905)	78" (1981)	81" (2057)	84" (2134)	87" (2210)	90" (2286)	93" (2362)	96" (2438)
Height in. (mm)	22-3/4" (578)								
Faucet Centers in. (mm)	3" (76)								
Drain Location "D1" in. (mm)	7-1/8" (181)	7-1/2" (191)	7-7/8" (200)	8-1/4" (210)	8-5/8" (219)	13" (330)	13-3/8" (340)	13-3/4" (349)	14-1/8" (359)
Drain Location "D2" in. (mm)	25" (635)	30-1/8" (765)	27-1/4" (692)	28-3/8" (721)	29-1/2" (749)	34-5/8" (879)	35-3/4" (908)	36-7/8" (937)	38" (965)
Drain Location "D3" in. (mm)	47" (1194)	44-7/8" (1140)	50-3/4" (1289)	52-5/8" (1337)	54-1/2" (1384)	52-3/8" (1330)	54-1/4" (1378)	56-1/8" (1426)	58" (1473)
Drain Location "D4" in. (mm)	64-7/8" (1648)	67-1/2" (1715)	70-1/8" (1781)	72-3/4" (1848)	75-3/8" (1915)	74" (1880)	76-5/8" (1946)	79-1/4" (2013)	81-7/8" (2080)
Acc. Glass Rinser Location "G1" in. (mm)	9-1/8" (232)	9-1/2" (241)	9-7/8" (251)	10-1/4" (260)	10-5/8" (270)	11" (279)	11-3/8" (289)	11-3/4" (298)	12-1/8" (308)
Acc. Glass Rinser Location "G2" in. (mm)	27" (686)	28-1/8" (714)	29-1/4" (743)	30-3/8" (772)	31-1/2" (800)	32-5/8" (829)	33-3/4" (857)	34-7/8" (886)	36" (914)
Acc. Glass Rinser Location "G3" in. (mm)	45" (1143)	46-7/8" (1191)	48-3/4" (1238)	50-5/8" (1286)	52-1/2" (1334)	54-3/8" (1381)	56-1/4" (1429)	58-1/8" (1476)	60" (1524)
Acc. Glass Rinser Location "G4" in. (mm)	62-7/8" (1597)	65-1/2" (1664)	68-1/8" (1730)	70-3/4" (1797)	73-3/8" (1864)	76" (1930)	78-5/8" (1997)	81-1/4" (2064)	83-7/8" (2130)

ACCESSORY GLASS RINSER

Using the grid above, determine the number of glass racks. A "Glass Rinser" can be optionally located in the middle of each glass rack. Use a "M" to include a Glass Rinser or a "X" to designate NO Glass Rinser.



Example Glass Rinser Locations: **MXXM**


Model Number Key: **3076** # of Faucets **M** or **X** (Glass Rinser Options)

EXAMPLES	DESCRIPTION
3076-30MXXM	Wall Mount Head, 30 Faucets, Glass Rinser in Rack 1, No Rinser in Racks 2 & 3, Rinser in Rack 4
3076-6X	Wall Mount Head, 6 Faucets, No Glass Rinser

! WARNING: California Prop 65 Notice


These products may expose you to chemicals including Chromium, which are known to the state of California to cause cancer and birth defects or other reproductive harm. For more information on whether a product in this list contains these chemicals, please refer to the specific product page at perlick.com. Or to find out more about Prop 65, go to P65Warnings.ca.gov.

Perlick® AIR-COOLED MODULAR WALL MOUNT DISPENSER





AIR-COOLED MODULAR WALL MOUNT DISPENSER



DIRECT MOUNT:

- A Modular Wall Mount Dispenser is mounted directly to the cooler wall
- Select from kits with 12.5 or 25 feet of hose duct based on the distance of the run inside the cooler

KIT PART NO: 1050638

12.5 FT. AIR DUCT KIT

Part No.	Description	Qty.
C26609	Air Shaft Connector	1
1655R	Blower Kit, 134 CFM	1
C15365-1	12.5 Feet of 3" Hose Duct	1
C24715A	Hose Adaptor Assembly 3"	1
C15455-1	Sponge Sealing Gasket	1
C31573	Poly Housing Hanger Strap Kit	1
C15997	Calk	1
C15366-1	Coupling Air Duct	1
57740A500	#10 x 1/2" Self Drilling Hex Washer Hd w/serrations	4

Note: Dispenser Sold Separately


KIT PART NO: 1050639

25 FT. AIR DUCT KIT

Part No.	Description	Qty.
C26609	Air Shaft Connector	1
1655R	Blower Kit, 134 CFM	1
C15365-2	25 Feet of 3" Hose Duct	1
C24715A	Hose Adaptor Assembly 3"	1
C15455-1	Sponge Sealing Gasket	1
C31573	Poly Housing Hanger Strap Kit	1
C15997	Calk	1
C15366-1	Coupling Air Duct	1
57740A500	#10 x 1/2" Self Drilling Hex Washer Hd w/serrations	4



AIR-COOLED MODULAR WALL MOUNT DISPENSER



BLIND MOUNT:

- Modular Wall Mount dispenser is mounted to a stud wall less than 24" from the outside of the walk-in cooler wall
- "Blind" refers to the gap between the stud wall and outer cooler wall being too small to access
- The Blind Mount installation kit is to be used in conjunction with the 12.5 foot (part 1050638) or 25 foot (part 1050639) air duct kits


KIT PART NO: 1050640

BLIND MOUNT KIT

Part No.	Description	Qty.
63310-5	2.5" Diameter PVC pipe, 24" long	2
C27533	Tubing, Armaflex, 1/2" wall, 6 foot long	1
C24715A	Hose Adaptor Assembly 3"	1
C15455-1	Sponge Sealing Gasket	1
57740A500	#10 x 1/2" Self Drilling Hex Washer Hd w/serrations	4



AIR-COOLED MODULAR WALL MOUNT DISPENSER



LONG DRAW MOUNT:

- Modular Wall Mount dispenser is mounted to a stud wall greater than 24" and less than 12 feet from the outside of the cooler wall
- The Long Draw Mount installation kit is to be used in conjunction with the 12.5 (part 1050638) or 25 foot (part 1050639) air duct kits

KIT PART NO: 1050641

LONG DRAW MOUNT KIT

Part No.	Description	Qty.
C15365-2	25 Feet of 3" Hose Duct	1
C24715A	Hose Adaptor Assembly 3"	1
C15455-1	Sponge Sealing Gasket	1
57740A500	#10 x 1/2" Self Drilling Hex Washer Hd w/serrations	4
C31810	Tubing, Armaflex, 1/2" wall, 6 foot lengths	4
C15699	6 yd Roll, 2" Black Polytape	1