



SERVING THE FOOD INDUSTRY SINCE 1951

Grab-and-Go Open Refrigerated Display Case

ITEM:	47514	47515
MODEL:	RS-CN-0390	RS-CN-0260



47514- 390L



47515- 260L

Boost sales and showcase your products with Omcan's Open Refrigerated display case.

This unit features bright LED lighting on both front sides to enhance product visibility. It includes a digital temperature controller for precise adjustments and four castors, two with brakes, for easy mobility. The double tempered glass and night curtain help maintain optimal temperature and energy efficiency.

A ventilated cooling system ensures even airflow, while automatic defrost simplifies maintenance. Condensation water is automatically evaporated, and the back-side system is maintenance-free.

FEATURES:

- Internal LED lighting (2 front sides)
- Digital temperature controller and display
- 4 Castors with 2 brakes
- Double Tempered Glass with night curtain
- Ventilated Cooling system
- Automatic Defrost
- Adjustable Shelves
- Condensation water evaporated automatically
- Condensation at back side free maintenance

Telephone: 1-800-465-0234



Fax: (905) 607-0234

Email: sales@omcan.com

Website: www.omcan.com





Authorized Dealer



TECHNICAL SPECIFICATION		
Item	47515	47514
Model	RS-CN-0260	RS-CN-0390
Capacity	28" / 260 L / 9.18 cu. ft.	36" / 390 L / 13.77 cu. ft.
Electrical	110V / 60Hz / 1Ph	110V / 60Hz / 1Ph
Electrical Heating Element	450W	450W
Lamp Power	5W	5W
Compressor Power	3/4 HP	3/4 HP
Material	Stainless Steel	Stainless Steel
Temperature Range	0 - 12°C / 32 - 53.6°F	0 - 12°C / 32 - 53.6°F
Refrigerant	R290	R290
Rated Current (A)	6.7 A	6.7 A
Number of Shelves	3	3
Net Dimensions (WDH)	28.2" x 32.8" x 59.4" / 717 x 834 x 1510 mm	36.2" x 33.3" x 59.4" / 920 x 847 x 1510 mm
Net Weight	230.4 lbs / 104.5 kg	271.2 lbs / 123 kg
Gross Weight	269 lbs / 122 kg	315.3 lbs / 143 kg
Gross Dimensions	30.5" x 35.4" x 61" / 775 x 900 x 1550 mm	39" x 36.2" x 65.7" / 990 x 920 x 1670 mm

TECHNICAL DRAWING

47514- 390L



47515- 260L

