



## Standard Features

- Ideal for Steakhouse finding the perfect cooking solution
- Strong design all in Stainless Steel 304
- Also available in 316SS by special request
- Fast warm up time: Ready to cook in 3 min.
- Cooking grid is Height Adjustable.
- Grease Collectors are Removable.
- All parts are removable and Dishwasher Safe
- Painted Versions available by request in Red and Black
- Marine 316 Stainless Steel available by request.


Models:  
**HIGHLANDER-E**  
**HIGHLANDER-G**




With simplicity,  
without intervention,  
and without know-how,

**Transform your venue  
into a real steakhouse**

# OVERFIRE BROILERS



**FRONT VIEW  
(Door Closed)**



**SIDE VIEW  
(Door Open)**

| SPECIFICATIONS                   |                                                  |                                                                                                       |
|----------------------------------|--------------------------------------------------|-------------------------------------------------------------------------------------------------------|
|                                  | HIGHLANDER-E                                     | HIGHLANDER-G                                                                                          |
| Type                             | Electric                                         | Gas                                                                                                   |
| Gas Inlet                        |                                                  | 1/2" NPT                                                                                              |
| Gas Consumption                  |                                                  | Propane Pressure 10 IWC<br>5.5 kW 18,766 BTU/H<br><br>Natural Gas Pressure 5 IWC<br>6 kW 20,427 BTU/H |
| Temperature (Element)            |                                                  | (1 - Infrared Burner)<br>1562°F (850°C)                                                               |
|                                  | (1 - Glass Ceramic Infrared)<br>1562°F (850°C)   |                                                                                                       |
| Cooking Grid Dimensions<br>W x D | 15.23" x 14.72"<br>(38.7 x 37.4 cm)              |                                                                                                       |
| Lighting                         | Energy Regulator                                 | Piezoelectric                                                                                         |
| Power Supply                     | 220V/60Hz/1ph                                    |                                                                                                       |
| Amps                             | 27.8                                             |                                                                                                       |
| Plug / Connection                | No Plug - No Cord                                |                                                                                                       |
| Product Dimensions (WxDxH)       | 29.1" x 22.63" x 24.88"<br>(74 x 57.5 x 63.2 cm) |                                                                                                       |
| Weight                           | 117 lbs (53 Kg)                                  |                                                                                                       |
| Stand Shipping Dim. (WxDxH)      | 30" x 43" x 34"                                  |                                                                                                       |



**Gas Type:** The appliance is equipped with NG nozzles. Liquid Propane Gas nozzles are included and must be installed by a professional.



**Notes:**

- Properly clean and dry after daily use to ensure best performance and equipment longevity.



HIGHLANDER-E  
No Plug  
No Cord

\*AMPTO is continuously improving products. Specifications are subject to change without notice.\*

# OVERFIRE BROILERS

we  
**Grill**  
and More

**AMPTO™**

MADE IN ITALY



Models:

HEREFORD-E / HEREFORD-G

## Standard Features

- Ideal for Steakhouse finding the perfect cooking solution
- Strong design all in Stainless Steel 304
- Also available in 316SS by special request
- Fast warm up time: Ready to cook in 3 min.
- Cooking grid is Height Adjustable.
- Grease Collectors are Removable.
- All parts are removable and Dishwasher Safe
- Painted Versions available by request in Red and Black
- Marine 316 Stainless Steel available by request.




With simplicity,  
without intervention,  
and without know-how,

**Transform your venue  
into a real steakhouse**

1-year parts and labor warranty (US Only)

[ampto.com](http://ampto.com)

# OVERFIRE BROILERS



**FRONT VIEW  
(Door Closed)**

**SIDE VIEW  
(Door Open)**

| SPECIFICATIONS                   |                                                      |                                                                                                       |
|----------------------------------|------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
|                                  | HEREFORD-E                                           | HEREFORD-G                                                                                            |
| Type                             | Electric                                             | Gas                                                                                                   |
| Gas Inlet                        |                                                      | 1/2" NPT                                                                                              |
| Consumption                      |                                                      | Propane Pressure 10 IWC<br>11 kW 37,532 BTU/H<br><br>Natural Gas Pressure 5 IWC<br>12 kW 40,854 BTU/H |
| Temperature (Element)            |                                                      | (2 - Infrared Burner)<br>1562°F (850°C)                                                               |
| Cooking Grid Dimensions<br>W x D | (2 - Glass Ceramic Infrared)<br>1562°F (850°C)       | (2 - Infrared Burner)<br>1562°F (850°C)                                                               |
| Lighting                         | 27.95" x 14.72"<br>(28 x 37.4 cm)                    |                                                                                                       |
| Power Supply                     | Energy Regulator                                     | Piezoelectric                                                                                         |
| Amps                             | 220V/60Hz/3ph                                        |                                                                                                       |
| Plug / Connection                | 29.2                                                 |                                                                                                       |
| Product Dimensions (WxDxH)       | No Plug - No Cord                                    |                                                                                                       |
| Weight                           | 41.89" x 22.63" x 24.92"<br>(106.4 x 57.5 x 63.3 cm) |                                                                                                       |
| Stand Shipping Dim. (WxDxH)      | 209 lbs (94.8 Kg)                                    |                                                                                                       |
|                                  | 30" x 43" x 34"                                      |                                                                                                       |



**Gas Type:** The appliance is equipped with NG nozzles. Liquid Propane Gas nozzles are included and must be installed by a professional.



Notes:

- Properly clean and dry after daily use to ensure best performance and equipment longevity.



HEREFORD-E  
No Plug  
No Cord

\*AMPTO is continuously improving products. Specifications are subject to change without notice.\*

# OVERFIRE BROILERS

we  
**Grill**  
and More

**AMPTO™**

MADE IN ITALY



Models:

**ABERDEEN-E / ABERDEEN-G**

## Standard Features

- Ideal for Steakhouse finding the perfect cooking solution
- Strong design all in Stainless Steel 304
- Also available in 316SS by special request
- Fast warm up time: Ready to cook in 3 min.
- Cooking grid is Height Adjustable.
- Grease Collectors are Removable.
- All parts are removable and Dishwasher Safe
- Painted Versions available by request in Red and Black
- Marine 316 Stainless Steel available by request.




With simplicity,  
without intervention,  
and without know-how,

**Transform your venue  
into a real steakhouse**


1-year parts and labor warranty (US Only)

[ampto.com](http://ampto.com)

# OVERFIRE BROILERS



**FRONT VIEW  
(Door Closed)**



**SIDE VIEW  
(Door Open)**

| SPECIFICATIONS                   |                                                      |                                                                                                         |
|----------------------------------|------------------------------------------------------|---------------------------------------------------------------------------------------------------------|
|                                  | ABERDEEN-E                                           | ABERDEEN-G                                                                                              |
| Type                             | Electric                                             | Gas                                                                                                     |
| Gas Inlet                        |                                                      | 1/2" NPT                                                                                                |
| Gas Consumption                  |                                                      | Propane Pressure 10 IWC<br>16.5 kW 56,298 BTU/H<br><br>Natural Gas Pressure 5 IWC<br>18 kW 61,281 BTU/H |
| Temperature (Element)            | (3 - Glass Ceramic Infrared)<br>1562°F (850°C)       | (3 - Infrared Burner)<br>1562°F (850°C)                                                                 |
| Cooking Grid Dimensions<br>W x D | 26.85" x 18.66"<br>(68.2 x 47.4 cm)                  |                                                                                                         |
| Lighting                         | Energy Regulator                                     | Piezoelectric                                                                                           |
| Power Supply                     | 220V/60Hz/3ph                                        |                                                                                                         |
| Amps                             | 37.9                                                 |                                                                                                         |
| Plug / Connection                | No Plug - No Cord                                    |                                                                                                         |
| Product Dimensions (WxDxH)       | 41.14" x 29.39" x 28.18"<br>(104.5 x 74.7 x 71.6 cm) |                                                                                                         |
| Weight                           | 247 lbs (112 Kg)                                     |                                                                                                         |
| Stand Shipping Dim. (WxDxH)      | 30" x 43" x 34"                                      |                                                                                                         |



**Gas Type:** The appliance is equipped with NG nozzles. Liquid Propane Gas nozzles are included and must be installed by a professional.



**Notes:**

- Properly clean and dry after daily use to ensure best performance and equipment longevity.



ABERDEEN-E  
No Plug  
No Cord

\*AMPTO is continuously improving products. Specifications are subject to change without notice.\*

# OVERFIRE BROILERS ACCESSORIES

we  
**Grill**  
and More

**AMPTO™**

MADE IN ITALY



HIGHLANDER






HEREFORD



ABERDEEN

## SPECIFICATIONS

|                           | Electric                                                                            |                                                             | Gas                                                                                   |
|---------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------|---------------------------------------------------------------------------------------|
| WGA20 Skewer              |    | WGA24<br>Black High Performance<br>Grid Kit<br>(HIGHLANDER) |    |
| WGA21 Skewer XL           |    | WGA25<br>Black High Performance<br>Grid Kit<br>(HEREFORD)   |    |
| WGA22 Grid XL             |   | WGA26<br>Black High Performance<br>Grid Kit<br>(ABERDEEN)   |   |
| WGTPRO<br>Grill PRO Table |  | WGA23<br>Fish Holder                                        |  |
| WGA18<br>Spray Cleaner    |  |                                                             |                                                                                       |



# OVERFIRE BROILERS ACCESSORIES



## WHAT TO KNOW

| Product Categories Applications |                    |              |            |                  |
|---------------------------------|--------------------|--------------|------------|------------------|
| Application                     | Over-Fired Broiler | Cheesemelter | Salamander | Conveyor Broiler |
| Melt/Brown Cheeses              | Yes                | Yes          | Yes        | Yes              |
| Toast Breads                    | Yes                | Yes          | Yes        | Yes              |
| Broil Fish and Vegetables       | Yes                | Yes          | Yes        | Yes              |
| Caramelize Proteins             | Yes                | No           | Yes        | Yes              |
| Cook Large Quantities of Food   | Yes                | No           | No         | Yes              |
| Food Production Capability      | No                 | No           | No         | Yes              |
| Cook Thick Pieces of Proteins   | Yes                | No           | No         | No               |
| Finish Proteins                 | Yes                | No           | Yes        | Yes              |
| Retherm                         | Yes                | Yes/No       | Yes        | Yes              |

| Electric Broiler in the US Market |     |                |                  |      |          |           |        |
|-----------------------------------|-----|----------------|------------------|------|----------|-----------|--------|
|                                   |     | American Range | Garland/US Range | Jade | Montague | Southbend | Vulcan |
| Gas                               | Yes | Yes            | Yes              | Yes  | Yes      | Yes       | Yes    |
| Electric                          | Yes | No             | No               | No   | No       | No        | No     |



Fast warm  
up time,  
3 minutes  
and the unit  
is ready!



Up to  
1562°F / 850°C