Drawn:

DHL

Checked:

KJG

Approved:

JHB

Date:

## T&S BRASS AND BRONZE WORKS, INC. <sup>2</sup> Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690

Model No.

EC-3102-VF05

Item No.

Travelers Rest. SC: 800-476-4103 • Simi Valley. CA: 800-423-0150 • Fax: 864-834-3518 • www.tshrass.com

Travelers (Cest, Ge. 600 470 4105 - Girli Valley, GA. 600 425 6160 - 1 az	1: 00+ 00+ 00 10 V	www.tabiaaa.com		
	This Space for Architect/Engineer Approval			
2 1/4"	Job Name		Date	
[57mm] ADA Complian	Model Specified	Model Specified		
	Customer/Whol	lesaler		
TS.	Contractor	Contractor		
ChekPoint*	Architect/Engine	Architect/Engineer		
The strainar of	[92mm x     Water Re   w/ Interna   AC or DC	I Flow Control Society (4)	lodule Box (Blue) etting Switches,	
Mounting / / /		1	•	
Surface  1/2" NPSM x 1/4" NPSM— 18" [457mm] Long Flexible St. Steel Hose	2 1/4" [57mm] Maximum Thickness  100-240 VA0 w/ 144" [365 Double Pow (Remove Ru	C Adapter [8mm] Long   er Cord.   ubber Plugs	Ø 1/8" [3mm] Anti-rotation Pin. Remove Pin if Desired. (See Mounting Hole Detail)  Mounting Hole Detail	
w/ Integral Check Valves —— 18" [457r	on Module and Cable to Connect)  (2) 3/8" Compression x 1/2" NPSM 18" [457mm] Flexible Stainless Steel Supply Hose			
Product Specifications:		Product Compliance:		
Chrome Plated Brass Electronic Faucet: Single Hole Deck Mount VR 0.5 GPM Spray Device, AC/DC Control Module w/ Internal Fl Setting Switches, Temperature Control Mixing Valve w/ Integral (	ow Control	ASME A112.18.1 / CS NSF 61 - Section 9 NSF 372 (Low Lead (		

UL 1951

Scale:

1:6

Sheet: 1

of

12/20/14



## T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690


Model No.

EC-3102-VF05

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com

	ITEM NO.	SALES NO.	DESCRIPTION				
	1	B-0199-08-N05	VR 0.5 GPM Spray Device, 13/16-27 UN Male				
	2	017195-45	Angled Sensor w/ Cable				
	3	016297-45	Inlet Hose, Faucet, 1/2" NPSM-F x 1/4" NPSM-F				
	4	016647-45	CheckPoint Electronic Module (Blue)				
	5	5EF-0002	A/C Transformer				
	6	5EF-0006	Mechanical Mixing Valve				
	7	5EF-0005	Supply Hose, 9/16-24 Female x 1/2" NPSM				
	8	015425-45	Vandal Resistant Key				
I	9	EC-FILTER	Replacement Filter				



A Maximum of (8) ChekPoint Faucets can be Hardwire Connected and Powered by EC-HARDWIRE ChekPoint Hardwire AĆ Transformer. (Sold Separately)

Label for Flow Control Switch Settings is Located on Inside of Back Cover.

Flow Control Switches are Located Inside Module Housing in Black Box Next to Battery Compartment. \*Switches are Set to DEFAULT Position:

- Auto Time Out = 15 Seconds
- Shut Off Delay = 1 SecondAuto Flush = OFF

Remove (4) Screws and Back Cover to Access Switches.

- \*Available Water Flow Control Selections:
- Auto Time Out: 15 sec, 30 sec, 45 sec, 60 sec, 3 min, 20 min
- Shut Off Delay: 1 sec, 10 sec, 15 sec, 30 sec
- Auto Flush (30 Seconds After Every 12 Inactive Hours): ON or OFF

## **Product Specifications:**

Chrome Plated Brass Electronic Faucet: Single Hole Deck Mount Spout w/ VR 0.5 GPM Spray Device, AC/DC Control Module w/ Internal Flow Control Setting Switches, Temperature Control Mixing Valve w/ Integral Check Valves & 18" Flexible Stainless Steel Supply Hoses

Product Compliance:

ASME A112.18.1 / CSA B125.1 NSF 61 - Section 9 NSF 372 (Low Lead Content) ANSI A117.1 (ADA) UL 1951

Drawn:	DHL	Checked:	KJG	Approved:	JHB	Date:	12/20/14	Scale:	NTS	Sheet: 2 of 2