

# THERMOMETERS



## COMPACT FOLDING DIGITAL THERMOMETER - BLACK

- Pocket-sized probe is compact and portable
- 2.3mm diameter, stainless-steel step-down probe provides reading within 6 seconds
- Auto-off feature conserves battery life by turning off after 20 mins of inactivity
- Probe locks at 180° to prevent folding during measurements
- Large, backlit display is easy to read in all lighting conditions
- Built-in magnet lets you attach the unit to metal objects
- Temperature range:
  - 4°F to 392°F
  - 20°C to 200°C



**NEW PRODUCT**

Prod No	Dimensions	Units	Digital/Analog	UOM	Case Qty	List Price
THDGFLD2 Δ	7.75 L x 1.2 W x 0.71in H (unfolded) 197 x 30 x 18mm	Celsius, Fahrenheit	Digital	CS	1	\$24.42

## COMPACT FOLDING DIGITAL THERMOMETER COUNTERTOP DISPLAY

- Excellent point-of-purchase display
- Includes 18 Compact Folding Digital Thermometers: (6) black, (6) red, (6) blue
- Temperature range:
  - 4°F to 392°F
  - 20°C to 200°C



**NEW PRODUCT**

Prod No	Dimensions	Units	Digital/Analog	UOM	Case Qty	List Price
THDGFLDPK18	7.75 L x 1.2 W x 0.71in H (unfolded) 197 x 30 x 18mm	Celsius, Fahrenheit	Digital	CS	1	\$439.60

## INFRARED SURFACE & FOLDING PROBE DIGITAL THERMOMETER

- 2-in-1 unit checks surface temperatures in surface (IR) mode and internal temperatures in probe mode
- Surface mode uses IR technology to convert infrared light into a numeric temperature display
- Stainless-steel, 1.8mm step-down probe provides readings within 4 seconds
- Measures surface temperature at a 5:1 distance-to-target ratio
- Large, backlit display is easy to read
- Auto-off feature conserves battery life
- Temperature range:
  - Infrared surface: -22°F to 716°F (-30°C to 380°C)
  - Probe: -20°C to 200°C (-30°C to 300°C)



**NEW PRODUCT**

Prod No	Dimensions	Units	Digital/Analog	UOM	Case Qty	List Price
THDGIFP	11.54 L x 1.5 W x 0.71in D (unfolded) 293 x 38 x 18mm	Celsius, Fahrenheit	Digital	CS	1	\$87.27

NSF listed products are designated with a Δ and may be prefixed with an N.

cfsbrands.com | 800.654.8210 | See our online catalog for technical specifications.