



SPEC SHEET

84 In. Refrigerated Buffet Table, 5 Full-Size GN Pan Capacity, Adjustable Cover, Serving Rail, Stainless Steel with Wood-Grain Finish


Model: KM-RBT-84ACW

FEATURES

- **Marble Countertop and Wood-Grain Stainless Steel:** Combines an elegant marble countertop with durable stainless-steel construction featuring a warm wood-grain finish for an upscale buffet presentation.
- **5 Full-Size GN Pans Included:** Spacious refrigerated well accommodates five included full-size GN pans, each with a 20.5-liter capacity and a maximum pan depth of 5.9 inches.
- **Digital Temperature Control:** Maintains an adjustable refrigerated temperature range of 35.6°F – 50°F for cold-food holding.
- **Adjustable Tempered-Glass Sneeze Guard:** Helps protect displayed foods while providing convenient access and a professional serving presentation.
- **Integrated LED Display Lighting:** White LED lighting built into the sneeze guard illuminates displayed foods for enhanced visibility.
- **Extra-Wide Stainless-Steel Serving Rail:** Spacious 82.6 x 11.8-inch serving rail supports up to 33 lb. for plates, utensils, and other serving essentials.
- **Dual Lower Storage Shelves:** Two lower shelves provide convenient storage for foodservice supplies, with each shelf supporting up to 88 lb.
- **Automatic Defrost:** Reduces routine maintenance while supporting convenient everyday commercial operation.



CLOSE UP IMAGES



Technical Specs

Dimensions & Weight

Length	85.5 in.
Width	29.2 in
Height Open	54 in.
Height Closed	39.9 in.
Weight	366 lbs.
Interior Depth	20 in.
Interior Width	76.7 in.
Interior Height	6.4 in.
Shelf Depth	17.21 in.
Shelf Width	30.06 in.
Minimum Back Air Clearance In.	1 in.
Minimum Side Air Clearance In.	1 in.
Maximum Depth of Pans	5.9 in.
D x W x H of Sneeze Guard	85.9 x 23.6 x 4.7 in.
D x W of Rail	82.6 x 11.8 in.

Electric & Certifications

Voltage	115
Wattage	200
Amps	2.3
Hertz	60
Phase	1
Plug Type	NEMA 5-15P
Power Cord Included	Yes
Power Cord Length	94.49 in.
Electrical Installation Type	Plug-in
Energy Consumption	875 kWh/Year
Certifications	ETL listed for Safety and Sanitation



Capacity

Pan Capacity	5 Full Size GN
Individual Pan Capacity	20.5 Liter
Pans Included	Yes
Depth of Pans	5.9 in.
Rail Max Capacity	33 lbs.
Lower Shelf Capacity	88 lbs.

Features & Materials

Temperature Range	35.6-50°F
Ambient Temperature Range	86°F
Defrost Type	Automatic
Cooling Unit Type	Static
Refrigerant Type	R290
Horsepower	0.4
Control Type	Digital
Control Location	Exterior
Interior Material	Glavanized Metal Sheet
Exterior Material	Stainless-Steel 430 and Marble
Rail Material	Stainless-Steel 201
Color Finish	Wood Stainless-Steel
Shelf Material Type	Stainless-Steel 201
Commercial/Residential	Commercial
Installation Type	Freestanding
Adjustable Pan Dividers	No
Glass Type	Tempered
Casters	4
Compressor Location	Bottom
Interior Lights	LED
Interior Lights Brightness	3400K
Interior Lights Color	White
Interior Lights Location	Sneeze Guard

Plan View



718-576-6342
info@koolmore.com

CERTIFICATIONS

