



# SPEC SHEET

## 59 In. Refrigerated Buffet Table, 4 Full-Size GN Pan Capacity, Adjustable Cover, Serving Rail, Stainless Steel



**Model:** KM-RBT-59ACS

### FEATURES

- **Marble Countertop and Stainless-Steel Construction:** Combines an elegant marble countertop with durable stainless-steel construction for a professional presentation and easy cleaning.
- **4 Full-Size GN Pans Included:** Spacious refrigerated well accommodates four included full-size GN pans, each with a 20.5-liter capacity and a maximum pan depth of 5.9 inches.
- **Digital Temperature Control:** Maintains an adjustable refrigerated temperature range of 35.6°F – 50°F for cold-food holding.
- **Adjustable Tempered-Glass Sneeze Guard:** Helps protect displayed foods while providing convenient access and a professional serving presentation.
- **Integrated LED Display Lighting:** White LED lighting built into the sneeze guard illuminates displayed foods for enhanced visibility.
- **Stainless-Steel Serving Rail:** Spacious 56.6 x 11.8-inch serving rail supports up to 33 lb. for plates, utensils, and other serving essentials.
- **Lower Storage Shelf:** 34.98 x 17.21-inch stainless-steel shelf supports up to 77 lb. for convenient storage of foodservice supplies.
- **Automatic Defrost:** Reduces routine maintenance while supporting convenient everyday commercial operation.



### CLOSE UP IMAGES



# Technical Specs

## Dimensions & Weight

|                                |                       |
|--------------------------------|-----------------------|
| Length                         | 59.5 in.              |
| Width                          | 29.2 in               |
| Height Open                    | 54 in.                |
| Height Closed                  | 39.9 in.              |
| Weight                         | 271.2 lbs.            |
| Interior Depth                 | 20 in.                |
| Interior Width                 | 50.7 in.              |
| Interior Height                | 6.4 in.               |
| Shelf Depth                    | 17.21 in.             |
| Shelf Width                    | 34.98 in.             |
| Minimum Back Air Clearance In. | 1 in.                 |
| Minimum Side Air Clearance In. | 1 in.                 |
| Maximum Depth of Pans          | 5.9 in.               |
| D x W x H of Sneeze Guard      | 59.9 x 23.6 x 4.7 in. |
| D x W of Rail                  | 56.6 x 11.8 in.       |

## Electric & Certifications

|                              |                                      |
|------------------------------|--------------------------------------|
| Voltage                      | 115                                  |
| Wattage                      | 160                                  |
| Amps                         | 1.5                                  |
| Hertz                        | 60                                   |
| Phase                        | 1                                    |
| Plug Type                    | NEMA 5-15P                           |
| Power Cord Included          | Yes                                  |
| Power Cord Length            | 94.49 in.                            |
| Electrical Installation Type | Plug-in                              |
| Energy Consumption           | 547.5 kWh/Year                       |
| Certifications               | ETL listed for Safety and Sanitation |



## Capacity

|                         |                |
|-------------------------|----------------|
| Pan Capacity            | 4 Full Size GN |
| Individual Pan Capacity | 20.5 Liter     |
| Pans Included           | Yes            |
| Depth of Pans           | 5.9 in.        |
| Rail Max Capacity       | 33 lbs.        |
| Lower Shelf Capacity    | 77 lbs.        |

## Features & Materials

|                            |                                |
|----------------------------|--------------------------------|
| Temperature Range          | 35.6-50°F                      |
| Ambient Temperature Range  | 86°F                           |
| Defrost Type               | Automatic                      |
| Cooling Unit Type          | Static                         |
| Refrigerant Type           | R290                           |
| Horsepower                 | 0.4                            |
| Control Type               | Digital                        |
| Control Location           | Exterior                       |
| Interior Material          | Glavanized Metal Sheet         |
| Exterior Material          | Stainless-Steel 430 and Marble |
| Rail Material              | Stainless-Steel 201            |
| Color Finish               | Stainless-Steel                |
| Shelf Material Type        | Stainless-Steel 201            |
| Commercial/Residential     | Commercial                     |
| Installation Type          | Freestanding                   |
| Adjustable Pan Dividers    | No                             |
| Glass Type                 | Tempered                       |
| Casters                    | 4                              |
| Compressor Location        | Bottom                         |
| Interior Lights            | LED                            |
| Interior Lights Brightness | 3400K                          |
| Interior Lights Color      | White                          |
| Interior Lights Location   | Sneeze Guard                   |

# Plan View



718-576-6342  
info@koolmore.com

## CERTIFICATIONS

