

MetroMax® i Shelving Stationary Units and Add-on Units

Short Form Spec:

Corrosion-proof MetroMax i shelving is constructed from shelves with removable polymer shelf mats, wedges and polymer posts. The four-sided, continuous shelf frame with molded-in type 304 stainless steel corners provides complete 360° capture of the wedges and posts to ensure stability, strength and structural integrity. Shelf mats have built-in Microban® antimicrobial product protection. Shelves and polymer posts offer a lifetime warranty against rust and corrosion. Each Stationary unit and Add-on unit has a maximum capacity of 2,000 lbs. (907 kg) evenly distributed. Load ratings (evenly distributed) for individual shelves on stationary and end-to-end add-on units are: 48" (1219 mm) and shorter at 1000 lbs. (454 kg); 54" (1372 mm) and longer at 750 lbs. (340 kg). Stationary unit models have four posts – Each shelf mounts on four one-piece wedges along grooved, numbered posts. Add-on models have two posts – Each shelf mounts on two one-piece wedges and connects to an adjacent shelf with (2) S-hook brackets. Units assemble easily without tools. Shelves adjust on 1" (25 mm) increments along grooved, numbered posts. Non-marking, rust-proof polymer leveling feet may be adjusted up to 1" (25 mm) to account for uneven floors. Metro shelving is covered by a Never Collapse Guarantee.

Features and Benefits:

- **Stationary Units:** Include shelves and four posts under one easy to order model number.
- **Add-on Units:** Include (2) posts, shelves, and S-hooks to connect a unit end-to-end under one easy to order model number.
- **Corner (Right Angle) Units:** Allow easy access to the shelf contents by eliminating a front post. They are configured using a stationary shelving unit, an add-on unit and a corner S-hook kit.
- **Rust & Corrosion Proof:** All-polymer and Type 304 Stainless Steel construction withstands moisture, chemicals, and harsh environments.
- **Lifetime:** Polymer shelves and posts offer a Lifetime Warranty against rust and corrosion.
- **Proven Stability:** Proven Metro corner design and rigid four-sided shelf frame deliver sturdy runs of shelving.
- **Easy-to-Clean:** Removable plastic shelf mats lift off easily without tools for cleaning by hand or in a commercial washer/dish machine. Open grid mats remove in two or more sections, depending on the shelf length. Solid mats up to 60" (1529 mm) in length are one single piece; 72" (1829 mm) length solid mats have two sections.
- **Microban® Antimicrobial Product Protection:** Is built into the shelf mats to help fight the growth of stain and odor-causing bacteria, fungi, mold, and mildew to keep product cleaner between cleanings.
- **Smooth, Protective Surfaces:** Smooth, flat surfaces protect packaged shelf contents from unwanted rips, tears, or damage.
- **Efficient Use of Space:** Shelves adjust on 1" (25 mm) increments along the post to maximize the use of available vertical space.
- **Fast, Easy Assembly Shelves** are ready to use right out of the box. One-piece wedges securely attach to the posts – Raised beads on the back of each wedge snap into the grooves on the post. Window on wedge aligns with numbers on the post to locate the desired shelf position. Shelf seats into position over the posts and wedges. A unit can be assembled without tools in minutes.
- **Open Grid Mat and Solid Mat options:**
 - 4-Shelf and 5-Shelf models with open grid mat shelves
 - 4-Shelf, 5-Shelf, 6-Shelf and 7-Shelf models with solid mat bottom shelf and upper open grid mat shelves
 - 4-Shelf and 5-Shelf models with solid mat shelves
- **NSF Listed** for all environments.
- **Optional Accessories:** are on spec sheet 9.25.
- **Never Collapse Guarantee:** Each Metro stationary shelving unit, add-on shelving unit, mobile shelving unit and Track Shelving System are backed by a 100% money-back guarantee against unit collapse.



4-Shelf Stationary Unit



4-Shelf Add-On Unit



MICROBAN® and the MICROBAN® symbol are registered trademarks of the Microban® Products Company, Huntersville, NC. Microban® product protection does not by itself protect a user from food borne illness. Product must be routinely cleaned.



Supports good
HACCP
processes



All Metro Catalog Sheets and our Never Collapse Guarantee Warranty are available on our website: metro.com

Material Specifications:

- **Shelf Mats:** Polypropylene. Mats contain Microban® antimicrobial product protection.
- **Longitudinal Beams:** Pultrusions — continuous glass fibers and thermoset resin composite.
- **End Beams, Adjustable Foot and Socket, Shelf Wedge Connector:** Reinforced nylon.
- **Collars, Shelf Frame Fasteners, and S-hooks:** Type 304 Stainless Steel
- **S-hook Tab Hole Plug:** Vinyl
- **Posts:** Pultrusions — continuous glass fibers and thermoset resin composite.
- **Post Cap and Center Beam Cap:** High-density polyethylene.
- **Continuous Temperature Exposure Range (with shelves under load):** -20/120° F (-29/49° C)
For cleaning the maximum intermittent temperature exposure is 212° F (100° C).


Maximum Strength: Proven corner connection and rigid four-sided frame with center truss assure stability and strength.



MetroMax i – Load Ratings


Four Post Unit & End-to-End Add-on Unit:

1000 lbs. (454 kg) per shelf for lengths of 24" to 48" (610 to 1219 mm)
750 lbs. (340 kg) per shelf for lengths of 54" (1372 mm) or longer
2000 lbs. (907 kg) evenly distributed per Unit




Corner Configuration "L" with an Add-on:

800 lbs. (363 kg) per shelf for lengths of 24" to 48" (610 to 1219 mm)
600 lbs. (272 kg) per shelf for lengths of 54" (1372 mm) or longer
2000 lbs. (907 kg) evenly distributed per Unit



Part Number Explanation



Shelf types:

G = all open grid mat shelves
GF = grid upper shelves & solid bottom shelf
F = all solid mat shelves

OPEN GRID Mat Shelves — Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
63"					
Nominal Width/Length (in.) (mm)		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
18x24	457x610	MX-1824G-63-S4	MX-1824G-63-A4	MX-1824G-63-S5	MX-1824G-63-A5
18x30	457x760	MX-1830G-63-S4	MX-1830G-63-A4	MX-1830G-63-S5	MX-1830G-63-A5
18x36	457x914	MX-1836G-63-S4	MX-1836G-63-A4	MX-1836G-63-S5	MX-1836G-63-A5
18x42	457x1060	MX-1842G-63-S4	MQ-1842G-63-A4	MX-1842G-63-S5	MX-1842G-63-A5
18x48	457x1219	MX-1848G-63-S4	MX-1848G-63-A4	MX-1848G-63-S5	MX-1848G-63-A5
18x54	457x1372	MX-1854G-63-S4	MX-1854G-63-A4	MX-1854G-63-S5	MX-1854G-63-A5
18x60	457x1524	MX-1860G-63-S4	MX-1860G-63-A4	MX-1860G-63-S5	MX-1860G-63-A5
18x72	457x18294	MX-1872G-63-S4	MX-1872G-63-A4	MX-1872G-63-S5	MX-1872G-63-A5
24x24	610x610	MX-2424G-63-S4	MX-2424G-63-A4	MX-2424G-63-S5	MX-2424G-63-A5
24x30	610x760	MX-2430G-63-S4	MX-2430G-63-A4	MX-2430G-63-S5	MX-2430G-63-A5
24x36	610x914	MX-2436G-63-S4	MX-2436G-63-A4	MX-2436G-63-S5	MX-2436G-63-A5
24x42	610x1060	MX-2442G-63-S4	MX-2442G-63-A4	MX-2442G-63-S5	MX-2442G-63-A5
24x48	610x1219	MX-2448G-63-S4	MX-2448G-63-A4	MX-2448G-63-S5	MX-2448G-63-A5
24x54	610x1372	MX-2454G-63-S4	MX-2454G-63-A4	MX-2454G-63-S5	MX-2454G-63-A5
24x60	610x1524	MX-2460G-63-S4	MX-2460G-63-A4	MX-2460G-63-S5	MX-2460G-63-A5
24x72	610x1829	MX-2472G-63-S4	MX-2472G-63-A4	MX-2472G-63-S5	MX-2472G-63-A5

Actual Height: 62.1875" (1580 mm) with the leveling foot completely tightened.

Actual Shelf Size: Add 1/4" [0.25", (6 mm)] to the nominal width. Subtract 5/16" [0.3125", (8 mm)] from the nominal length.



OPEN GRID Mat Shelves — Stationary Units and Add-On Units

Stationary Units: consist of four or five open grid shelves and four posts.


Add-on Units: consist of four or five shelves, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.

Five-shelf units include (10) standard S-hooks.



END-TO-END



Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.



**Standard S-hook
(Included)**

Cat. No.
M9995



Intermediate S-hook Bracket

Four-shelf Corner Unit S-hook Kit:

Cat. No. **MXCNR4**


(includes 4 intermediate S-hook brackets)

Five-shelf Corner Unit S-hook Kit:

Cat. No. **MXCNR5**

(includes 5 intermediate S-hook brackets)

CORNER UNIT



OPEN GRID Mat Shelves — Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
74"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
Nominal Width/Length (in.) (mm)					
18x24	457x610	MX-1824G-74-S4	MX-1824G-74-A4	MX-1824G-74-S5	MX-1824G-74-A5
18x30	457x760	MX-1830G-74-S4	MX-1830G-74-A4	MX-1830G-74-S5	MX-1830G-74-A5
18x36	457x914	MX-1836G-74-S4	MX-1836G-74-A4	MX-1836G-74-S5	MX-1836G-74-A5
18x42	457x1060	MX-1842G-74-S4	MX-1842G-74-A4	MX-1842G-74-S5	MX-1842G-74-A5
18x48	457x1219	MX-1848G-74-S4	MX-1848G-74-A4	MX-1848G-74-S5	MX-1848G-74-A5
18x54	457x1372	MX-1854G-74-S4	MX-1854G-74-A4	MX-1854G-74-S5	MX-1854G-74-A5
18x60	457x1524	MX-1860G-74-S4	MX-1860G-74-A4	MX-1860G-74-S5	MX-1860G-74-A5
18x72	457x1829	MX-1872G-74-S4	MX-1872G-74-A4	MX-1872G-74-S5	MX-1872G-74-A5
24x24	610x610	MX-2424G-74-S4	MX-2424G-74-A4	MX-2424G-74-S5	MX-2424G-74-A5
24x30	610x760	MX-2430G-74-S4	MX-2430G-74-A4	MX-2430G-74-S5	MX-2430G-74-A5
24x36	610x914	MX-2436G-74-S4	MX-2436G-74-A4	MX-2436G-74-S5	MX-2436G-74-A5
24x42	610x1060	MX-2442G-74-S4	MX-2442G-74-A4	MX-2442G-74-S5	MX-2442G-74-A5
24x48	610x1219	MX-2448G-74-S4	MX-2448G-74-A4	MX-2448G-74-S5	MX-2448G-74-A5
24x54	610x1372	MX-2454G-74-S4	MX-2454G-74-A4	MX-2454G-74-S5	MX-2454G-74-A5
24x60	610x1524	MX-2460G-74-S4	MX-2460G-74-A4	MX-2460G-74-S5	MX-2460G-74-A5
24x72	610x1829	MX-2472G-74-S4	MX-2472G-74-A4	MX-2472G-74-S5	MX-2472G-74-A5

Actual Height: 74.1875" (1884 mm) with the leveling foot completely tightened.

Actual Shelf Size: Add 1/4" [0.25", (6 mm)] to the nominal width. Subtract 5/16" [0.3125", (8 mm)] from the nominal length.



OPEN GRID Mat Shelves — Stationary Units and Add-On Units

Stationary Units: consist of four or five open grid shelves and four posts.


Add-on Units: consist of four or five shelves, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.


Five-shelf units include (10) standard S-hooks.



END-TO-END



Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.



**Standard S-hook
(Included)**

Cat. No.
M9995



Intermediate S-hook Bracket

Four-shelf Corner Unit S-hook Kit:


Cat. No. **MXCNR4**

(includes 4 intermediate S-hook brackets)

Five-shelf Corner Unit S-hook Kit:

Cat. No. **MXCNR5**

(includes 5 intermediate S-hook brackets)



OPEN GRID Mat Shelves — Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
86"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
Nominal Width/Length (in.)	(mm)				
18x24	457x610	MX-1824G-86-S4	MX-1824G-86-A4	MX-1824G-86-S5	MX-1824G-86-A5
18x30	457x760	MX-1830G-86-S4	MX-1830G-86-A4	MX-1830G-86-S5	MX-1830G-86-A5
18x36	457x914	MX-1836G-86-S4	MX-1836G-86-A4	MX-1836G-86-S5	MX-1836G-86-A5
18x42	457x1060	MX-1842G-86-S4	MX-1842G-86-A4	MX-1842G-86-S5	MX-1842G-86-A5
18x48	457x1219	MX-1848G-86-S4	MX-1848G-86-A4	MX-1848G-86-S5	MX-1848G-86-A5
18x54	457x1372	MX-1854G-86-S4	MX-1854G-86-A4	MX-1854G-86-S5	MX-1854G-86-A5
18x60	457x1524	MX-1860G-86-S4	MX-1860G-86-A4	MX-1860G-86-S5	MX-1860G-86-A5
18x72	457x1829	MX-1872G-86-S4	MX-1872G-86-A4	MX-1872G-86-S5	MX-1872G-86-A5
24x24	610x610	MX-2424G-86-S4	MX-2424G-86-A4	MX-2424G-86-S5	MX-2424G-86-A5
24x30	610x760	MX-2430G-86-S4	MX-2430G-86-A4	MX-2430G-86-S5	MX-2430G-86-A5
24x36	610x914	MX-2436G-86-S4	MX-2436G-86-A4	MX-2436G-86-S5	MX-2436G-86-A5
24x42	610x1060	MX-2442G-86-S4	MX-2442G-86-A4	MX-2442G-86-S5	MX-2442G-86-A5
24x48	610x1219	MX-2448G-86-S4	MX-2448G-86-A4	MX-2448G-86-S5	MX-2448G-86-A5
24x54	610x1372	MX-2454G-86-S4	MX-2454G-86-A4	MX-2454G-86-S5	MX-2454G-86-A5
24x60	610x1524	MX-2460G-86-S4	MX-2460G-86-A4	MX-2460G-86-S5	MX-2460G-86-A5
24x72	610x1829	MX-2472G-86-S4	MX-2472G-86-A4	MX-2472G-86-S5	MX-2472G-86-A5

Actual Height: 86.1875" (2189 mm) with the leveling foot completely tightened.

Actual Shelf Size: Add 1/4" [0.25", (6 mm)] to the nominal width. Subtract 5/16" [0.3125", (8 mm)] from the nominal length.



OPEN GRID Mat Shelves — Stationary Units and Add-On Units

Stationary Units: consist of four or five open grid shelves and four posts.


Add-on Units: consist of four or five shelves, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.

Five-shelf units include (10) standard S-hooks.



END-TO-END



Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.



**Standard S-hook
(Included)**

Cat. No.
M9995



Intermediate S-hook Bracket


Four-shelf Corner Unit S-hook Kit:

Cat. No. **MXCNR4**
(includes 4 intermediate S-hook brackets)

Five-shelf Corner Unit S-hook Kit:

Cat. No. **MXCNR5**
(includes 5 intermediate S-hook brackets)

CORNER UNIT



SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
63"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
18x24	457x610	MX-1824GF-63-S4	MX-1824GF-63-A4	MX-1824GF-63-S5	MX-1824GF-63-A5
18x30	457x760	MX-1830GF-63-S4	MX-1830GF-63-A4	MX-1830GF-63-S5	MX-1830GF-63-A5
18x36	457x914	MX-1836GF-63-S4	MX-1836GF-63-A4	MX-1836GF-63-S5	MX-1836GF-63-A5
18x42	457x1060	MX-1842GF-63-S4	MX-1842GF-63-A4	MX-1842GF-63-S5	MX-1842GF-63-A5
18x48	457x1219	MX-1848GF-63-S4	MX-1848GF-63-A4	MX-1848GF-63-S5	MX-1848GF-63-A5
18x54	457x1372	MX-1854GF-63-S4	MX-1854GF-63-A4	MX-1854GF-63-S5	MX-1854GF-63-A5
18x60	457x1524	MX-1860GF-63-S4	MX-1860GF-63-A4	MX-1860GF-63-S5	MX-1860GF-63-A5
18x72	457x1829	MX-1872GF-63-S4	MX-1872GF-63-A4	MX-1872GF-63-S5	MX-1872GF-63-A5
24x24	610x610	MX-2424GF-63-S4	MX-2424GF-63-A4	MX-2424GF-63-S5	MX-2424GF-63-A5
24x30	610x760	MX-2430GF-63-S4	MX-2430GF-63-A4	MX-2430GF-63-S5	MX-2430GF-63-A5
24x36	610x914	MX-2436GF-63-S4	MX-2436GF-63-A4	MX-2436GF-63-S5	MX-2436GF-63-A5
24x42	610x1060	MX-2442GF-63-S4	MX-2442GF-63-A4	MX-2442GF-63-S5	MX-2442GF-63-A5
24x48	610x1219	MX-2448GF-63-S4	MX-2448GF-63-A4	MX-2448GF-63-S5	MX-2448GF-63-A5
24x54	610x1372	MX-2454GF-63-S4	MX-2454GF-63-A4	MX-2454GF-63-S5	MX-2454GF-63-A5
24x60	610x1524	MX-2460GF-63-S4	MX-2460GF-63-A4	MX-2460GF-63-S5	MX-2460GF-63-A5
24x72	610x1829	MX-2472GF-63-S4	MX-2472GF-63-A4	MX-2472GF-63-S5	MX-2472GF-63-A5

Actual Height: 62.1875" (1580 mm) with the leveling foot completely tightened.

Actual Shelf Size: Add 1/4" [0.25", (6 mm)] to the nominal width. Subtract 5/16" [0.3125", (8 mm)] from the nominal length.



SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves Stationary Units and Add-On Units

Stationary Units: consist of three or four open grid shelves, one solid mat shelf bottom and four posts.


Add-on Units: consist of three or four open grid mat shelves, one solid mat bottom shelf, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.


Five-shelf units include (10) standard S-hooks.



END-TO-END



Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.



Standard S-hook (Included)

Cat. No.
M9995



Intermediate S-hook Bracket

Four-shelf Corner Unit S-hook Kit:

Cat. No. **MXCNR4**


(includes 4 intermediate S-hook brackets)

Five-shelf Corner Unit S-hook Kit:

Cat. No. **MXCNR5**

(includes 5 intermediate S-hook brackets)

CORNER UNIT



SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
74"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
18x24	457x610	MX-1824GF-74-S4	MX-1824GF-74-A4	MX-1824GF-74-S5	MX-1824GF-74-A5
18x30	457x760	MX-1830GF-74-S4	MX-1830GF-74-A4	MX-1830GF-74-S5	MX-1830GF-74-A5
18x36	457x914	MX-1836GF-74-S4	MX-1836GF-74-A4	MX-1836GF-74-S5	MX-1836GF-74-A5
18x42	457x1060	MX-1842GF-74-S4	MX-1842GF-74-A4	MX-1842GF-74-S5	MX-1842GF-74-A5
18x48	457x1219	MX-1848GF-74-S4	MX-1848GF-74-A4	MX-1848GF-74-S5	MX-1848GF-74-A5
18x54	457x1372	MX-1854GF-74-S4	MX-1854GF-74-A4	MX-1854GF-74-S5	MX-1854GF-74-A5
18x60	457x1524	MX-1860GF-74-S4	MX-1860GF-74-A4	MX-1860GF-74-S5	MX-1860GF-74-A5
18x72	457x1829	MX-1872GF-74-S4	MX-1872GF-74-A4	MX-1872GF-74-S5	MX-1872GF-74-A5
24x24	610x610	MX-2424GF-74-S4	MX-2424GF-74-A4	MX-2424GF-74-S5	MX-2424GF-74-A5
24x30	610x760	MX-2430GF-74-S4	MX-2430GF-74-A4	MX-2430GF-74-S5	MX-2430GF-74-A5
24x36	610x914	MX-2436GF-74-S4	MX-2436GF-74-A4	MX-2436GF-74-S5	MX-2436GF-74-A5
24x42	610x1060	MX-2442GF-74-S4	MX-2442GF-74-A4	MX-2442GF-74-S5	MX-2442GF-74-A5
24x48	610x1219	MX-2448GF-74-S4	MX-2448GF-74-A4	MX-2448GF-74-S5	MX-2448GF-74-A5
24x54	610x1372	MX-2454GF-74-S4	MX-2454GF-74-A4	MX-2454GF-74-S5	MX-2454GF-74-A5
24x60	610x1524	MX-2460GF-74-S4	MX-2460GF-74-A4	MX-2460GF-74-S5	MX-2460GF-74-A5
24x72	610x1829	MX-2472GF-74-S4	MX-2472GF-74-A4	MX-2472GF-74-S5	MX-2472GF-74-A5

Actual Height: 74.1875" (1884 mm) with the leveling foot completely tightened.

Actual Shelf Size: Add 1/4" [0.25", (6 mm)] to the nominal width. Subtract 5/16" [0.3125", (8 mm)] from the nominal length.



SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves Stationary Units and Add-On Units

Stationary Units: consist of three or four open grid shelves, one solid mat shelf bottom and four posts.


Add-on Units: consist of three or four open grid mat shelves, one solid mat bottom shelf, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.

Five-shelf units include (10) standard S-hooks.



END-TO-END



Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.



Standard S-hook (Included)

Cat. No.
M9995



Intermediate S-hook Bracket

Four-shelf Corner Unit S-hook Kit:

Cat. No. **MXCNR4**


(includes 4 intermediate S-hook brackets)

Five-shelf Corner Unit S-hook Kit:

Cat. No. **MXCNR5**

(includes 5 intermediate S-hook brackets)

CORNER UNIT



SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
86"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
18x24	457x610	MX-1824GF-86-S4	MX-1824GF-86-A4	MX-1824GF-86-S5	MX-1824GF-86-A5
18x30	457x760	MX-1830GF-86-S4	MX-1830GF-86-A4	MX-1830GF-86-S5	MX-1830GF-86-A5
18x36	457x914	MX-1836GF-86-S4	MX-1836GF-86-A4	MX-1836GF-86-S5	MX-1836GF-86-A5
18x42	457x1060	MX-1842GF-86-S4	MX-1842GF-86-A4	MX-1842GF-86-S5	MX-1842GF-86-A5
18x48	457x1219	MX-1848GF-86-S4	MX-1848GF-86-A4	MX-1848GF-86-S5	MX-1848GF-86-A5
18x54	457x1372	MX-1854GF-86-S4	MX-1854GF-86-A4	MX-1854GF-86-S5	MX-1854GF-86-A5
18x60	457x1524	MX-1860GF-86-S4	MX-1860GF-86-A4	MX-1860GF-86-S5	MX-1860GF-86-A5
18x72	457x1829	MX-1872GF-86-S4	MX-1872GF-86-A4	MX-1872GF-86-S5	MX-1872GF-86-A5
24x24	610x610	MX-2424GF-86-S4	MX-2424GF-86-A4	MX-2424GF-86-S5	MX-2424GF-86-A5
24x30	610x760	MX-2430GF-86-S4	MX-2430GF-86-A4	MX-2430GF-86-S5	MX-2430GF-86-A5
24x36	610x914	MX-2436GF-86-S4	MX-2436GF-86-A4	MX-2436GF-86-S5	MX-2436GF-86-A5
24x42	610x1060	MX-2442GF-86-S4	MX-2442GF-86-A4	MX-2442GF-86-S5	MX-2442GF-86-A5
24x48	610x1219	MX-2448GF-86-S4	MX-2448GF-86-A4	MX-2448GF-86-S5	MX-2448GF-86-A5
24x54	610x1372	MX-2454GF-86-S4	MX-2454GF-86-A4	MX-2454GF-86-S5	MX-2454GF-86-A5
24x60	610x1524	MX-2460GF-86-S4	MX-2460GF-86-A4	MX-2460GF-86-S5	MX-2460GF-86-A5
24x72	610x1829	MX-2472GF-86-S4	MX-2472GF-86-A4	MX-2472GF-86-S5	MX-2472GF-86-A5

Actual Height: 86.1875" (2189 mm) with the leveling foot completely tightened.

Actual Shelf Size: Add 1/4" [0.25", (6 mm)] to the nominal width. Subtract 5/16" [0.3125", (8 mm)] from the nominal length.



SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves Stationary Units and Add-On Units

Stationary Units: consist of three or four open grid shelves, one solid mat shelf bottom and four posts.


Add-on Units: consist of three or four open grid mat shelves, one solid mat bottom shelf, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.


Five-shelf units include (10) standard S-hooks.



END-TO-END



Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.



**Standard S-hook
(Included)**

Cat. No.
M9995



Intermediate S-hook Bracket

Four-shelf Corner Unit S-hook Kit:

Cat. No. **MXCNR4**


(includes 4 intermediate S-hook brackets)

Five-shelf Corner Unit S-hook Kit:




Cat. No. **MXCNR5**

(includes 5 intermediate S-hook brackets)

CORNER UNIT



SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves 6-Shelf and 7-Shelf Stationary Units

UNIT HEIGHT	6-SHELF UNITS	UNIT HEIGHT	6-SHELF UNITS	7-SHELF UNITS
63"		74"		
Nominal Width/Length (in.) (mm)	Stationary Unit Cat. No.	Nominal Width/Length (in.) (mm)	Stationary Unit Cat. No.	Stationary Unit Cat. No.
18x24 457x610	MX-1824GF-63-S6	18x24 457x610	MX-1824GF-74-S6	MX-1824GF-74-S7
18x30 457x760	MX-1830GF-63-S6	18x30 457x760	MX-1830GF-74-S6	MX-1830GF-74-S7
18x36 457x914	MX-1836GF-63-S6	18x36 457x914	MX-1836GF-74-S6	MX-1836GF-74-S7
18x42 457x1060	MX-1842GF-63-S6	18x42 457x1060	MX-1842GF-74-S6	MX-1842GF-74-S7
18x48 457x1219	MX-1848GF-63-S6	18x48 457x1219	MX-1848GF-74-S6	MX-1848GF-74-S7
18x54 457x1372	MX-1854GF-63-S6	18x54 457x1372	MX-1854GF-74-S6	MX-1854GF-74-S7
18x60 457x1524	MX-1860GF-63-S6	18x60 457x1524	MX-1860GF-74-S6	MX-1860GF-74-S7
24x24 610x610	MX-2424GF-63-S6	24x24 610x610	MX-2424GF-74-S6	MX-2424GF-74-S7
24x30 610x760	MX-2430GF-63-S6	24x30 610x760	MX-2430GF-74-S6	MX-2430GF-74-S7
24x36 610x914	MX-2436GF-63-S6	24x36 610x914	MX-2436GF-74-S6	MX-2436GF-74-S7
24x42 610x1060	MX-2442GF-63-S6	24x42 610x1060	MX-2442GF-74-S6	MX-2442GF-74-S7
24x48 610x1219	MX-2448GF-63-S6	24x48 610x1219	MX-2448GF-74-S6	MX-2448GF-74-S7
24x54 610x1372	MX-2454GF-63-S6	24x54 610x1372	MX-2454GF-74-S6	MX-2454GF-74-S7
24x60 610x1524	MX-2460GF-63-S6	24x60 610x1524	MX-2460GF-74-S6	MX-2460GF-74-S7
24x72 610x1829	MX-2472GF-63-S6	24x72 610x1829	MX-2472GF-74-S6	MX-2472GF-74-S7


Actual Height: 62.1875" (1580 mm) with the leveling foot completely tightened.
Actual Shelf Size: Add 1/4" [0.25", (6 mm)] to the nominal width. Subtract 5/16" [0.3125", (8 mm)] from the nominal length.

Actual Height: 74.1875" (1884 mm) with the leveling foot completely tightened.
Actual Shelf Size: Add 1/4" [0.25", (6 mm)] to the nominal width. Subtract 5/16" [0.3125", (8 mm)] from the nominal length.

SOLID BOTTOM Mat Shelf, OPEN GRID Mat Upper Shelves 6-Shelf and 7-Shelf Stationary Units

Six-shelf units have five open grid mat shelves, and one solid bottom mat shelf and four posts.

Seven-shelf units have six open grid mat shelves, and one solid bottom mat shelf and four posts.





OPEN GRID
Mat Shelves ▶



SOLID
Mat Shelf ▶



SOLID MAT Shelves — Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS	
63"			
		Stationary Unit Cat. No.	Add-on Unit Cat. No.
Nominal Width/Length (in.)	(mm)		
18x24	457x610	MX-1824F-63-S4	MX-1824F-63-A4
18x30	457x760	MX-1830F-63-S4	MX-1830F-63-A4
18x36	457x914	MX-1836F-63-S4	MX-1836F-63-A4
18x42	457x1060	MX-1842F-63-S4	MX-1842F-63-A4
18x48	457x1219	MX-1848F-63-S4	MX-1848F-63-A4
18x54	457x1372	MX-1854F-63-S4	MX-1854F-63-A4
18x60	457x1524	MX-1860F-63-S4	MX-1860F-63-A4
24x24	610x610	MX-2424F-63-S4	MX-2424F-63-A4
24x30	610x760	MX-2430F-63-S4	MX-2430F-63-A4
24x36	610x914	MX-2436F-63-S4	MX-2436F-63-A4
24x42	610x1060	MX-2442F-63-S4	MX-2442F-63-A4
24x48	610x1219	MX-2448F-63-S4	MX-2448F-63-A4
24x54	610x1372	MX-2454F-63-S4	MX-2454F-63-A4
24x60	610x1524	MX-2460F-63-S4	MX-2460F-63-A4
24x72	610x1829	MX-2472F-63-S4	MX-2472F-63-A4



Actual Height: 62.1875" (1580 mm) with the leveling foot completely tightened.



Actual Shelf Size: Add 1/4" [0.25", (6 mm)] to the nominal width.
Subtract 5/16" [0.3125", (8 mm)] from the nominal length.

SOLID MAT Shelves — Stationary Units and Add-On Units


Stationary Units: consist of four solid mat shelves and four posts.

Add-on Units: consist of four solid mat shelves, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.



END-TO-END



Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.



**Standard S-hook
(Included)**


Cat. No.
M9995





Intermediate S-hook Bracket

Four-shelf Corner Unit S-hook Kit:
Cat. No. **MXCNR4**
(includes 4 intermediate S-hook brackets)

CORNER UNIT



SOLID MAT Shelves — Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS	
74"			
		Stationary Unit Cat. No.	Add-on Unit Cat. No.
Nominal Width/Length (in.)	(mm)		
18x24	457x610	MX-1824F-74-S4	MX-1824F-74-A4
18x30	457x760	MX-1830F-74-S4	MX-1830F-74-A4
18x36	457x914	MX-1836F-74-S4	MX-1836F-74-A4
18x42	457x1060	MX-1842F-74-S4	MX-1842F-74-A4
18x48	457x1219	MX-1848F-74-S4	MX-1848F-74-A4
18x54	457x1372	MX-1854F-74-S4	MX-1854F-74-A4
18x60	457x1524	MX-1860F-74-S4	MX-1860F-74-A4
24x24	610x610	MX-2424F-74-S4	MX-2424F-74-A4
24x30	610x760	MX-2430F-74-S4	MX-2430F-74-A4
24x36	610x914	MX-2436F-74-S4	MX-2436F-74-A4
24x42	610x1060	MX-2442F-74-S4	MX-2442F-74-A4
24x48	610x1219	MX-2448F-74-S4	MX-2448F-74-A4
24x54	610x1372	MX-2454F-74-S4	MX-2454F-74-A4
24x60	610x1524	MX-2460F-74-S4	MX-2460F-74-A4
24x72	610x1829	MX-2472F-74-S4	MX-2472F-74-A4



Actual Height: 74.1875" (1884 mm) with the leveling foot completely tightened.

Actual Shelf Size: Add 1/4" [0.25", (6 mm)] to the nominal width.



Subtract 5/16" [0.3125", (8 mm)] from the nominal length.

SOLID MAT Shelves — Stationary Units and Add-On Units


Stationary Units: consist of four solid mat shelves and four posts.

Add-on Units: consist of four solid mat shelves, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.



END-TO-END



Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.



**Standard S-hook
(Included)**


Cat. No.
M9995



Intermediate S-hook Bracket

Four-shelf Corner Unit S-hook Kit:
Cat. No. **MXCNR4**
(includes 4 intermediate S-hook brackets)

CORNER UNIT



MetroMax® i Shelving Stationary Units and Add-on Units

SOLID MAT Shelves — Stationary Units and Add-On Units

UNIT HEIGHT	4-SHELF UNITS		5-SHELF UNITS	
86"				
	Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
Nominal Width/Length (in.) (mm)				
18x24 457x610	MX-1824F-86-S4	MX-1824F-86-A4	MX-1824F-86-S5	MX-1824F-86-A5
18x30 457x760	MX-1830F-86-S4	MX-1830F-86-A4	MX-1830F-86-S5	MX-1830F-86-A5
18x36 457x914	MX-1836F-86-S4	MX-1836F-86-A4	MX-1836F-86-S5	MX-1836F-86-A5
18x42 457x1060	MX-1842F-86-S4	MX-1842F-86-A4	MX-1842F-86-S5	MX-1842F-86-A5
18x48 457x1219	MX-1848F-86-S4	MX-1848F-86-A4	MX-1848F-86-S5	MX-1848F-86-A5
18x54 457x1372	MX-1854F-86-S4	MX-1854F-86-A4	MX-1854F-86-S5	MX-1854F-86-A5
18x60 457x1524	MX-1860F-86-S4	MX-1860F-86-A4	MX-1860F-86-S5	MX-1860F-86-A5
24x24 610x610	MX-2424F-86-S4	MX-2424F-86-A4	MX-2424F-86-S5	MX-2424F-86-A5
24x30 610x760	MX-2430F-86-S4	MX-2430F-86-A4	MX-2430F-86-S5	MX-2430F-86-A5
24x36 610x914	MX-2436F-86-S4	MX-2436F-86-A4	MX-2436F-86-S5	MX-2436F-86-A5
24x42 610x1060	MX-2442F-86-S4	MX-2442F-86-A4	MX-2442F-86-S5	MX-2442F-86-A5
24x48 610x1219	MX-2448F-86-S4	MX-2448F-86-A4	MX-2448F-86-S5	MX-2448F-86-A5
24x54 610x1372	MX-2454F-86-S4	MX-2454F-86-A4	MX-2454F-86-S5	MX-2454F-86-A5
24x60 610x1524	MX-2460F-86-S4	MX-2460F-86-A4	MX-2460F-86-S5	MX-2460F-86-A5
24x72 610x1829	MX-2472F-86-S4	MX-2472F-86-A4	MX-2472F-86-S5	MX-2472F-86-A5

Actual Height: 86.1875" (2189 mm) with the leveling foot completely tightened.

Actual Shelf Size: Add 1/4" [0.25", (6 mm)] to the nominal width. Subtract 5/16" [0.3125", (8 mm)] from the nominal length.



SOLID MAT Shelves — Stationary Units and Add-On Units

Stationary Units: consist of four or five open grid shelves, one solid mat shelf bottom and four posts.


Add-on Units: consist of four or five solid mat shelves, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.


Five-shelf units include (10) standard S-hooks.



END-TO-END



Corner (Right Angle) Configurations: select one add-on unit and a corner S-hook kit.



**Standard S-hook
(Included)**

Cat. No.
M9995



Intermediate S-hook Bracket

Four-shelf Corner Unit S-hook Kit:
Cat. No. **MXCNR4**

(includes 4 intermediate S-hook brackets)

Five-shelf Corner Unit S-hook Kit:
Cat. No. **MXCNR5**

(includes 5 intermediate S-hook brackets)

CORNER UNIT

