

{9.11}



MetroMax® Q Shelving Stationary Units and Add-on Units

Short Form Spec:

Quick-to-adjust, corrosion resistant MetroMax Q shelving is constructed from shelves with removable polymer shelf mats, wedges and polymer posts. Shelf frames have a multi-layer finish of an epoxy coating over an electroplated substrate. Lift-off, open grid plastic shelf mats have built-in Microban® antimicrobial product protection. Corrosion warranties – Shelves (25 years) and polymer posts (lifetime). The four-sided, one-piece shelf frame and welded corners provide complete 360° capture of the wedges and posts to ensure stability, strength and structural integrity. Each stationary unit and Add-on unit has a maximum capacity of 2,000 lbs. (907 kg) evenly distributed. Load ratings (evenly distributed) for individual shelves are: 48" (1219 mm) and shorter at 800 lbs. (363 kg); 54" (1372 mm) and longer at 600 lbs. (272 kg). Stationary unit models have four posts – Each shelf mounts on four one-piece wedges along grooved, numbered posts. Add-on models have two posts – Each shelf mounts on two one-piece wedges and connects to an adjacent shelf with (2) S-hook brackets. Units assemble easily without tools. Patented corner releases enable quick adjustment of shelves on 1" (25 mm) increments along grooved, numbered posts. Non-marking, rust-proof polymer leveling feet may be adjusted up to 1" (25 mm) to account for uneven floors. Metro shelving is covered by a Never Collapse Guarantee.

Features and Benefits:

- **Stationary Units:** Shelves and polymer posts under one easy to order model number.
- **Add-on Units:** Includes (2) polymer posts, open grid mat shelves, and S-hooks (2 per shelf).
- **Corner (Right Angle) Units:** Allow easy access to the shelf contents by eliminating a front post. They are configured using a stationary unit, an add-on unit with S-hooks and intermediate S-hook brackets (ordered separately).
- **Forever Strong:** Proven corner connection and four-sided shelf frame with center truss(es) assures stability and strength in stationary, mobile, and high-density track shelving configurations. 800 lbs. (363 kg) per shelf for lengths of 24" to 48" (610 to 1219 mm) 600 lbs. (272 kg) per shelf for lengths of 54" (1372 mm) or longer; Stationary unit: 2000 lbs. (907 kg) evenly distributed.
- **Life-Long Rust Resistant:** Shelves offer a 25-year warranty against rust and corrosion. Polymer posts are rust-proof.
- **Easy to Clean and Maintain:** Polymer mats can be easily removed and cleaned in a sink or commercial washer / dish machine.
- **Microban® Antimicrobial Product Protection:** Is built into the shelf mats to help fight the growth of stain and odor-causing bacteria, fungi, mold, and mildew to keep product cleaner between cleanings.
- **Quick-to-Adjust:** Patented corner release allows shelves to be adjusted without tools. Simply flip each corner release, relocate the wedge connectors on the posts, and reposition the shelf. Quickly adjust shelves to reclaim wasted vertical space.
- **Efficient Use of Space:** Shelves adjust on 1" (25 mm) increments along the post to maximize the use of available vertical space.
- **Fast, Easy Assembly:** Shelves are ready to use right out of the box. One-piece wedges securely attach to the posts – Raised beads on the back of each wedge snap into the grooves on the post. Window on wedge aligns with numbers on the post to locate the desired shelf position. Shelf seats into position over the posts and wedges. A unit can be assembled without tools in minutes.
- **Open Grid (vented) Shelf mats:** Sectioned and promote air circulation and light penetration. Built-in ship's edge helps contain supplies.
- **NSF Listed** for all environments: MetroMax Q Shelves, Polymer Posts and Standard S-hooks (Cat No. M9995)
- **Maximum Versatility:** Complete line of accessories are found on spec sheet 9.25.
- **Never Collapse Guarantee:** Each Metro stationary shelving unit, add-on shelving unit, mobile shelving unit and Track Shelving System are backed by a 100% money-back guarantee against unit collapse.



4-Shelf Stationary Unit



4-Shelf Add-On Unit



MICROBAN® and the MICROBAN® symbol are registered trademarks of the Microban® Products Company, Huntersville, NC. Microban® product protection does not by itself protect a user from food borne illness. Product must be routinely cleaned.



Supports good
HACCP
processes



All Metro Catalog Sheets and our Never Collapse Guarantee Warranty are available on our website: metro.com

Material Specifications:

- **Shelf Mats:** Injection-molded polypropylene with exclusive built-in Microban® antimicrobial product protection.
- **Shelf frames and epoxy-coated posts:** Steel with electroplated substrate and highly durable, abrasion-resistant epoxy finish. The adjustable foot and socket are reinforced nylon.
- **Polymer Post:** Pultrusions — continuous glass fibers and thermoset resin composite. The adjustable foot and socket are reinforced nylon.
- **Shelf Wedge Connector:** Reinforced nylon.
- **Standard S-hook:** Type 304 Stainless Steel
- **Intermediate S-hook bracket:** Zinc plated carbon steel
- **Temperature range:** -20°F (-29°C) to 125°F (52°C) continuous use, with intermittent exposure to 200°F (93°C) for cleaning.




MetroMax Q — Load Ratings

Four Post Unit & End-to-End Add-on Unit:
800 lbs. (363 kg) per shelf for lengths of 24" to 48" (610 to 1219 mm)
600 lbs. (272 kg) per shelf for lengths of 54" (1372 mm) or longer
2000 lbs. (907 kg) evenly distributed per Unit



Corner Configuration "L" with an Add-on:
800 lbs. (363 kg) per shelf for lengths of 24" to 48" (610 to 1219 mm)
600 lbs. (272 kg) per shelf for lengths of 54" (1372 mm) or longer
2000 lbs. (907 kg) evenly distributed per Unit

Part Number Explanation



Shelf types:
G = all open grid mat shelves
GF = grid upper shelves & solid bottom shelf

OPEN GRID Mat Shelves — Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
63"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
18x24	457x610	MQ-1824G-63-S4	MQ-1824G-63-A4	MQ-1824G-63-S5	MQ-1824G-63-A5
18x30	457x760	MQ-1830G-63-S4	MQ-1830G-63-A4	MQ-1830G-63-S5	MQ-1830G-63-A5
18x36	457x914	MQ-1836G-63-S4	MQ-1836G-63-A4	MQ-1836G-63-S5	MQ-1836G-63-A5
18x42	457x1060	MQ-1842G-63-S4	MQ-1842G-63-A4	MQ-1842G-63-S5	MQ-1842G-63-A5
18x48	457x1219	MQ-1848G-63-S4	MQ-1848G-63-A4	MQ-1848G-63-S5	MQ-1848G-63-A5
18x54	457x1372	MQ-1854G-63-S4	MQ-1854G-63-A4	MQ-1854G-63-S5	MQ-1854G-63-A5
18x60	457x1524	MQ-1860G-63-S4	MQ-1860G-63-A4	MQ-1860G-63-S5	MQ-1860G-63-A5
18x72	457x1829	MQ-1872G-63-S4	MQ-1872G-63-A4	MQ-1872G-63-S5	MQ-1872G-63-A5
21x24	530x610	MQ-2124G-63-S4	MQ-2124G-63-A4	MQ-2124G-63-S5	MQ-2124G-63-A5
21x30	530x760	MQ-2130G-63-S4	MQ-2130G-63-A4	MQ-2130G-63-S5	MQ-2130G-63-A5
21x36	530x914	MQ-2136G-63-S4	MQ-2136G-63-A4	MQ-2136G-63-S5	MQ-2136G-63-A5
21x42	530x1060	MQ-2142G-63-S4	MQ-2142G-63-A4	MQ-2142G-63-S5	MQ-2142G-63-A5
21x48	530x1219	MQ-2148G-63-S4	MQ-2148G-63-A4	MQ-2148G-63-S5	MQ-2148G-63-A5
21x54	530x1372	MQ-2154G-63-S4	MQ-2154G-63-A4	MQ-2154G-63-S5	MQ-2154G-63-A5
21x60	530x1524	MQ-2160G-63-S4	MQ-2160G-63-A4	MQ-2160G-63-S5	MQ-2160G-63-A5
21x72	530x1829	MQ-2172G-63-S4	MQ-2172G-63-A4	MQ-2172G-63-S5	MQ-2172G-63-A5
24x24	610x610	MQ-2424G-63-S4	MQ-2424G-63-A4	MQ-2424G-63-S5	MQ-2424G-63-A5
24x30	610x760	MQ-2430G-63-S4	MQ-2430G-63-A4	MQ-2430G-63-S5	MQ-2430G-63-A5
24x36	610x914	MQ-2436G-63-S4	MQ-2436G-63-A4	MQ-2436G-63-S5	MQ-2436G-63-A5
24x42	610x1060	MQ-2442G-63-S4	MQ-2442G-63-A4	MQ-2442G-63-S5	MQ-2442G-63-A5
24x48	610x1219	MQ-2448G-63-S4	MQ-2448G-63-A4	MQ-2448G-63-S5	MQ-2448G-63-A5
24x54	610x1372	MQ-2454G-63-S4	MQ-2454G-63-A4	MQ-2454G-63-S5	MQ-2454G-63-A5
24x60	610x1524	MQ-2460G-63-S4	MQ-2460G-63-A4	MQ-2460G-63-S5	MQ-2460G-63-A5
24x72	610x1829	MQ-2472G-63-S4	MQ-2472G-63-A4	MQ-2472G-63-S5	MQ-2472G-63-A5

Actual Height: 62.1875" (1580 mm) with the leveling foot completely tightened.

Actual Shelf Size: Add 3/8" [0.375", (10 mm)] to the nominal width. Subtract 3/16" [0.1875", (5 mm)] from the nominal length.



OPEN GRID Mat Shelves — Stationary Units and Add-On Units

Stationary Units: consist of four or five open grid shelves and four posts.

Add-on Units: consist of four or five shelves, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.

Five-shelf units include (10) standard S-hooks.




Corner (Right Angle) Configurations: select one add-on unit and intermediate S-hook brackets (one bracket per add-on unit shelf).



S-hook
Cat. No. M9995
(included with add-on unit)



Intermediate S-hook Kit
Cat. No. Q9995Z



OPEN GRID Mat Shelves — Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
74"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
Nominal Width/Length (in.) (mm)					
18x24	457x610	MQ-1824G-74-S4	MQ-1824G-74-A4	MQ-1824G-74-S5	MQ-1824G-74-A5
18x30	457x760	MQ-1830G-74-S4	MQ-1830G-74-A4	MQ-1830G-74-S5	MQ-1830G-74-A5
18x36	457x914	MQ-1836G-74-S4	MQ-1836G-74-A4	MQ-1836G-74-S5	MQ-1836G-74-A5
18x42	457x1060	MQ-1842G-74-S4	MQ-1842G-74-A4	MQ-1842G-74-S5	MQ-1842G-74-A5
18x48	457x1219	MQ-1848G-74-S4	MQ-1848G-74-A4	MQ-1848G-74-S5	MQ-1848G-74-A5
18x54	457x1372	MQ-1854G-74-S4	MQ-1854G-74-A4	MQ-1854G-74-S5	MQ-1854G-74-A5
18x60	457x1524	MQ-1860G-74-S4	MQ-1860G-74-A4	MQ-1860G-74-S5	MQ-1860G-74-A5
18x72	457x1829	MQ-1872G-74-S4	MQ-1872G-74-A4	MQ-1872G-74-S5	MQ-1872G-74-A5
21x24	530x610	MQ-2124G-74-S4	MQ-2124G-74-A4	MQ-2124G-74-S5	MQ-2124G-74-A5
21x30	530x760	MQ-2130G-74-S4	MQ-2130G-74-A4	MQ-2130G-74-S5	MQ-2130G-74-A5
21x36	530x914	MQ-2136G-74-S4	MQ-2136G-74-A4	MQ-2136G-74-S5	MQ-2136G-74-A5
21x42	530x1060	MQ-2142G-74-S4	MQ-2142G-74-A4	MQ-2142G-74-S5	MQ-2142G-74-A5
21x48	530x1219	MQ-2148G-74-S4	MQ-2148G-74-A4	MQ-2148G-74-S5	MQ-2148G-74-A5
21x54	530x1372	MQ-2154G-74-S4	MQ-2154G-74-A4	MQ-2154G-74-S5	MQ-2154G-74-A5
21x60	530x1524	MQ-2160G-74-S4	MQ-2160G-74-A4	MQ-2160G-74-S5	MQ-2160G-74-A5
21x72	530x1829	MQ-2172G-74-S4	MQ-2172G-74-A4	MQ-2172G-74-S5	MQ-2172G-74-A5
24x24	610x610	MQ-2424G-74-S4	MQ-2424G-74-A4	MQ-2424G-74-S5	MQ-2424G-74-A5
24x30	610x760	MQ-2430G-74-S4	MQ-2430G-74-A4	MQ-2430G-74-S5	MQ-2430G-74-A5
24x36	610x914	MQ-2436G-74-S4	MQ-2436G-74-A4	MQ-2436G-74-S5	MQ-2436G-74-A5
24x42	610x1060	MQ-2442G-74-S4	MQ-2442G-74-A4	MQ-2442G-74-S5	MQ-2442G-74-A5
24x48	610x1219	MQ-2448G-74-S4	MQ-2448G-74-A4	MQ-2448G-74-S5	MQ-2448G-74-A5
24x54	610x1372	MQ-2454G-74-S4	MQ-2454G-74-A4	MQ-2454G-74-S5	MQ-2454G-74-A5
24x60	610x1524	MQ-2460G-74-S4	MQ-2460G-74-A4	MQ-2460G-74-S5	MQ-2460G-74-A5
24x72	610x1829	MQ-2472G-74-S4	MQ-2472G-74-A4	MQ-2472G-74-S5	MQ-2472G-74-A5

Actual Height: 74.1875" (1884 mm) with the leveling foot completely tightened.

Actual Shelf Size: Add 3/8" [0.375", (10 mm)] to the nominal width. Subtract 3/16" [0.1875", (5 mm)] from the nominal length.



OPEN GRID Mat Shelves — Stationary Units and Add-On Units

Stationary Units: consist of four or five open grid shelves and four posts.

Add-on Units: consist of four or five shelves, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.

Five-shelf units include (10) standard S-hooks.




Corner (Right Angle) Configurations: select one add-on unit and intermediate S-hook brackets (one bracket per add-on unit shelf).



S-hook
Cat. No. M9995
(included with add-on unit)



Intermediate S-hook Kit
Cat. No. Q9995Z



OPEN GRID Mat Shelves — Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
86"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
Nominal Width/Length (in.)	(mm)				
18x24	457x610	MQ-1824G-86-S4	MQ-1824G-86-A4	MQ-1824G-86-S5	MQ-1824G-86-A5
18x30	457x760	MQ-1830G-86-S4	MQ-1830G-86-A4	MQ-1830G-86-S5	MQ-1830G-86-A5
18x36	457x914	MQ-1836G-86-S4	MQ-1836G-86-A4	MQ-1836G-86-S5	MQ-1836G-86-A5
18x42	457x1060	MQ-1842G-86-S4	MQ-1842G-86-A4	MQ-1842G-86-S5	MQ-1842G-86-A5
18x48	457x1219	MQ-1848G-86-S4	MQ-1848G-86-A4	MQ-1848G-86-S5	MQ-1848G-86-A5
18x54	457x1372	MQ-1854G-86-S4	MQ-1854G-86-A4	MQ-1854G-86-S5	MQ-1854G-86-A5
18x60	457x1524	MQ-1860G-86-S4	MQ-1860G-86-A4	MQ-1860G-86-S5	MQ-1860G-86-A5
18x72	457x1829	MQ-1872G-86-S4	MQ-1872G-86-A4	MQ-1872G-86-S5	MQ-1872G-86-A5
21x24	530x610	MQ-2124G-86-S4	MQ-2124G-86-A4	MQ-2124G-86-S5	MQ-2124G-86-A5
21x30	530x760	MQ-2130G-86-S4	MQ-2130G-86-A4	MQ-2130G-86-S5	MQ-2130G-86-A5
21x36	530x914	MQ-2136G-86-S4	MQ-2136G-86-A4	MQ-2136G-86-S5	MQ-2136G-86-A5
21x42	530x1060	MQ-2142G-86-S4	MQ-2142G-86-A4	MQ-2142G-86-S5	MQ-2142G-86-A5
21x48	530x1219	MQ-2148G-86-S4	MQ-2148G-86-A4	MQ-2148G-86-S5	MQ-2148G-86-A5
21x54	530x1372	MQ-2154G-86-S4	MQ-2154G-86-A4	MQ-2154G-86-S5	MQ-2154G-86-A5
21x60	530x1524	MQ-2160G-86-S4	MQ-2160G-86-A4	MQ-2160G-86-S5	MQ-2160G-86-A5
21x72	530x1829	MQ-2172G-86-S4	MQ-2172G-86-A4	MQ-2172G-86-S5	MQ-2172G-86-A5
24x24	610x610	MQ-2424G-86-S4	MQ-2424G-86-A4	MQ-2424G-86-S5	MQ-2424G-86-A5
24x30	610x760	MQ-2430G-86-S4	MQ-2430G-86-A4	MQ-2430G-86-S5	MQ-2430G-86-A5
24x36	610x914	MQ-2436G-86-S4	MQ-2436G-86-A4	MQ-2436G-86-S5	MQ-2436G-86-A5
24x42	610x1060	MQ-2442G-86-S4	MQ-2442G-86-A4	MQ-2442G-86-S5	MQ-2442G-86-A5
24x48	610x1219	MQ-2448G-86-S4	MQ-2448G-86-A4	MQ-2448G-86-S5	MQ-2448G-86-A5
24x54	610x1372	MQ-2454G-86-S4	MQ-2454G-86-A4	MQ-2454G-86-S5	MQ-2454G-86-A5
24x60	610x1524	MQ-2460G-86-S4	MQ-2460G-86-A4	MQ-2460G-86-S5	MQ-2460G-86-A5
24x72	610x1829	MQ-2472G-86-S4	MQ-2472G-86-A4	MQ-2472G-86-S5	MQ-2472G-86-A5

Actual Height: 86.1875" (2189 mm) with the leveling foot completely tightened.

Actual Shelf Size: Add 3/8" [0.375", (10 mm)] to the nominal width. Subtract 3/16" [0.1875", (5 mm)] from the nominal length.



OPEN GRID Mat Shelves — Stationary Units and Add-On Units

Stationary Units: consist of four or five open grid shelves and four posts.

Add-on Units: consist of four or five shelves, (2) posts, and standard S-Hook Kits (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.

Five-shelf units include (10) standard S-hooks.




Corner (Right Angle) Configurations: select one add-on unit and intermediate S-hook brackets (one bracket per add-on unit shelf).



S-hook
Cat. No. M9995
(included with add-on unit)



Intermediate S-hook Kit
Cat. No. Q9995Z



SOLID BOTTOM Mat Shelf — Stationary Unit and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
63"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
Nominal Width/Length (in.)	(mm)				
18x24	457x610	MQ-1824GF-63-S4	MQ-1824GF-63-A4	MQ-1824GF-63-S5	MQ-1824GF-63-A5
18x30	457x760	MQ-1830GF-63-S4	MQ-1830GF-63-A4	MQ-1830GF-63-S5	MQ-1830GF-63-A5
18x36	457x914	MQ-1836GF-63-S4	MQ-1836GF-63-A4	MQ-1836GF-63-S5	MQ-1836GF-63-A5
18x42	457x1060	MQ-1842GF-63-S4	MQ-1842GF-63-A4	MQ-1842GF-63-S5	MQ-1842GF-63-A5
18x48	457x1219	MQ-1848GF-63-S4	MQ-1848GF-63-A4	MQ-1848GF-63-S5	MQ-1848GF-63-A5
18x54	457x1372	MQ-1854GF-63-S4	MQ-1854GF-63-A4	MQ-1854GF-63-S5	MQ-1854GF-63-A5
18x60	457x1524	MQ-1860GF-63-S4	MQ-1860GF-63-A4	MQ-1860GF-63-S5	MQ-1860GF-63-A5
18x72	457x1829	MQ-1872GF-63-S4	MQ-1872GF-63-A4	MQ-1872GF-63-S5	MQ-1872GF-63-A5
24x24	610x610	MQ-2424GF-63-S4	MQ-2424GF-63-A4	MQ-2424GF-63-S5	MQ-2424GF-63-A5
24x30	610x760	MQ-2430GF-63-S4	MQ-2430GF-63-A4	MQ-2430GF-63-S5	MQ-2430GF-63-A5
24x36	610x914	MQ-2436GF-63-S4	MQ-2436GF-63-A4	MQ-2436GF-63-S5	MQ-2436GF-63-A5
24x42	610x1060	MQ-2442GF-63-S4	MQ-2442GF-63-A4	MQ-2442GF-63-S5	MQ-2442GF-63-A5
24x48	610x1219	MQ-2448GF-63-S4	MQ-2448GF-63-A4	MQ-2448GF-63-S5	MQ-2448GF-63-A5
24x54	610x1372	MQ-2454GF-63-S4	MQ-2454GF-63-A4	MQ-2454GF-63-S5	MQ-2454GF-63-A5
24x60	610x1524	MQ-2460GF-63-S4	MQ-2460GF-63-A4	MQ-2460GF-63-S5	MQ-2460GF-63-A5
24x72	610x1829	MQ-2472GF-63-S4	MQ-2472GF-63-A4	MQ-2472GF-63-S5	MQ-2472GF-63-A5
Actual Height: 62.1875" (1580 mm) with the leveling foot completely tightened. Actual Shelf Size: Add 3/8" [0.375", (10 mm)] to the nominal width. Subtract 3/16" [0.1875", (5 mm)] from the nominal length.		4-SHELF UNITS To configure as a corner unit order: (3) Q9995Z and (1) MX9996		5-SHELF UNITS To configure as a corner unit order: (4) Q9995Z and (1) MX9996	

SOLID BOTTOM Mat Shelf — Stationary Units and Add-On Units

Stationary Units: consist of three or four open grid MetroMax Q shelves and one solid MetroMax i bottom shelf.

Corner (Right Angle) Configurations: select one add-on unit one Intermediate MetroMax Q S-hook Kit per open grid shelf and one Intermediate MetroMax i S-hook Kit.

Corner (Right Angle) Configurations: select one add-on unit and intermediate S-hook brackets (one bracket per add-on unit shelf).






S-hook
Cat. No. **M9995**
(included with add-on unit)



Intermediate S-hook Kit
Cat. No. **Q9995Z**



Intermediate MetroMax i S-hook Kit
Cat. No. **MX9996**



SOLID BOTTOM Mat Shelf — Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
74"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
Nominal Width/Length (in.)	(mm)				
18x24	457x610	MQ-1824GF-74-S4	MQ-1824GF-74-A4	MQ-1824GF-74-S5	MQ-1824GF-74-A5
18x30	457x760	MQ-1830GF-74-S4	MQ-1830GF-74-A4	MQ-1830GF-74-S5	MQ-1830GF-74-A5
18x36	457x914	MQ-1836GF-74-S4	MQ-1836GF-74-A4	MQ-1836GF-74-S5	MQ-1836GF-74-A5
18x42	457x1060	MQ-1842GF-74-S4	MQ-1842GF-74-A4	MQ-1842GF-74-S5	MQ-1842GF-74-A5
18x48	457x1219	MQ-1848GF-74-S4	MQ-1848GF-74-A4	MQ-1848GF-74-S5	MQ-1848GF-74-A5
18x54	457x1372	MQ-1854GF-74-S4	MQ-1854GF-74-A4	MQ-1854GF-74-S5	MQ-1854GF-74-A5
18x60	457x1524	MQ-1860GF-74-S4	MQ-1860GF-74-A4	MQ-1860GF-74-S5	MQ-1860GF-74-A5
18x72	457x1829	MQ-1872GF-74-S4	MQ-1872GF-74-A4	MQ-1872GF-74-S5	MQ-1872GF-74-A5
24x24	610x610	MQ-2424GF-74-S4	MQ-2424GF-74-A4	MQ-2424GF-74-S5	MQ-2424GF-74-A5
24x30	610x760	MQ-2430GF-74-S4	MQ-2430GF-74-A4	MQ-2430GF-74-S5	MQ-2430GF-74-A5
24x36	610x914	MQ-2436GF-74-S4	MQ-2436GF-74-A4	MQ-2436GF-74-S5	MQ-2436GF-74-A5
24x42	610x1060	MQ-2442GF-74-S4	MQ-2442GF-74-A4	MQ-2442GF-74-S5	MQ-2442GF-74-A5
24x48	610x1219	MQ-2448GF-74-S4	MQ-2448GF-74-A4	MQ-2448GF-74-S5	MQ-2448GF-74-A5
24x54	610x1372	MQ-2454GF-74-S4	MQ-2454GF-74-A4	MQ-2454GF-74-S5	MQ-2454GF-74-A5
24x60	610x1524	MQ-2460GF-74-S4	MQ-2460GF-74-A4	MQ-2460GF-74-S5	MQ-2460GF-74-A5
24x72	610x1829	MQ-2472GF-74-S4	MQ-2472GF-74-A4	MQ-2472GF-74-S5	MQ-2472GF-74-A5
Actual Height: 74.1875" (1884 mm) with the leveling foot completely tightened. Actual Shelf Size: Add 3/8" [0.375", (10 mm)] to the nominal width. Subtract 3/16" [0.1875", (5 mm)] from the nominal length.		4-SHELF UNITS To configure as a corner unit order: (3) Q9995Z and (1) MX9996		5-SHELF UNITS To configure as a corner unit order: (4) Q9995Z and (1) MX9996	

SOLID BOTTOM Mat Shelf — Stationary Units and Add-On Units

Stationary Units: consist of three or four open grid MetroMax Q shelves and one solid MetroMax i bottom shelf.

Corner (Right Angle) Configurations: select one add-on unit one Intermediate MetroMax Q S-hook Kit per open grid shelf and one Intermediate MetroMax i S-hook Kit.

Corner (Right Angle) Configurations: select one add-on unit and intermediate S-hook brackets (one bracket per add-on unit shelf).






S-hook
Cat. No. **M9995**
(included with add-on unit)



Intermediate S-hook Kit
Cat. No. **Q9995Z**



Intermediate MetroMax i S-hook Kit
Cat. No. **MX9996**







{9.11}



MetroMax® Q Shelving Stationary Units and Add-on Units

SOLID BOTTOM Mat Shelf — Stationary Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
86"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
Nominal Width/Length (in.)	(mm)				
18x24	457x610	MQ-1824GF-86-S4	MQ-1824GF-86-A4	MQ-1824GF-86-S5	MQ-1824GF-86-A5
18x30	457x760	MQ-1830GF-86-S4	MQ-1830GF-86-A4	MQ-1830GF-86-S5	MQ-1830GF-86-A5
18x36	457x914	MQ-1836GF-86-S4	MQ-1836GF-86-A4	MQ-1836GF-86-S5	MQ-1836GF-86-A5
18x42	457x1060	MQ-1842GF-86-S4	MQ-1842GF-86-A4	MQ-1842GF-86-S5	MQ-1842GF-86-A5
18x48	457x1219	MQ-1848GF-86-S4	MQ-1848GF-86-A4	MQ-1848GF-86-S5	MQ-1848GF-86-A5
18x54	457x1372	MQ-1854GF-86-S4	MQ-1854GF-86-A4	MQ-1854GF-86-S5	MQ-1854GF-86-A5
18x60	457x1524	MQ-1860GF-86-S4	MQ-1860GF-86-A4	MQ-1860GF-86-S5	MQ-1860GF-86-A5
18x72	457x1829	MQ-1872GF-86-S4	MQ-1872GF-86-A4	MQ-1872GF-86-S5	MQ-1872GF-86-A5
24x24	610x610	MQ-2424GF-86-S4	MQ-2424GF-86-A4	MQ-2424GF-86-S5	MQ-2424GF-86-A5
24x30	610x760	MQ-2430GF-86-S4	MQ-2430GF-86-A4	MQ-2430GF-86-S5	MQ-2430GF-86-A5
24x36	610x914	MQ-2436GF-86-S4	MQ-2436GF-86-A4	MQ-2436GF-86-S5	MQ-2436GF-86-A5
24x42	610x1060	MQ-2442GF-86-S4	MQ-2442GF-86-A4	MQ-2442GF-86-S5	MQ-2442GF-86-A5
24x48	610x1219	MQ-2448GF-86-S4	MQ-2448GF-86-A4	MQ-2448GF-86-S5	MQ-2448GF-86-A5
24x54	610x1372	MQ-2454GF-86-S4	MQ-2454GF-86-A4	MQ-2454GF-86-S5	MQ-2454GF-86-A5
24x60	610x1524	MQ-2460GF-86-S4	MQ-2460GF-86-A4	MQ-2460GF-86-S5	MQ-2460GF-86-A5
24x72	610x1829	MQ-2472GF-86-S4	MQ-2472GF-86-A4	MQ-2472GF-86-S5	MQ-2472GF-86-A5
Actual Height: 86.1875" (2189 mm) with the leveling foot completely tightened.		4-SHELF UNITS To configure as a corner unit order: (3) Q9995Z and (1) MX9996		5-SHELF UNITS To configure as a corner unit order: (4) Q9995Z and (1) MX9996	
Actual Shelf Size: Add 3/8" [0.375", (10 mm)] to the nominal width. Subtract 3/16" [0.1875", (5 mm)] from the nominal length.					

SOLID BOTTOM Mat Shelf — Stationary Units and Add-On Units

Stationary Units: consist of three or four open grid MetroMax Q shelves and one solid MetroMax i bottom shelf.

Corner (Right Angle) Configurations: select one add-on unit one Intermediate MetroMax Q S-hook Kit per open grid shelf and one Intermediate MetroMax i S-hook Kit.

Corner (Right Angle) Configurations: select one add-on unit and intermediate S-hook brackets (one bracket per add-on unit shelf).



S-hook
Cat. No. **M9995**
(included with add-on unit)



Intermediate S-hook Kit
Cat. No. **Q9995Z**



Intermediate MetroMax i S-hook Kit
Cat. No. **MX9996**

