

Super Erecta® Wire Shelving – Chrome Stationary Units and Add-on Units

Super Erecta® chrome-plated shelving units are engineered for robust, adaptable storage in dry environments. Stationary units include shelves and four posts, while add-on units provide two posts, shelves, and S-hooks for modular expansion. Each shelf is finished with genuine nickel chrome plating and a protective lacquer exterior coat. Posts are finished with nickel chrome plating. The shelf has an open wire design that allows access from all sides and has mat ribs that run front to back for smooth product transfer. Each shelf has a heavy-gauge, all-welded carbon steel construction with longitudinal support trusses. On larger shelves, one or more longitudinal snake trusses provide added support. Stationary units support up to 2,000 lbs. (907 kg) evenly distributed per unit, while individual shelves hold 800 lbs. (363 kg) at lengths of 48" (1219 mm) or less and 600 lbs. (272 kg) when longer. Each unit features SiteSelect™ posts that have circular grooves on 1" (25 mm) increments. The posts are numbered every 2" (51 mm) and have double groove guides every 8" (203 mm) as a visual indicator during assembly. Shelving can be assembled easily without tools using patented tapered split sleeves. Shelves adjust at 1" (25 mm) intervals, and leveling bolts adjust to ensure the unit remains stable on uneven surfaces. These units are NSF listed for all environments.

Features and Benefits:

- **Stationary Units:** Include Chrome-plated shelves and (4) posts under one easy-to-order model number.
- **Add-on Units:** Include (2) posts, shelves, and S-hook to connect a unit end-to-end or at a right angle under one easy-to-order model number.
- **Corner (Right Angle) Units:** Allow easy access to the shelf contents by eliminating a front post.
- **Unique Design:** The open wire design of these shelves minimizes dust accumulation and allows free circulation of air, greater visibility of stored items and greater light penetration.
- **Durable Construction:** Super Erecta shelves and posts are constructed of heavy-gauge carbon steel.
- **Versatile:** Super Erecta Shelf wire shelving can adapt to your changing needs. By using various accessories, hundreds of shelving configurations become possible.
- **Fast, Secure Assembly:** SiteSelect Posts have a double groove visual guide feature every 8" (203 mm), circular grooves at 1" (25 mm) increments, and are numbered at 2" (51 mm) intervals. A patented, tapered split sleeve snaps together around each post. Tapered openings in the shelf corners slide over the tapered split sleeves providing a positive lock. Shelf is assembled in minutes without the use of any special tools.
- **Strong:** Stationary units hold a maximum of 2,000 lbs. (907 kg). Maximum weight capacity per shelf evenly distributed: (48" [1219 mm] or shorter = 800 lbs. [363 kg]; longer than 48" [1219 mm] = 600 lbs. [272 kg])
- **Adjustability:** Shelves can be adjusted at 1" (25 mm) intervals along the entire length of the post.
- **Shelf Ribs:** Run front to back, allowing you to slide items on and off shelves smoothly.
- **Shelf Accessibility:** Shelves can be loaded/unloaded easily from all sides. This open construction allows maximum use of storage cube.
- **Adjustable Feet:** Leveling bolts compensate for surface irregularities.
- **NSF listed for all environments.**
- **Never Collapse Guarantee:** Each Metro stationary shelving unit, add-on shelving unit, mobile shelving unit and Track Shelving System are backed by a 100% money-back guarantee against unit collapse.



5-Shelf Stationary Unit



5-Shelf Add-On Unit



5-Shelf End-to-End Stationary Unit

All Metro Catalog Sheets and our Never Collapse Guarantee Warranty are available on our website: metro.com



{10.60} Super Erecta® Wire Shelving – Chrome Stationary Units and Add-on Units



Material Specifications:


- **Wire Shelves:** Heavy-gauge carbon steel, nickel-chrome plated with a protective water-based lacquer topcoat.
- **Posts:** 16-gauge carbon steel tube, 1" (25 mm) diameter, nickel-chrome plated.
 - **Split sleeve:** high impact polystyrene.
 - **Post cap:** polypropylene.
 - **Post insert:** cast zinc.
 - **Leveling bolt:** zinc-plated carbon steel.
- **Temperature range:** Continuous use from -20°F (-29°C) to 120°F (49°C).
- **S-hook:** Zinc plated steel.

Stationary Units: Consist of four or five chrome-plated wire shelves and four posts.

Add-on Units: Consist of four or five chrome-plated wire shelves, (2) posts, and standard S-hooks (2 per shelf) to configure end-to-end units. Four-shelf units include (8) standard S-hooks. Five-shelf units include (10) standard S-hooks.




Replacement S-hook
Cat. No. **9995Z**
2 are required for each storage level



Super Erecta – Load Ratings




Four Post Unit & End-to-End Add-on Unit:
800 lbs. (363 kg) per shelf for lengths of 24" to 48" (610 to 1219 mm)
600 lbs. (272 kg) per shelf for lengths of 54" (1372 mm) or longer
2000 lbs. (907 kg) evenly distributed per Unit



Corner Configuration "L" with an Add-on:
800 lbs. (363 kg) per shelf for lengths of 24" to 48" (610 to 1219 mm)
600 lbs. (272 kg) per shelf for lengths of 54" (1372 mm) or longer
2000 lbs. (907 kg) evenly distributed per Unit



Part Number Explanation



{10.60} Super Erecta® Wire Shelving – Chrome Stationary Units and Add-on Units



Stationary Shelving Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
63"					
					
Nominal Width/Length (in.) (mm)		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
18x24	457x610	SE-1824C-63-S4	SE-1824C-63-A4	SE-1824C-63-S5	SE-1824C-63-A5
18x30	457x760	SE-1830C-63-S4	SE-1830C-63-A4	SE-1830C-63-S5	SE-1830C-63-A5
18x36	457x914	SE-1836C-63-S4	SE-1836C-63-A4	SE-1836C-63-S5	SE-1836C-63-A5
18x42	457x1060	SE-1842C-63-S4	SE-1842C-63-A4	SE-1842C-63-S5	SE-1842C-63-A5
18x48	457x1219	SE-1848C-63-S4	SE-1848C-63-A4	SE-1848C-63-S5	SE-1848C-63-A5
18x54	457x1372	SE-1854C-63-S4	SE-1854C-63-A4	SE-1854C-63-S5	SE-1854C-63-A5
18x60	457x1524	SE-1860C-63-S4	SE-1860C-63-A4	SE-1860C-63-S5	SE-1860C-63-A5
18x72	457x1829	SE-1872C-63-S4	SE-1872C-63-A4	SE-1872C-63-S5	SE-1872C-63-A5
21x24	530x610	SE-2124C-63-S4	SE-2124C-63-A4	SE-2124C-63-S5	SE-2124C-63-A5
21x30	530x760	SE-2130C-63-S4	SE-2130C-63-A4	SE-2130C-63-S5	SE-2130C-63-A5
21x36	530x914	SE-2136C-63-S4	SE-2136C-63-A4	SE-2136C-63-S5	SE-2136C-63-A5
21x42	530x1060	SE-2142C-63-S4	SE-2142C-63-A4	SE-2142C-63-S5	SE-2142C-63-A5
21x48	530x1219	SE-2148C-63-S4	SE-2148C-63-A4	SE-2148C-63-S5	SE-2148C-63-A5
21x54	530x1372	SE-2154C-63-S4	SE-2154C-63-A4	SE-2154C-63-S5	SE-2154C-63-A5
21x60	530x1524	SE-2160C-63-S4	SE-2160C-63-A4	SE-2160C-63-S5	SE-2160C-63-A5
21x72	530x1829	SE-2172C-63-S4	SE-2172C-63-A4	SE-2172C-63-S5	SE-2172C-63-A5
24x24	610x610	SE-2424C-63-S4	SE-2424C-63-A4	SE-2424C-63-S5	SE-2424C-63-A5
24x30	610x760	SE-2430C-63-S4	SE-2430C-63-A4	SE-2430C-63-S5	SE-2430C-63-A5
24x36	610x914	SE-2436C-63-S4	SE-2436C-63-A4	SE-2436C-63-S5	SE-2436C-63-A5
24x42	610x1060	SE-2442C-63-S4	SE-2442C-63-A4	SE-2442C-63-S5	SE-2442C-63-A5
24x48	610x1219	SE-2448C-63-S4	SE-2448C-63-A4	SE-2448C-63-S5	SE-2448C-63-A5
24x54	610x1372	SE-2454C-63-S4	SE-2454C-63-A4	SE-2454C-63-S5	SE-2454C-63-A5
24x60	610x1524	SE-2460C-63-S4	SE-2460C-63-A4	SE-2460C-63-S5	SE-2460C-63-A5
24x72	610x1829	SE-2472C-63-S4	SE-2472C-63-A4	SE-2472C-63-S5	SE-2472C-63-A5

Actual Height: 62.4375" (1585 mm) with the leveling foot completely tightened.

Actual Dimensions: **Width:** Add 1/8" (3.2 mm) to nominal size. **Length:** Subtract 1/8" (3.2 mm).

Shelving – Stationary Units and Add-On Units

Stationary Units: consist of four or five chrome-plated wire shelves and four posts.

Add-on Units: consist of four or five chrome-plated wire shelves, (2) posts, and standard S-hooks (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.


Five-shelf units include (10) standard S-hooks.



Replacement S-hook

Cat. No. 9995Z

2 are required for each storage level



{10.60} Super Erecta® Wire Shelving – Chrome Stationary Units and Add-on Units



Stationary Shelving Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
74"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
18x24	457x610	SE-1824C-74-S4	SE-1824C-74-A4	SE-1824C-74-S5	SE-1824C-74-A5
18x30	457x760	SE-1830C-74-S4	SE-1830C-74-A4	SE-1830C-74-S5	SE-1830C-74-A5
18x36	457x914	SE-1836C-74-S4	SE-1836C-74-A4	SE-1836C-74-S5	SE-1836C-74-A5
18x42	457x1060	SE-1842C-74-S4	SE-1842C-74-A4	SE-1842C-74-S5	SE-1842C-74-A5
18x48	457x1219	SE-1848C-74-S4	SE-1848C-74-A4	SE-1848C-74-S5	SE-1848C-74-A5
18x54	457x1372	SE-1854C-74-S4	SE-1854C-74-A4	SE-1854C-74-S5	SE-1854C-74-A5
18x60	457x1524	SE-1860C-74-S4	SE-1860C-74-A4	SE-1860C-74-S5	SE-1860C-74-A5
18x72	457x1829	SE-1872C-74-S4	SE-1872C-74-A4	SE-1872C-74-S5	SE-1872C-74-A5
21x24	530x610	SE-2124C-74-S4	SE-2124C-74-A4	SE-2124C-74-S5	SE-2124C-74-A5
21x30	530x760	SE-2130C-74-S4	SE-2130C-74-A4	SE-2130C-74-S5	SE-2130C-74-A5
21x36	530x914	SE-2136C-74-S4	SE-2136C-74-A4	SE-2136C-74-S5	SE-2136C-74-A5
21x42	530x1060	SE-2142C-74-S4	SE-2142C-74-A4	SE-2142C-74-S5	SE-2142C-74-A5
21x48	530x1219	SE-2148C-74-S4	SE-2148C-74-A4	SE-2148C-74-S5	SE-2148C-74-A5
21x54	530x1372	SE-2154C-74-S4	SE-2154C-74-A4	SE-2154C-74-S5	SE-2154C-74-A5
21x60	530x1524	SE-2160C-74-S4	SE-2160C-74-A4	SE-2160C-74-S5	SE-2160C-74-A5
21x72	530x1829	SE-2172C-74-S4	SE-2172C-74-A4	SE-2172C-74-S5	SE-2172C-74-A5
24x24	610x610	SE-2424C-74-S4	SE-2424C-74-A4	SE-2424C-74-S5	SE-2424C-74-A5
24x30	610x760	SE-2430C-74-S4	SE-2430C-74-A4	SE-2430C-74-S5	SE-2430C-74-A5
24x36	610x914	SE-2436C-74-S4	SE-2436C-74-A4	SE-2436C-74-S5	SE-2436C-74-A5
24x42	610x1060	SE-2442C-74-S4	SE-2442C-74-A4	SE-2442C-74-S5	SE-2442C-74-A5
24x48	610x1219	SE-2448C-74-S4	SE-2448C-74-A4	SE-2448C-74-S5	SE-2448C-74-A5
24x54	610x1372	SE-2454C-74-S4	SE-2454C-74-A4	SE-2454C-74-S5	SE-2454C-74-A5
24x60	610x1524	SE-2460C-74-S4	SE-2460C-74-A4	SE-2460C-74-S5	SE-2460C-74-A5
24x72	610x1829	SE-2472C-74-S4	SE-2472C-74-A4	SE-2472C-74-S5	SE-2472C-74-A5

Actual Height: 74.5" (1892 mm) with the leveling foot completely tightened.

Actual Dimensions: **Width:** Add 1/8" (3.2 mm) to nominal size. **Length:** Subtract 1/8" (3.2 mm).

Shelving – Stationary Units and Add-On Units

Stationary Units: consist of four or five chrome-plated wire shelves and four posts.


Add-on Units: consist of four or five chrome-plated wire shelves, (2) posts, and standard S-hooks (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.

Five-shelf units include (10) standard S-hooks.



Replacement S-hook
Cat. No. 9995Z
2 are required for each storage level



{10.60} Super Erecta® Wire Shelving – Chrome Stationary Units and Add-on Units



Stationary Shelving Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
86"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
18x24	457x610	SE-1824C-86-S4	SE-1824C-86-A4	SE-1824C-86-S5	SE-1824C-86-A5
18x30	457x760	SE-1830C-86-S4	SE-1830C-86-A4	SE-1830C-86-S5	SE-1830C-86-A5
18x36	457x914	SE-1836C-86-S4	SE-1836C-86-A4	SE-1836C-86-S5	SE-1836C-86-A5
18x42	457x1060	SE-1842C-86-S4	SE-1842C-86-A4	SE-1842C-86-S5	SE-1842C-86-A5
18x48	457x1219	SE-1848C-86-S4	SE-1848C-86-A4	SE-1848C-86-S5	SE-1848C-86-A5
18x54	457x1372	SE-1854C-86-S4	SE-1854C-86-A4	SE-1854C-86-S5	SE-1854C-86-A5
18x60	457x1524	SE-1860C-86-S4	SE-1860C-86-A4	SE-1860C-86-S5	SE-1860C-86-A5
18x72	457x1829	SE-1872C-86-S4	SE-1872C-86-A4	SE-1872C-86-S5	SE-1872C-86-A5
21x24	530x610	SE-2124C-86-S4	SE-2124C-86-A4	SE-2124C-86-S5	SE-2124C-86-A5
21x30	530x760	SE-2130C-86-S4	SE-2130C-86-A4	SE-2130C-86-S5	SE-2130C-86-A5
21x36	530x914	SE-2136C-86-S4	SE-2136C-86-A4	SE-2136C-86-S5	SE-2136C-86-A5
21x42	530x1060	SE-2142C-86-S4	SE-2142C-86-A4	SE-2142C-86-S5	SE-2142C-86-A5
21x48	530x1219	SE-2148C-86-S4	SE-2148C-86-A4	SE-2148C-86-S5	SE-2148C-86-A5
21x54	530x1372	SE-2154C-86-S4	SE-2154C-86-A4	SE-2154C-86-S5	SE-2154C-86-A5
21x60	530x1524	SE-2160C-86-S4	SE-2160C-86-A4	SE-2160C-86-S5	SE-2160C-86-A5
21x72	530x1829	SE-2172C-86-S4	SE-2172C-86-A4	SE-2172C-86-S5	SE-2172C-86-A5
24x24	610x610	SE-2424C-86-S4	SE-2424C-86-A4	SE-2424C-86-S5	SE-2424C-86-A5
24x30	610x760	SE-2430C-86-S4	SE-2430C-86-A4	SE-2430C-86-S5	SE-2430C-86-A5
24x36	610x914	SE-2436C-86-S4	SE-2436C-86-A4	SE-2436C-86-S5	SE-2436C-86-A5
24x42	610x1060	SE-2442C-86-S4	SE-2442C-86-A4	SE-2442C-86-S5	SE-2442C-86-A5
24x48	610x1219	SE-2448C-86-S4	SE-2448C-86-A4	SE-2448C-86-S5	SE-2448C-86-A5
24x54	610x1372	SE-2454C-86-S4	SE-2454C-86-A4	SE-2454C-86-S5	SE-2454C-86-A5
24x60	610x1524	SE-2460C-86-S4	SE-2460C-86-A4	SE-2460C-86-S5	SE-2460C-86-A5
24x72	610x1829	SE-2472C-86-S4	SE-2472C-86-A4	SE-2472C-86-S5	SE-2472C-86-A5

Actual Height: 86.5" (2197 mm) with the leveling foot completely tightened.

Actual Dimensions: **Width:** Add 1/8" (3.2 mm) to nominal size. **Length:** Subtract 1/8" (3.2 mm).

Shelving – Stationary Units and Add-On Units

Stationary Units: consist of four or five chrome-plated wire shelves and four posts.


Add-on Units: consist of four or five chrome-plated wire shelves, (2) posts, and standard S-hooks (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.

Five-shelf units include (10) standard S-hooks.



Replacement S-hook
Cat. No. **9995Z**
2 are required for each storage level



{10.60}



Super Erecta® Wire Shelving – Chrome Stationary Units and Add-on Units

Super Wide Stationary Shelving Units

30" & 36" wide shelves are best for large quantities of supplies or large bulky objects.

			4-SHELF UNITS	5-SHELF UNITS
				
UNIT HEIGHT	Nominal Width/Length (in.) (mm)		Stationary Unit Cat. No.	Stationary Unit Cat. No.
63"	30x36	760x914	SE-3036C-63-S4	
	30x42	760x1060	SE-3042C-63-S4	
	30x48	760x1219	SE-3048C-63-S4	
	30x54	760x1372	SE-3054C-63-S4	
	30x60	760x1524	SE-3060C-63-S4	
	30x72	760x1829	SE-3072C-63-S4	
	36x36	910x914	SE-3636C-63-S4	
	36x48	910x1219	SE-3648C-63-S4	
	36x60	910x1524	SE-3660C-63-S4	
	36x72	910x1829	SE-3672C-63-S4	
74"	30x36	760x914	SE-3036C-74-S4	SE-3036C-74-S5
	30x42	760x1060	SE-3042C-74-S4	SE-3042C-74-S5
	30x48	760x1219	SE-3048C-74-S4	SE-3048C-74-S5
	30x54	760x1372	SE-3054C-74-S4	SE-3054C-74-S5
	30x60	760x1524	SE-3060C-74-S4	SE-3060C-74-S5
	30x72	760x1829	SE-3072C-74-S4	SE-3072C-74-S5
	36x36	910x914	SE-3636C-74-S4	SE-3636C-74-S5
	36x48	910x1219	SE-3648C-74-S4	SE-3648C-74-S5
	36x60	910x1524	SE-3660C-74-S4	SE-3660C-74-S5
	36x72	910x1829	SE-3672C-74-S4	SE-3672C-74-S5
86"	30x36	760x914	SE-3036C-86-S4	SE-3036C-86-S5
	30x42	760x1060	SE-3042C-86-S4	SE-3042C-86-S5
	30x48	760x1219	SE-3048C-86-S4	SE-3048C-86-S5
	30x54	760x1372	SE-3054C-86-S4	SE-3054C-86-S5
	30x60	760x1524	SE-3060C-86-S4	SE-3060C-86-S5
	30x72	760x1829	SE-3072C-86-S4	SE-3072C-86-S5
	36x36	910x914	SE-3636C-86-S4	SE-3636C-86-S5
	36x48	910x1219	SE-3648C-86-S4	SE-3648C-86-S5
	36x60	910x1524	SE-3660C-86-S4	SE-3660C-86-S5
	36x72	910x1829	SE-3672C-86-S4	SE-3672C-86-S5

Actual Heights: 62.4375" (1585 mm), 74.5" (1892 mm), 86.5" (2197 mm) with the leveling foot completely tightened.

Actual Dimensions: **Width:** Add 1/8" (3.2 mm) to nominal size. **Length:** Subtract 1/8" (3.2 mm).

Super Wide Stationary Units: consist of four or five chrome-plated wire shelves and four posts.