

{10.90}



Super Adjustable Super Erecta® Wire Shelving Stationary & Add-on Units – Chrome

Super Adjustable Super Erecta® chrome-plated shelving units are engineered for durable, adaptable storage in dry environments. Stationary units include shelves and four posts, while add-on units include two posts, shelves, and S-hooks for modular expansion. Each shelf is finished with genuine nickel chrome plating and a protective clear coat. Posts are also finished with nickel chrome plating for corrosion resistance and durability. Shelves feature an open wire design that allows access from all sides while promoting air circulation and light penetration. Each shelf is constructed from heavy-gauge, all-welded carbon steel with longitudinal support trusses for added strength. Larger shelves include additional support trusses to maintain structural integrity under load. Stationary units support up to 2,000 lbs. (907 kg) evenly distributed per unit. Individual shelves support 800 lbs. (363 kg) at lengths of 48" (1219 mm) or less and 600 lbs. (272 kg) for longer lengths. Unique corner release and SiteSelect™ Posts create a total system that offers "Tool-Free" fast adjustment at 1" (25 mm) intervals along the entire height of the post. Unlock the corner releases, reposition the wedges and sleeves, and relocate the shelf. The shelf simply seats into place. Leveling bolts help ensure stability on uneven surfaces. These units are NSF listed for all environments.

Features and Benefits:

- **Stationary Shelving Units:** Include Chrome-plated shelves and (4) posts under one easy-to-order model number.
- **Add-on Units:** Include (2) posts, shelves, and S-hook to connect a unit end-to-end or at a right angle under one easy-to-order model number.
- **Corner (Right Angle) Units:** Allow easy access to the shelf contents by eliminating a front post.
- **Unique Design:** The open wire design of these shelves minimizes dust accumulation and allows free circulation of air, greater visibility of stored items and greater light penetration.
- **Durable Construction:** Super Adjustable Super Erecta shelves and posts are constructed of heavy-gauge carbon steel.
- **Versatile:** Super Adjustable Super Erecta Shelf wire shelving can adapt to your changing needs. By using various accessories, hundreds of shelving configurations become possible.
- **Fast, Easy Assembly Shelves:** SiteSelect Posts have a double groove visual guide feature every 8" (203 mm), circular grooves at 1" (25 mm) increments, and are numbered at 2" (51 mm) intervals. A patented, tapered split sleeve snaps together around each post. Tapered openings in the shelf corners slide over the tapered split sleeves providing a positive lock. Shelf is assembled in minutes without the use of any special tools.
- **Strong:** Stationary units hold a maximum of 2,000 lbs. (907 kg). Maximum weight capacity per shelf evenly distributed: (48" [1219 mm] or shorter = 800 lbs. [363 kg]; longer than 48" [1219 mm] = 600 lbs. [272 kg]).
- **Adjustability:** Unique corner release and SiteSelect Posts create a total system that offers "Tool-Free" fast adjustment at 1" (25 mm) intervals along the entire height of the post. Unlock the corner releases, reposition the wedges and sleeves, and relocate the shelf. The shelf simply seats into place.
- **Shelf Ribs:** Run front to back, allowing you to slide items on and off shelves smoothly.
- **Shelf Accessibility:** Shelves can be loaded/unloaded easily from all sides. This open construction allows maximum use of storage cube.
- **Adjustable Feet:** Bolt levelers compensate for surface irregularities.
- **NSF listed for all environments.**
- **Never Collapse Guarantee:** Each Metro stationary shelving unit, add-on shelving unit, mobile shelving unit and Track Shelving System are backed by a 100% money-back guarantee against unit collapse.



5-Shelf Stationary Unit



5-Shelf Add-On Unit



5-Shelf Corner Add-On Unit

All Metro Catalog Sheets and our Never Collapse Guarantee Warranty are available on our website: metro.com



{10.90} Super Adjustable Super Erecta® Wire Shelving Stationary Units and Add-on Units – Chrome



Material Specifications:


- **Wire Shelves:** Heavy-gauge carbon steel, nickel-chrome plated with a protective water-based lacquer topcoat.
- **Posts:** 16-gauge carbon steel tube, 1" (25 mm) diameter, nickel-chrome plated.
 - **Post cap:** polypropylene.
 - **Post insert:** cast zinc.
 - **Corner release, wedge, and sleeve:** reinforced nylon.
 - **Leveling bolt:** zinc-plated carbon steel.
- **Temperature range:** Continuous use from -20°F (-29°C) to 120°F (49°C).
- **S-hook:** Zinc plated steel.

Stationary Units: Consist of four or five chrome-plated wire shelves and four posts.

Add-on Units: Consist of four or five chrome-plated wire shelves, (2) posts, and standard S-hooks (2 per shelf) to configure end-to-end units. Four-shelf units include (8) standard S-hooks. Five-shelf units include (10) standard S-hooks.




Replacement S-hook
Cat. No. **9995Z**
2 are required for each storage level



Super Erecta – Load Ratings




Four Post Unit & End-to-End Add-on Unit:
800 lbs. (363 kg) per shelf for lengths of 24" to 48" (610 to 1219 mm)
600 lbs. (272 kg) per shelf for lengths of 54" (1372 mm) or longer
2000 lbs. (907 kg) evenly distributed per Unit



Corner Configuration "L" with an Add-on:
800 lbs. (363 kg) per shelf for lengths of 24" to 48" (610 to 1219 mm)
600 lbs. (272 kg) per shelf for lengths of 54" (1372 mm) or longer
2000 lbs. (907 kg) evenly distributed per Unit

Part Number Explanation



{10.90} Super Adjustable Super Erecta® Wire Shelving Stationary Units and Add-on Units – Chrome



Stationary Shelving Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
63"					
					
Nominal Width/Length (in.) (mm)		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
18x24	457x610	SA-1824C-63-S4	SA-1824C-63-A4	SA-1824C-63-S5	SA-1824C-63-A5
18x30	457x760	SA-1830C-63-S4	SA-1830C-63-A4	SA-1830C-63-S5	SA-1830C-63-A5
18x36	457x914	SA-1836C-63-S4	SA-1836C-63-A4	SA-1836C-63-S5	SA-1836C-63-A5
18x42	457x1060	SA-1842C-63-S4	SA-1842C-63-A4	SA-1842C-63-S5	SA-1842C-63-A5
18x48	457x1219	SA-1848C-63-S4	SA-1848C-63-A4	SA-1848C-63-S5	SA-1848C-63-A5
18x54	457x1372	SA-1854C-63-S4	SA-1854C-63-A4	SA-1854C-63-S5	SA-1854C-63-A5
18x60	457x1524	SA-1860C-63-S4	SA-1860C-63-A4	SA-1860C-63-S5	SA-1860C-63-A5
18x72	457x1829	SA-1872C-63-S4	SA-1872C-63-A4	SA-1872C-63-S5	SA-1872C-63-A5
21x24	530x610	SA-2124C-63-S4	SA-2124C-63-A4	SA-2124C-63-S5	SA-2124C-63-A5
21x30	530x760	SA-2130C-63-S4	SA-2130C-63-A4	SA-2130C-63-S5	SA-2130C-63-A5
21x36	530x914	SA-2136C-63-S4	SA-2136C-63-A4	SA-2136C-63-S5	SA-2136C-63-A5
21x42	530x1060	SA-2142C-63-S4	SA-2142C-63-A4	SA-2142C-63-S5	SA-2142C-63-A5
21x48	530x1219	SA-2148C-63-S4	SA-2148C-63-A4	SA-2148C-63-S5	SA-2148C-63-A5
21x54	530x1372	SA-2154C-63-S4	SA-2154C-63-A4	SA-2154C-63-S5	SA-2154C-63-A5
21x60	530x1524	SA-2160C-63-S4	SA-2160C-63-A4	SA-2160C-63-S5	SA-2160C-63-A5
21x72	530x1829	SA-2172C-63-S4	SA-2172C-63-A4	SA-2172C-63-S5	SA-2172C-63-A5
24x24	610x610	SA-2424C-63-S4	SA-2424C-63-A4	SA-2424C-63-S5	SA-2424C-63-A5
24x30	610x760	SA-2430C-63-S4	SA-2430C-63-A4	SA-2430C-63-S5	SA-2430C-63-A5
24x36	610x914	SA-2436C-63-S4	SA-2436C-63-A4	SA-2436C-63-S5	SA-2436C-63-A5
24x42	610x1060	SA-2442C-63-S4	SA-2442C-63-A4	SA-2442C-63-S5	SA-2442C-63-A5
24x48	610x1219	SA-2448C-63-S4	SA-2448C-63-A4	SA-2448C-63-S5	SA-2448C-63-A5
24x54	610x1372	SA-2454C-63-S4	SA-2454C-63-A4	SA-2454C-63-S5	SA-2454C-63-A5
24x60	610x1524	SA-2460C-63-S4	SA-2460C-63-A4	SA-2460C-63-S5	SA-2460C-63-A5
24x72	610x1829	SA-2472C-63-S4	SA-2472C-63-A4	SA-2472C-63-S5	SA-2472C-63-A5

Actual Height: 62.4375" (1585 mm) with the leveling foot completely tightened.

Actual Dimensions: Width: True to nominal size. **Length:** Subtract 1/4" (6 mm).

Shelving – Stationary Units and Add-On Units

Stationary Units: consist of four or five chrome-plated wire shelves and four posts.

Add-on Units: consist of four or five chrome-plated wire shelves, (2) posts, and standard S-hooks (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.


Five-shelf units include (10) standard S-hooks.



Replacement S-hook

Cat. No. 9995Z

2 are required for each storage level



{10.90} Super Adjustable Super Erecta® Wire Shelving Stationary Units and Add-on Units – Chrome



Stationary Shelving Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
74"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
18x24	457x610	SA-1824C-74-S4	SA-1824C-74-A4	SA-1824C-74-S5	SA-1824C-74-A5
18x30	457x760	SA-1830C-74-S4	SA-1830C-74-A4	SA-1830C-74-S5	SA-1830C-74-A5
18x36	457x914	SA-1836C-74-S4	SA-1836C-74-A4	SA-1836C-74-S5	SA-1836C-74-A5
18x42	457x1060	SA-1842C-74-S4	SA-1842C-74-A4	SA-1842C-74-S5	SA-1842C-74-A5
18x48	457x1219	SA-1848C-74-S4	SA-1848C-74-A4	SA-1848C-74-S5	SA-1848C-74-A5
18x54	457x1372	SA-1854C-74-S4	SA-1854C-74-A4	SA-1854C-74-S5	SA-1854C-74-A5
18x60	457x1524	SA-1860C-74-S4	SA-1860C-74-A4	SA-1860C-74-S5	SA-1860C-74-A5
18x72	457x1829	SA-1872C-74-S4	SA-1872C-74-A4	SA-1872C-74-S5	SA-1872C-74-A5
21x24	530x610	SA-2124C-74-S4	SA-2124C-74-A4	SA-2124C-74-S5	SA-2124C-74-A5
21x30	530x760	SA-2130C-74-S4	SA-2130C-74-A4	SA-2130C-74-S5	SA-2130C-74-A5
21x36	530x914	SA-2136C-74-S4	SA-2136C-74-A4	SA-2136C-74-S5	SA-2136C-74-A5
21x42	530x1060	SA-2142C-74-S4	SA-2142C-74-A4	SA-2142C-74-S5	SA-2142C-74-A5
21x48	530x1219	SA-2148C-74-S4	SA-2148C-74-A4	SA-2148C-74-S5	SA-2148C-74-A5
21x54	530x1372	SA-2154C-74-S4	SA-2154C-74-A4	SA-2154C-74-S5	SA-2154C-74-A5
21x60	530x1524	SA-2160C-74-S4	SA-2160C-74-A4	SA-2160C-74-S5	SA-2160C-74-A5
21x72	530x1829	SA-2172C-74-S4	SA-2172C-74-A4	SA-2172C-74-S5	SA-2172C-74-A5
24x24	610x610	SA-2424C-74-S4	SA-2424C-74-A4	SA-2424C-74-S5	SA-2424C-74-A5
24x30	610x760	SA-2430C-74-S4	SA-2430C-74-A4	SA-2430C-74-S5	SA-2430C-74-A5
24x36	610x914	SA-2436C-74-S4	SA-2436C-74-A4	SA-2436C-74-S5	SA-2436C-74-A5
24x42	610x1060	SA-2442C-74-S4	SA-2442C-74-A4	SA-2442C-74-S5	SA-2442C-74-A5
24x48	610x1219	SA-2448C-74-S4	SA-2448C-74-A4	SA-2448C-74-S5	SA-2448C-74-A5
24x54	610x1372	SA-2454C-74-S4	SA-2454C-74-A4	SA-2454C-74-S5	SA-2454C-74-A5
24x60	610x1524	SA-2460C-74-S4	SA-2460C-74-A4	SA-2460C-74-S5	SA-2460C-74-A5
24x72	610x1829	SA-2472C-74-S4	SA-2472C-74-A4	SA-2472C-74-S5	SA-2472C-74-A5

Actual Height: 74.5" (1892 mm) with the leveling foot completely tightened.

Actual Dimensions: Width: True to nominal size. **Length:** Subtract 1/4" (6 mm).

Shelving – Stationary Units and Add-On Units

Stationary Units: consist of four or five chrome-plated wire shelves and four posts.


Add-on Units: consist of four or five chrome-plated wire shelves, (2) posts, and standard S-hooks (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.

Five-shelf units include (10) standard S-hooks.



Replacement S-hook
Cat. No. 9995Z
2 are required for each storage level



{10.90} Super Adjustable Super Erecta® Wire Shelving Stationary Units and Add-on Units – Chrome



Stationary Shelving Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
86"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
Nominal Width/Length (in.)	(mm)				
18x24	457x610	SA-1824C-86-S4	SA-1824C-86-A4	SA-1824C-86-S5	SA-1824C-86-A5
18x30	457x760	SA-1830C-86-S4	SA-1830C-86-A4	SA-1830C-86-S5	SA-1830C-86-A5
18x36	457x914	SA-1836C-86-S4	SA-1836C-86-A4	SA-1836C-86-S5	SA-1836C-86-A5
18x42	457x1060	SA-1842C-86-S4	SA-1842C-86-A4	SA-1842C-86-S5	SA-1842C-86-A5
18x48	457x1219	SA-1848C-86-S4	SA-1848C-86-A4	SA-1848C-86-S5	SA-1848C-86-A5
18x54	457x1372	SA-1854C-86-S4	SA-1854C-86-A4	SA-1854C-86-S5	SA-1854C-86-A5
18x60	457x1524	SA-1860C-86-S4	SA-1860C-86-A4	SA-1860C-86-S5	SA-1860C-86-A5
18x72	457x1829	SA-1872C-86-S4	SA-1872C-86-A4	SA-1872C-86-S5	SA-1872C-86-A5
21x24	530x610	SA-2124C-86-S4	SA-2124C-86-A4	SA-2124C-86-S5	SA-2124C-86-A5
21x30	530x760	SA-2130C-86-S4	SA-2130C-86-A4	SA-2130C-86-S5	SA-2130C-86-A5
21x36	530x914	SA-2136C-86-S4	SA-2136C-86-A4	SA-2136C-86-S5	SA-2136C-86-A5
21x42	530x1060	SA-2142C-86-S4	SA-2142C-86-A4	SA-2142C-86-S5	SA-2142C-86-A5
21x48	530x1219	SA-2148C-86-S4	SA-2148C-86-A4	SA-2148C-86-S5	SA-2148C-86-A5
21x54	530x1372	SA-2154C-86-S4	SA-2154C-86-A4	SA-2154C-86-S5	SA-2154C-86-A5
21x60	530x1524	SA-2160C-86-S4	SA-2160C-86-A4	SA-2160C-86-S5	SA-2160C-86-A5
21x72	530x1829	SA-2172C-86-S4	SA-2172C-86-A4	SA-2172C-86-S5	SA-2172C-86-A5
24x24	610x610	SA-2424C-86-S4	SA-2424C-86-A4	SA-2424C-86-S5	SA-2424C-86-A5
24x30	610x760	SA-2430C-86-S4	SA-2430C-86-A4	SA-2430C-86-S5	SA-2430C-86-A5
24x36	610x914	SA-2436C-86-S4	SA-2436C-86-A4	SA-2436C-86-S5	SA-2436C-86-A5
24x42	610x1060	SA-2442C-86-S4	SA-2442C-86-A4	SA-2442C-86-S5	SA-2442C-86-A5
24x48	610x1219	SA-2448C-86-S4	SA-2448C-86-A4	SA-2448C-86-S5	SA-2448C-86-A5
24x54	610x1372	SA-2454C-86-S4	SA-2454C-86-A4	SA-2454C-86-S5	SA-2454C-86-A5
24x60	610x1524	SA-2460C-86-S4	SA-2460C-86-A4	SA-2460C-86-S5	SA-2460C-86-A5
24x72	610x1829	SA-2472C-86-S4	SA-2472C-86-A4	SA-2472C-86-S5	SA-2472C-86-A5

Actual Height: 86.5" (2197 mm) with the leveling foot completely tightened.

Actual Dimensions: Width: True to nominal size. **Length:** Subtract 1/4" (6 mm).

Shelving – Stationary Units and Add-On Units

Stationary Units: consist of four or five chrome-plated wire shelves and four posts.

Add-on Units: consist of four or five chrome-plated wire shelves, (2) posts, and standard S-hooks (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.


Five-shelf units include (10) standard S-hooks.



Replacement S-hook

Cat. No. 9995Z

2 are required for each storage level



{10.90} Super Adjustable Super Erecta® Wire Shelving Stationary Units and Add-on Units – Chrome



Super Wide Stationary Shelving Units

30" & 36" wide shelves are best for large quantities of supplies or large bulky objects.

			4-SHELF UNITS	5-SHELF UNITS
				
UNIT HEIGHT	Nominal Width/Length (in.) (mm)		Stationary Unit Cat. No.	Stationary Unit Cat. No.
63"	30x36	760x914	SA-3036C-63-S4	
	30x42	760x1060	SA-3042C-63-S4	
	30x48	760x1219	SA-3048C-63-S4	
	30x54	760x1372	SA-3054C-63-S4	
	30x60	760x1524	SA-3060C-63-S4	
	30x72	760x1829	SA-3072C-63-S4	
	36x36	910x914	SA-3636C-63-S4	
	36x48	910x1219	SA-3648C-63-S4	
	36x60	910x1524	SA-3660C-63-S4	
	36x72	910x1829	SA-3672C-63-S4	
74"	30x36	760x914	SA-3036C-74-S4	SA-3036C-74-S5
	30x42	760x1060	SA-3042C-74-S4	SA-3042C-74-S5
	30x48	760x1219	SA-3048C-74-S4	SA-3048C-74-S5
	30x54	760x1372	SA-3054C-74-S4	SA-3054C-74-S5
	30x60	760x1524	SA-3060C-74-S4	SA-3060C-74-S5
	30x72	760x1829	SA-3072C-74-S4	SA-3072C-74-S5
	36x36	910x914	SA-3636C-74-S4	SA-3636C-74-S5
	36x48	910x1219	SA-3648C-74-S4	SA-3648C-74-S5
	36x60	910x1524	SA-3660C-74-S4	SA-3660C-74-S5
	36x72	910x1829	SA-3672C-74-S4	SA-3672C-74-S5
86"	30x36	760x914	SA-3036C-86-S4	SA-3036C-86-S5
	30x42	760x1060	SA-3042C-86-S4	SA-3042C-86-S5
	30x48	760x1219	SA-3048C-86-S4	SA-3048C-86-S5
	30x54	760x1372	SA-3054C-86-S4	SA-3054C-86-S5
	30x60	760x1524	SA-3060C-86-S4	SA-3060C-86-S5
	30x72	760x1829	SA-3072C-86-S4	SA-3072C-86-S5
	36x36	910x914	SA-3636C-86-S4	SA-3636C-86-S5
	36x48	910x1219	SA-3648C-86-S4	SA-3648C-86-S5
	36x60	910x1524	SA-3660C-86-S4	SA-3660C-86-S5
	36x72	910x1829	SA-3672C-86-S4	SA-3672C-86-S5

Actual Heights: 62.4375" (1585 mm), 74.5" (1892 mm), 86.5" (2197 mm) with the leveling foot completely tightened.

Actual Dimensions: Width: True to nominal size. **Length:** Subtract 1/4" (6 mm).

Super Wide Stationary Units: consist of four or five chrome-plated wire shelves and four posts.

{10.90} Super Adjustable Super Erecta® Wire Shelving Stationary Units and Add-on Units – Chrome



Stationary SOLID BOTTOM Shelving Units and Add-On Units

UNIT HEIGHT		6-SHELF UNITS	7-SHELF UNITS
63"			
		Stationary Unit Cat. No.	Stationary Unit Cat. No.
Nominal Width/Length (in.)	(mm)		
18x24	457x610	SA-1824CF-63-S4	SA-1824CF-63-S5
18x30	457x760	SA-1830CF-63-S4	SA-1830CF-63-S5
18x36	457x914	SA-1836CF-63-S4	SA-1836CF-63-S5
18x42	457x1060	SA-1842CF-63-S4	SA-1842CF-63-S5
18x48	457x1219	SA-1848CF-63-S4	SA-1848CF-63-S5
18x54	457x1372	SA-1854CF-63-S4	SA-1854CF-63-S5
18x60	457x1524	SA-1860CF-63-S4	SA-1860CF-63-S5
18x72	457x1829	SA-1872CF-63-S4	SA-1872CF-63-S5
21x24	530x610	SA-2124CF-63-S4	SA-2124CF-63-S5
21x30	530x760	SA-2130CF-63-S4	SA-2130CF-63-S5
21x36	530x914	SA-2136CF-63-S4	SA-2136CF-63-S5
21x42	530x1060	SA-2142CF-63-S4	SA-2142CF-63-S5
21x48	530x1219	SA-2148CF-63-S4	SA-2148CF-63-S5
21x54	530x1372	SA-2154CF-63-S4	SA-2154CF-63-S5
21x60	530x1524	SA-2160CF-63-S4	SA-2160CF-63-S5
21x72	530x1829	SA-2172CF-63-S4	SA-2172CF-63-S5
24x24	610x610	SA-2424CF-63-S4	SA-2424CF-63-S5
24x30	610x760	SA-2430CF-63-S4	SA-2430CF-63-S5
24x36	610x914	SA-2436CF-63-S4	SA-2436CF-63-S5
24x42	610x1060	SA-2442CF-63-S4	SA-2442CF-63-S5
24x48	610x1219	SA-2448CF-63-S4	SA-2448CF-63-S5
24x54	610x1372	SA-2454CF-63-S4	SA-2454CF-63-S5
24x60	610x1524	SA-2460CF-63-S4	SA-2460CF-63-S5
24x72	610x1829	SA-2472CF-63-S4	SA-2472CF-63-S5

Actual Height: 62.4375" (1585 mm) with the leveling foot completely tightened.

Actual Dimensions: Width: True to nominal size. **Length:** Subtract 1/4" (6 mm).

Shelving SOLID BOTTOM – Stationary Units and Add-On Units

Stationary Units: consist of three or four Chrome - plated wire shelves, one solid shelf and four posts.

Add-on Units: consist of four or five chrome-plated wire shelves, (2) posts, and standard S-hooks (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.


Five-shelf units include (10) standard S-hooks.



Replacement S-hook

Cat. No. **9995Z**

2 are required for each storage level



{10.90} Super Adjustable Super Erecta® Wire Shelving Stationary Units and Add-on Units – Chrome



Stationary SOLID BOTTOM Shelving Units and Add-On Units

UNIT HEIGHT		6-SHELF UNITS	7-SHELF UNITS
74"			
		Stationary Unit Cat. No.	Stationary Unit Cat. No.
Nominal Width/Length (in.)	(mm)		
18x24	457x610	SA-1824CF-74-S4	SA-1824CF-74-S5
18x30	457x760	SA-1830CF-74-S4	SA-1830CF-74-S5
18x36	457x914	SA-1836CF-74-S4	SA-1836CF-74-S5
18x42	457x1060	SA-1842CF-74-S4	SA-1842CF-74-S5
18x48	457x1219	SA-1848CF-74-S4	SA-1848CF-74-S5
18x54	457x1372	SA-1854CF-74-S4	SA-1854CF-74-S5
18x60	457x1524	SA-1860CF-74-S4	SA-1860CF-74-S5
18x72	457x1829	SA-1872CF-74-S4	SA-1872CF-74-S5
21x24	530x610	SA-2124CF-74-S4	SA-2124CF-74-S5
21x30	530x760	SA-2130CF-74-S4	SA-2130CF-74-S5
21x36	530x914	SA-2136CF-74-S4	SA-2136CF-74-S5
21x42	530x1060	SA-2142CF-74-S4	SA-2142CF-74-S5
21x48	530x1219	SA-2148CF-74-S4	SA-2148CF-74-S5
21x54	530x1372	SA-2154CF-74-S4	SA-2154CF-74-S5
21x60	530x1524	SA-2160CF-74-S4	SA-2160CF-74-S5
21x72	530x1829	SA-2172CF-74-S4	SA-2172CF-74-S5
24x24	610x610	SA-2424CF-74-S4	SA-2424CF-74-S5
24x30	610x760	SA-2430CF-74-S4	SA-2430CF-74-S5
24x36	610x914	SA-2436CF-74-S4	SA-2436CF-74-S5
24x42	610x1060	SA-2442CF-74-S4	SA-2442CF-74-S5
24x48	610x1219	SA-2448CF-74-S4	SA-2448CF-74-S5
24x54	610x1372	SA-2454CF-74-S4	SA-2454CF-74-S5
24x60	610x1524	SA-2460CF-74-S4	SA-2460CF-74-S5
24x72	610x1829	SA-2472CF-74-S4	SA-2472CF-74-S5

Actual Height: 74.5" (1892 mm) with the leveling foot completely tightened.

Actual Dimensions: Width: True to nominal size. **Length:** Subtract 1/4" (6 mm).

Shelving SOLID BOTTOM – Stationary Units and Add-On Units

Stationary Units: consist of three or four Chrome - plated wire shelves, one solid shelf and four posts.

Add-on Units: consist of four or five chrome-plated wire shelves, (2) posts, and standard S-hooks (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.


Five-shelf units include (10) standard S-hooks.



Replacement S-hook

Cat. No. **9995Z**

2 are required for each storage level



{10.90}



Super Adjustable Super Erecta® Wire Shelving Stationary & Add-on Units – Chrome

Stationary SOLID BOTTOM Shelving Units and Add-On Units

UNIT HEIGHT		6-SHELF UNITS	7-SHELF UNITS
86"			
		Stationary Unit Cat. No.	Stationary Unit Cat. No.
Nominal Width/Length (in.) (mm)			
18x24	457x610	SA-1824CF-86-S6	SA-1824CF-86-S7
18x30	457x760	SA-1830CF-86-S6	SA-1830CF-86-S7
18x36	457x914	SA-1836CF-86-S6	SA-1836CF-86-S7
18x42	457x1060	SA-1842CF-86-S6	SA-1842CF-86-S7
18x48	457x1219	SA-1848CF-86-S6	SA-1848CF-86-S7
18x54	457x1372	SA-1854CF-86-S6	SA-1854CF-86-S7
18x60	457x1524	SA-1860CF-86-S6	SA-1860CF-86-S7
18x72	457x1829	SA-1872CF-86-S6	SA-1872CF-86-S7
21x24	530x610	SA-2124CF-86-S6	SA-2124CF-86-S7
21x30	530x760	SA-2130CF-86-S6	SA-2130CF-86-S7
21x36	530x914	SA-2136CF-86-S6	SA-2136CF-86-S7
21x42	530x1060	SA-2142CF-86-S6	SA-2142CF-86-S7
21x48	530x1219	SA-2148CF-86-S6	SA-2148CF-86-S7
21x54	530x1372	SA-2154CF-86-S6	SA-2154CF-86-S7
21x60	530x1524	SA-2160CF-86-S6	SA-2160CF-86-S7
21x72	530x1829	SA-2172CF-86-S6	SA-2172CF-86-S7
24x24	610x610	SA-2424CF-86-S6	SA-2424CF-86-S7
24x30	610x760	SA-2430CF-86-S6	SA-2430CF-86-S7
24x36	610x914	SA-2436CF-86-S6	SA-2436CF-86-S7
24x42	610x1060	SA-2442CF-86-S6	SA-2442CF-86-S7
24x48	610x1219	SA-2448CF-86-S6	SA-2448CF-86-S7
24x54	610x1372	SA-2454CF-86-S6	SA-2454CF-86-S7
24x60	610x1524	SA-2460CF-86-S6	SA-2460CF-86-S7
24x72	610x1829	SA-2472CF-86-S6	SA-2472CF-86-S7

Actual Height: 86.5" (2197 mm) with the leveling foot completely tightened.

Actual Dimensions: Width: True to nominal size. **Length:** Subtract 1/4" (6 mm).

Shelving SOLID BOTTOM – Stationary Units and Add-On Units

Stationary Units: consists of five or six Chrome Super Adjustable Super Erecta shelves and four posts.

Add-on Units: consist of five or six Chrome Super Erecta Pro shelves, (2) posts, and standard S-hooks (2 per shelf) to configure end-to-end units.

Five-shelf units include (8) standard S-hooks.

Six-shelf units include (10) standard S-hooks.



Replacement S-hook

Cat. No. **9995Z**

2 are required for each storage level.

