

{10.94}



Super Adjustable Super Erecta® Wire Shelving Stationary & Add-on Units – Metroseal Green

Super Adjustable Super Erecta® Metroseal Green shelving units are engineered for durable, adaptable storage in dry environments. Stationary units include shelves and four posts, while add-on units include two posts, shelves, and S-hooks for modular expansion. Each shelf is finished with a Metroseal Green epoxy coating that includes built-in antimicrobial protection to inhibit bacteria, mold, and mildew growth. Posts are finished with the same Metroseal Green epoxy coating. Shelves feature an open wire design that allows access from all sides while promoting air circulation and light penetration. Each shelf is constructed from heavy-gauge, all-welded carbon steel with longitudinal support trusses for added strength. Larger shelves include additional support trusses to maintain structural integrity under load. Stationary units support up to 2,000 lbs. (907 kg) evenly distributed per unit. Individual shelves support 800 lbs. (363 kg) at lengths of 48" (1219 mm) or less and 600 lbs. (272 kg) for longer lengths. Unique corner release and SiteSelect™ Posts create a total system that offers "Tool-Free" fast adjustment at 1" (25 mm) intervals along the entire height of the post. Unlock the corner releases, reposition the wedges and sleeves, and relocate the shelf. The shelf simply seats into place. Leveling bolts help ensure stability on uneven surfaces. These units are NSF listed for all environments.

Features and Benefits:

- **Stationary Shelving Units:** Include Metroseal Green shelves and (4) posts under one easy-to-order model number.
- **Add-on Units:** Include (2) posts, shelves, and S-hook to connect a unit end-to-end or at a right angle under one easy-to-order model number.
- **Corner (Right Angle) Units:** Allow easy access to the shelf contents by eliminating a front post.
- **Unique Design:** The open wire design of these shelves minimizes dust accumulation and allows free circulation of air, greater visibility of stored items and greater light penetration.
- **Durable Construction:** Super Adjustable Super Erecta shelves and posts are constructed of heavy-gauge carbon steel.
- **Versatile:** Super Adjustable Super Erecta Shelf wire shelving can adapt to your changing needs. By using various accessories, hundreds of shelving configurations become possible.
- **Fast, Easy Assembly Shelves:** SiteSelect Posts have a double groove visual guide feature every 8" (203 mm), circular grooves at 1" (25 mm) increments, and are numbered at 2" (51 mm) intervals. A patented, tapered split sleeve snaps together around each post. Tapered openings in the shelf corners slide over the tapered split sleeves providing a positive lock. Shelf is assembled in minutes without the use of any special tools.
- **Strong:** Stationary units hold a maximum of 2,000 lbs. (907 kg). Maximum weight capacity per shelf evenly distributed: (48" [1219 mm] or shorter = 800 lbs. [363 kg]; longer than 48" [1219 mm] = 600 lbs. [272 kg]).
- **Adjustability:** Unique corner release and SiteSelect Posts create a total system that offers "Tool-Free" fast adjustment at 1" (25 mm) intervals along the entire height of the post. Unlock the corner releases, reposition the wedges and sleeves, and relocate the shelf. The shelf simply seats into place.
- **Shelf Ribs:** Run front to back, allowing you to slide items on and off shelves smoothly.
- **Shelf Accessibility:** Shelves can be loaded/unloaded easily from all sides. This open construction allows maximum use of storage cube.
- **Adjustable Feet:** Bolt levelers compensate for surface irregularities.
- **NSF listed for all environments.**
- **Never Collapse Guarantee:** Each Metro stationary shelving unit, add-on shelving unit, mobile shelving unit and Track Shelving System are backed by a 100% money-back guarantee against unit collapse.



5-Shelf Stationary Unit



5-Shelf Add-On Unit



MICROBAN® and the MICROBAN® symbol are registered trademarks of the Microban® Products Company, Huntersville, NC. Microban® product protection does not by itself protect a user from food borne illness. Product must be routinely cleaned.



All Metro Catalog Sheets and our Never Collapse Guarantee Warranty are available on our website: metro.com

{10.94} Super Adjustable Super Erecta® Wire Shelving Stationary Units and Add-on Units – Metroseal Green



Material Specifications:


- **Wire Shelves:** Heavy-gauge carbon steel.
- **Posts:** 16-gauge carbon steel tube, 1" (25 mm) diameter.
 - **Post cap:** polypropylene.
 - **Post insert:** cast zinc.
 - **Corner release, wedge, and sleeve:** reinforced nylon.
 - **Leveling bolt:** zinc-plated carbon steel.
- **Metroseal Green:** Electrostatically applied powder coating over a zinc substrate. Includes built-in Microban antimicrobial product protection.
- **Temperature range:** Continuous use from -20°F (-29°C) to 120°F (52°C).
- **S-hook:** Zinc plated steel.

Stationary Units: Consist of four or five Metroseal Green wire shelves and four posts.


Add-on Units: Consist of four or five Metroseal Green wire shelves, (2) posts, and standard S-hooks (2 per shelf) to configure end-to-end units. Four-shelf units include (8) standard S-hooks. Five-shelf units include (10) standard S-hooks.




Replacement S-hook
Cat. No. **9995Z**
2 are required for each storage level



Super Erecta – Load Ratings




Four Post Unit & End-to-End Add-on Unit:
800 lbs. (363 kg) per shelf for lengths of 24" to 48" (610 to 1219 mm)
600 lbs. (272 kg) per shelf for lengths of 54" (1372 mm) or longer
2000 lbs. (907 kg) evenly distributed per Unit



Corner Configuration "L" with an Add-on:
800 lbs. (363 kg) per shelf for lengths of 24" to 48" (610 to 1219 mm)
600 lbs. (272 kg) per shelf for lengths of 54" (1372 mm) or longer
2000 lbs. (907 kg) evenly distributed per Unit




Part Number Explanation



{10.94} Super Adjustable Super Erecta® Wire Shelving Stationary Units and Add-on Units – Metroseal Green



Stationary Shelving Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
63"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
Nominal Width/Length (in.)	(mm)				
18x24	457x610	SA-1824K3-63-S4	SA-1824K3-63-A4	SA-1824K3-63-S5	SA-1824K3-63-A5
18x30	457x760	SA-1830K3-63-S4	SA-1830K3-63-A4	SA-1830K3-63-S5	SA-1830K3-63-A5
18x36	457x914	SA-1836K3-63-S4	SA-1836K3-63-A4	SA-1836K3-63-S5	SA-1836K3-63-A5
18x42	457x1060	SA-1842K3-63-S4	SA-1842K3-63-A4	SA-1842K3-63-S5	SA-1842K3-63-A5
18x48	457x1219	SA-1848K3-63-S4	SA-1848K3-63-A4	SA-1848K3-63-S5	SA-1848K3-63-A5
18x54	457x1372	SA-1854K3-63-S4	SA-1854K3-63-A4	SA-1854K3-63-S5	SA-1854K3-63-A5
18x60	457x1524	SA-1860K3-63-S4	SA-1860K3-63-A4	SA-1860K3-63-S5	SA-1860K3-63-A5
18x72	457x1829	SA-1872K3-63-S4	SA-1872K3-63-A4	SA-1872K3-63-S5	SA-1872K3-63-A5
21x24	530x610	SA-2124K3-63-S4	SA-2124K3-63-A4	SA-2124K3-63-S5	SA-2124K3-63-A5
21x30	530x760	SA-2130K3-63-S4	SA-2130K3-63-A4	SA-2130K3-63-S5	SA-2130K3-63-A5
21x36	530x914	SA-2136K3-63-S4	SA-2136K3-63-A4	SA-2136K3-63-S5	SA-2136K3-63-A5
21x42	530x1060	SA-2142K3-63-S4	SA-2142K3-63-A4	SA-2142K3-63-S5	SA-2142K3-63-A5
21x48	530x1219	SA-2148K3-63-S4	SA-2148K3-63-A4	SA-2148K3-63-S5	SA-2148K3-63-A5
21x54	530x1372	SA-2154K3-63-S4	SA-2154K3-63-A4	SA-2154K3-63-S5	SA-2154K3-63-A5
21x60	530x1524	SA-2160K3-63-S4	SA-2160K3-63-A4	SA-2160K3-63-S5	SA-2160K3-63-A5
21x72	530x1829	SA-2172K3-63-S4	SA-2172K3-63-A4	SA-2172K3-63-S5	SA-2172K3-63-A5
24x24	610x610	SA-2424K3-63-S4	SA-2424K3-63-A4	SA-2424K3-63-S5	SA-2424K3-63-A5
24x30	610x760	SA-2430K3-63-S4	SA-2430K3-63-A4	SA-2430K3-63-S5	SA-2430K3-63-A5
24x36	610x914	SA-2436K3-63-S4	SA-2436K3-63-A4	SA-2436K3-63-S5	SA-2436K3-63-A5
24x42	610x1060	SA-2442K3-63-S4	SA-2442K3-63-A4	SA-2442K3-63-S5	SA-2442K3-63-A5
24x48	610x1219	SA-2448K3-63-S4	SA-2448K3-63-A4	SA-2448K3-63-S5	SA-2448K3-63-A5
24x54	610x1372	SA-2454K3-63-S4	SA-2454K3-63-A4	SA-2454K3-63-S5	SA-2454K3-63-A5
24x60	610x1524	SA-2460K3-63-S4	SA-2460K3-63-A4	SA-2460K3-63-S5	SA-2460K3-63-A5
24x72	610x1829	SA-2472K3-63-S4	SA-2472K3-63-A4	SA-2472K3-63-S5	SA-2472K3-63-A5

Actual Height: 62.4375" (1585 mm) with the leveling foot completely tightened.

Actual Dimensions: Width: True to nominal size. **Length:** Subtract 1/4" (6 mm).


Shelving – Stationary Units and Add-On Units

Stationary Units: consist of four or five Super Adjustable Super Erecta Metroseal Green wire shelves and four posts.

Add-on Units: consist of four or five Super Adjustable Super Erecta Metroseal Green wire shelves, (2) posts, and standard S-hooks (2 per shelf) to configure end-to-end units. Four-shelf units include (8) standard S-hooks. Five-shelf units include (10) standard S-hooks.






Replacement S-hook
Cat. No. 9995Z
2 are required for each storage level



{10.94} Super Adjustable Super Erecta® Wire Shelving Stationary Units and Add-on Units – Metroseal Green



Stationary Shelving Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
74"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
18x24	457x610	SA-1824K3-74-S4	SA-1824K3-74-A4	SA-1824K3-74-S5	SA-1824K3-74-A5
18x30	457x760	SA-1830K3-74-S4	SA-1830K3-74-A4	SA-1830K3-74-S5	SA-1830K3-74-A5
18x36	457x914	SA-1836K3-74-S4	SA-1836K3-74-A4	SA-1836K3-74-S5	SA-1836K3-74-A5
18x42	457x1060	SA-1842K3-74-S4	SA-1842K3-74-A4	SA-1842K3-74-S5	SA-1842K3-74-A5
18x48	457x1219	SA-1848K3-74-S4	SA-1848K3-74-A4	SA-1848K3-74-S5	SA-1848K3-74-A5
18x54	457x1372	SA-1854K3-74-S4	SA-1854K3-74-A4	SA-1854K3-74-S5	SA-1854K3-74-A5
18x60	457x1524	SA-1860K3-74-S4	SA-1860K3-74-A4	SA-1860K3-74-S5	SA-1860K3-74-A5
18x72	457x1829	SA-1872K3-74-S4	SA-1872K3-74-A4	SA-1872K3-74-S5	SA-1872K3-74-A5
21x24	530x610	SA-2124K3-74-S4	SA-2124K3-74-A4	SA-2124K3-74-S5	SA-2124K3-74-A5
21x30	530x760	SA-2130K3-74-S4	SA-2130K3-74-A4	SA-2130K3-74-S5	SA-2130K3-74-A5
21x36	530x914	SA-2136K3-74-S4	SA-2136K3-74-A4	SA-2136K3-74-S5	SA-2136K3-74-A5
21x42	530x1060	SA-2142K3-74-S4	SA-2142K3-74-A4	SA-2142K3-74-S5	SA-2142K3-74-A5
21x48	530x1219	SA-2148K3-74-S4	SA-2148K3-74-A4	SA-2148K3-74-S5	SA-2148K3-74-A5
21x54	530x1372	SA-2154K3-74-S4	SA-2154K3-74-A4	SA-2154K3-74-S5	SA-2154K3-74-A5
21x60	530x1524	SA-2160K3-74-S4	SA-2160K3-74-A4	SA-2160K3-74-S5	SA-2160K3-74-A5
21x72	530x1829	SA-2172K3-74-S4	SA-2172K3-74-A4	SA-2172K3-74-S5	SA-2172K3-74-A5
24x24	610x610	SA-2424K3-74-S4	SA-2424K3-74-A4	SA-2424K3-74-S5	SA-2424K3-74-A5
24x30	610x760	SA-2430K3-74-S4	SA-2430K3-74-A4	SA-2430K3-74-S5	SA-2430K3-74-A5
24x36	610x914	SA-2436K3-74-S4	SA-2436K3-74-A4	SA-2436K3-74-S5	SA-2436K3-74-A5
24x42	610x1060	SA-2442K3-74-S4	SA-2442K3-74-A4	SA-2442K3-74-S5	SA-2442K3-74-A5
24x48	610x1219	SA-2448K3-74-S4	SA-2448K3-74-A4	SA-2448K3-74-S5	SA-2448K3-74-A5
24x54	610x1372	SA-2454K3-74-S4	SA-2454K3-74-A4	SA-2454K3-74-S5	SA-2454K3-74-A5
24x60	610x1524	SA-2460K3-74-S4	SA-2460K3-74-A4	SA-2460K3-74-S5	SA-2460K3-74-A5
24x72	610x1829	SA-2472K3-74-S4	SA-2472K3-74-A4	SA-2472K3-74-S5	SA-2472K3-74-A5

Actual Height: 74.5" (1892 mm) with the leveling foot completely tightened.

Actual Dimensions: Width: True to nominal size. **Length:** Subtract 1/4" (6 mm).


Shelving – Stationary Units and Add-On Units

Stationary Units: consist of four or five Super Adjustable Super Erecta Metroseal Green wire shelves and four posts.

Add-on Units: consist of four or five Super Adjustable Super Erecta Metroseal Green wire shelves, (2) posts, and standard S-hooks (2 per shelf) to configure end-to-end units. Four-shelf units include (8) standard S-hooks. Five-shelf units include (10) standard S-hooks.



Replacement S-hook
Cat. No. 9995Z
2 are required for each storage level







{10.94}



Super Adjustable Super Erecta® Wire Shelving Stationary & Add-on Units – Metroseal Green

Stationary Shelving Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
86"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
Nominal Width/Length (in.) (mm)					
18x24	457x610	SA-1824K3-86-S4	SA-1824K3-86-A4	SA-1824K3-86-S5	SA-1824K3-86-A5
18x30	457x760	SA-1830K3-86-S4	SA-1830K3-86-A4	SA-1830K3-86-S5	SA-1830K3-86-A5
18x36	457x914	SA-1836K3-86-S4	SA-1836K3-86-A4	SA-1836K3-86-S5	SA-1836K3-86-A5
18x42	457x1060	SA-1842K3-86-S4	SA-1842K3-86-A4	SA-1842K3-86-S5	SA-1842K3-86-A5
18x48	457x1219	SA-1848K3-86-S4	SA-1848K3-86-A4	SA-1848K3-86-S5	SA-1848K3-86-A5
18x54	457x1372	SA-1854K3-86-S4	SA-1854K3-86-A4	SA-1854K3-86-S5	SA-1854K3-86-A5
18x60	457x1524	SA-1860K3-86-S4	SA-1860K3-86-A4	SA-1860K3-86-S5	SA-1860K3-86-A5
18x72	457x1829	SA-1872K3-86-S4	SA-1872K3-86-A4	SA-1872K3-86-S5	SA-1872K3-86-A5
21x24	530x610	SA-2124K3-86-S4	SA-2124K3-86-A4	SA-2124K3-86-S5	SA-2124K3-86-A5
21x30	530x760	SA-2130K3-86-S4	SA-2130K3-86-A4	SA-2130K3-86-S5	SA-2130K3-86-A5
21x36	530x914	SA-2136K3-86-S4	SA-2136K3-86-A4	SA-2136K3-86-S5	SA-2136K3-86-A5
21x42	530x1060	SA-2142K3-86-S4	SA-2142K3-86-A4	SA-2142K3-86-S5	SA-2142K3-86-A5
21x48	530x1219	SA-2148K3-86-S4	SA-2148K3-86-A4	SA-2148K3-86-S5	SA-2148K3-86-A5
21x54	530x1372	SA-2154K3-86-S4	SA-2154K3-86-A4	SA-2154K3-86-S5	SA-2154K3-86-A5
21x60	530x1524	SA-2160K3-86-S4	SA-2160K3-86-A4	SA-2160K3-86-S5	SA-2160K3-86-A5
21x72	530x1829	SA-2172K3-86-S4	SA-2172K3-86-A4	SA-2172K3-86-S5	SA-2172K3-86-A5
24x24	610x610	SA-2424K3-86-S4	SA-2424K3-86-A4	SA-2424K3-86-S5	SA-2424K3-86-A5
24x30	610x760	SA-2430K3-86-S4	SA-2430K3-86-A4	SA-2430K3-86-S5	SA-2430K3-86-A5
24x36	610x914	SA-2436K3-86-S4	SA-2436K3-86-A4	SA-2436K3-86-S5	SA-2436K3-86-A5
24x42	610x1060	SA-2442K3-86-S4	SA-2442K3-86-A4	SA-2442K3-86-S5	SA-2442K3-86-A5
24x48	610x1219	SA-2448K3-86-S4	SA-2448K3-86-A4	SA-2448K3-86-S5	SA-2448K3-86-A5
24x54	610x1372	SA-2454K3-86-S4	SA-2454K3-86-A4	SA-2454K3-86-S5	SA-2454K3-86-A5
24x60	610x1524	SA-2460K3-86-S4	SA-2460K3-86-A4	SA-2460K3-86-S5	SA-2460K3-86-A5
24x72	610x1829	SA-2472K3-86-S4	SA-2472K3-86-A4	SA-2472K3-86-S5	SA-2472K3-86-A5

Actual Height: 86.5" (2197 mm) with the leveling foot completely tightened.

Actual Dimensions: **Width:** True to nominal size. **Length:** Subtract 1/4" (6 mm).

Shelving – Stationary Units and Add-On Units

Stationary Units: consist of four or five Super Adjustable Super Erecta Metroseal Green wire shelves and four posts.

Add-on Units: consist of four or five Super Adjustable Super Erecta Metroseal Green wire shelves, (2) posts, and standard S-hooks (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.

Five-shelf units include (10) standard S-hooks.



Replacement S-hook

Cat. No. 9995Z

2 are required for each storage level

