

Super Erecta® Pro Wire Shelving Stationary Units and Add-on Units

Super Erecta® Pro shelving units are engineered for robust, adaptable storage in wet or high-humidity environments. Stationary units include shelves with removable mats and four posts, while add-on units provide two posts, shelves with removable mats, and S-hooks for modular expansion. Each shelf frame and post is finished with Metroseal Green epoxy coating, which is an electrostatically applied epoxy finish over a zinc substrate. Metroseal has built-in Microban antimicrobial product protection. Lift-off, open grid polymer (plastic) shelf mats have built-in Microban antimicrobial product protection. Each shelf has a heavy-gauge, all-welded carbon steel construction with longitudinal support trusses. Stationary units support up to 2,000 lbs. (907 kg) evenly distributed per unit, while individual shelves hold 800 lbs. (363 kg) at lengths of 48" (1219 mm) or less and 600 lbs. (272 kg) when longer. Each unit features SiteSelect™ posts that have circular grooves on 1" (25 mm) increments. The posts are numbered every 2" (51 mm) and have double groove guides every 8" (203 mm) as a visual indicator during assembly. Shelving can be assembled easily without tools using patented tapered split sleeves. Shelves adjust at 1" (25 mm) intervals, and bolt levelers adjust to ensure the unit remains stable on uneven surfaces. These units are NSF listed for all environments.

Features and Benefits:

- **Stationary Units:** Include Metroseal Green epoxy-coated shelves with mats and (4) posts under one easy-to-order model number.
- **Add-on Units:** Include (2) posts, shelves with mats, and S-hooks to connect a unit end-to-end or at a right angle under one easy-to-order model number.
- **Corner (Right Angle) Units:** Allow easy access to the shelf contents by eliminating a front post.
- **Unique Design:** The open grid mat design minimizes dust accumulation, allows free circulation of air, greater visibility of stored items, and greater light penetration.
- **Durable Construction:** Super Erecta shelves and posts are constructed of heavy-gauge carbon steel.
- **Versatile:** Super Erecta Shelf wire shelving can adapt to your changing needs. By using various accessories, hundreds of shelving configurations become possible.
- **Fast, Easy Assembly Shelves:** SiteSelect Posts have a double groove visual guide feature every 8" (203 mm), circular grooves at 1" (25 mm) increments, and are numbered at 2" (51 mm) intervals. A patented, tapered split sleeve snaps together around each post. Tapered openings in the shelf corners slide over the tapered split sleeves providing a positive lock. Shelf is assembled in minutes without the use of any special tools.
- **Strong:** Stationary units hold a maximum of 2,000 lbs. (907 kg). Maximum weight capacity per shelf evenly distributed: (48" [1219 mm] or shorter = 800 lbs. [363 kg]; longer than 48" [1219 mm] = 600 lbs. [272 kg]).
- **Adjustability:** Shelves can be adjusted at 1" (25 mm) intervals along the entire length of the post.
- **Open Grid (vented) Shelf Mats:** Sectioned and promote air circulation and light penetration. Built-in ship's edge helps contain supplies.
- **Shelf Accessibility:** Shelves can be loaded/unloaded easily from all sides. This open construction allows maximum use of storage cube.
- **Adjustable Feet:** Bolt levelers compensate for surface irregularities.
- **Finish:** Metroseal Green epoxy coating with built-in antimicrobial protection to inhibit bacteria, mold, and mildew growth.
- **NSF listed for all environments.**
- **Never Collapse Guarantee:** Each Metro stationary shelving unit, add-on shelving unit, mobile shelving unit and Track Shelving System are backed by a 100% money-back guarantee against unit collapse.



5-Shelf Stationary Unit



5-Shelf Add-On Unit



MICROBAN® and the MICROBAN® symbol are registered trademarks of the Microban® Products Company, Huntersville, NC. Microban® product protection does not by itself protect a user from food borne illness. Product must be routinely cleaned.

All Metro Catalog Sheets and our Never Collapse Guarantee Warranty are available on our website: metro.com



Supports good
HACCP
processes



{10.82} Super Erecta® Pro Wire Shelving Stationary Units and Add-on Units




Material Specifications:

- **Shelves:** Heavy-gauge carbon steel with Metroseal Green epoxy coating.
- **Polymer Shelf Mats:** Injection-molded polypropylene with exclusive built-in Microban® antimicrobial product protection.
- **Finish:** Electrostatic epoxy coating over zinc plating (Metroseal Green) with built-in Microban® antimicrobial protection for wet/humid environments.
- **Posts:** 16-gauge carbon steel tube, 1" (25 mm) diameter.
 - **Split sleeve:** high impact polystyrene.
 - **Post cap:** polypropylene.
 - **Post insert:** cast zinc.
 - **Leveling bolt:** zinc-plated carbon steel.
- **Split Sleeves:** High-strength polymer for firm shelf-to-post connection.
- **Temperature Range:** -20°F (-29°C) to 120°F (49°C) continuous use.
- **"S" Hook:** Zinc plated steel


Stationary Units: Consist of four or five Metroseal Green wire shelves and four posts.

Add-on Units: Consist of four or five Metroseal Green wire shelves, (2) posts, and standard S-hooks (2 per shelf) to configure end-to-end units. Four-shelf units include (8) standard S-hooks. Five-shelf units include (10) standard S-hooks.




Replacement S-hook
Cat. No. **Q9995Z**
2 are required for each storage level

Super Erecta – Load Ratings




Four Post Unit & End-to-End Add-on Unit:
800 lbs. (363 kg) per shelf for lengths of 24" to 48" (610 to 1219 mm)
600 lbs. (272 kg) per shelf for lengths of 54" (1372 mm) or longer
2000 lbs. (907 kg) evenly distributed per Unit



Corner Configuration "L" with an Add-on:
800 lbs. (363 kg) per shelf for lengths of 24" to 48" (610 to 1219 mm)
600 lbs. (272 kg) per shelf for lengths of 54" (1372 mm) or longer
2000 lbs. (907 kg) evenly distributed per Unit




Part Number Explanation



{10.82} Super Erecta® Pro Wire Shelving Stationary Units and Add-on Units



Stationary Shelving Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
63"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
Nominal Width/Length (in.)	(mm)				
18x24	457x610	PR-1824K3-63-S4	PR-1824K3-63-A4	PR-1824K3-63-S5	PR-1824K3-63-A5
18x30	457x760	PR-1830K3-63-S4	PR-1830K3-63-A4	PR-1830K3-63-S5	PR-1830K3-63-A5
18x36	457x914	PR-1836K3-63-S4	PR-1836K3-63-A4	PR-1836K3-63-S5	PR-1836K3-63-A5
18x42	457x1060	PR-1842K3-63-S4	PR-1842K3-63-A4	PR-1842K3-63-S5	PR-1842K3-63-A5
18x48	457x1219	PR-1848K3-63-S4	PR-1848K3-63-A4	PR-1848K3-63-S5	PR-1848K3-63-A5
18x54	457x1372	PR-1854K3-63-S4	PR-1854K3-63-A4	PR-1854K3-63-S5	PR-1854K3-63-A5
18x60	457x1524	PR-1860K3-63-S4	PR-1860K3-63-A4	PR-1860K3-63-S5	PR-1860K3-63-A5
18x72	457x1829	PR-1872K3-63-S4	PR-1872K3-63-A4	PR-1872K3-63-S5	PR-1872K3-63-A5
21x24	530x610	PR-2124K3-63-S4	PR-2124K3-63-A4	PR-2124K3-63-S5	PR-2124K3-63-A5
21x30	530x760	PR-2130K3-63-S4	PR-2130K3-63-A4	PR-2130K3-63-S5	PR-2130K3-63-A5
21x36	530x914	PR-2136K3-63-S4	PR-2136K3-63-A4	PR-2136K3-63-S5	PR-2136K3-63-A5
21x42	530x1060	PR-2142K3-63-S4	PR-2142K3-63-A4	PR-2142K3-63-S5	PR-2142K3-63-A5
21x48	530x1219	PR-2148K3-63-S4	PR-2148K3-63-A4	PR-2148K3-63-S5	PR-2148K3-63-A5
21x54	530x1372	PR-2154K3-63-S4	PR-2154K3-63-A4	PR-2154K3-63-S5	PR-2154K3-63-A5
21x60	530x1524	PR-2160K3-63-S4	PR-2160K3-63-A4	PR-2160K3-63-S5	PR-2160K3-63-A5
21x72	530x1829	PR-2172K3-63-S4	PR-2172K3-63-A4	PR-2172K3-63-S5	PR-2172K3-63-A5
24x24	610x610	PR-2424K3-63-S4	PR-2424K3-63-A4	PR-2424K3-63-S5	PR-2424K3-63-A5
24x30	610x760	PR-2430K3-63-S4	PR-2430K3-63-A4	PR-2430K3-63-S5	PR-2430K3-63-A5
24x36	610x914	PR-2436K3-63-S4	PR-2436K3-63-A4	PR-2436K3-63-S5	PR-2436K3-63-A5
24x42	610x1060	PR-2442K3-63-S4	PR-2442K3-63-A4	PR-2442K3-63-S5	PR-2442K3-63-A5
24x48	610x1219	PR-2448K3-63-S4	PR-2448K3-63-A4	PR-2448K3-63-S5	PR-2448K3-63-A5
24x54	610x1372	PR-2454K3-63-S4	PR-2454K3-63-A4	PR-2454K3-63-S5	PR-2454K3-63-A5
24x60	610x1524	PR-2460K3-63-S4	PR-2460K3-63-A4	PR-2460K3-63-S5	PR-2460K3-63-A5
24x72	610x1829	PR-2472K3-63-S4	PR-2472K3-63-A4	PR-2472K3-63-S5	PR-2472K3-63-A5

Actual Height: 62.4375" (1585 mm) with the leveling foot completely tightened.

Actual Dimensions: Width: Add 7/16" (11.11 mm) to nominal size. Length: Subtract 3/16" (4.76 mm).

Shelving – Stationary Units and Add-On Units

Stationary Units: consist of four or five Super Erecta Pro shelves with removable polymer mats and four posts.

Add-on Units: consist of four or five Super Erecta Pro shelves, (2) posts, and standard S-hooks (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.


Five-shelf units include (10) standard S-hooks.



Replacement S-hook

Cat. No. **Q9995Z**

2 are required for each storage level.



{10.82} Super Erecta® Pro Wire Shelving Stationary Units and Add-on Units



Stationary Shelving Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
74"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
Nominal Width/Length (in.)	(mm)				
18x24	457x610	PR-1824K3-74-S4	PR-1824K3-74-A4	PR-1824K3-74-S5	PR-1824K3-74-A5
18x30	457x760	PR-1830K3-74-S4	PR-1830K3-74-A4	PR-1830K3-74-S5	PR-1830K3-74-A5
18x36	457x914	PR-1836K3-74-S4	PR-1836K3-74-A4	PR-1836K3-74-S5	PR-1836K3-74-A5
18x42	457x1060	PR-1842K3-74-S4	PR-1842K3-74-A4	PR-1842K3-74-S5	PR-1842K3-74-A5
18x48	457x1219	PR-1848K3-74-S4	PR-1848K3-74-A4	PR-1848K3-74-S5	PR-1848K3-74-A5
18x54	457x1372	PR-1854K3-74-S4	PR-1854K3-74-A4	PR-1854K3-74-S5	PR-1854K3-74-A5
18x60	457x1524	PR-1860K3-74-S4	PR-1860K3-74-A4	PR-1860K3-74-S5	PR-1860K3-74-A5
18x72	457x1829	PR-1872K3-74-S4	PR-1872K3-74-A4	PR-1872K3-74-S5	PR-1872K3-74-A5
21x24	530x610	PR-1824K3-74-S4	PR-1824K3-74-A4	PR-2124K3-74-S5	PR-2124K3-74-A5
21x30	530x760	PR-1830K3-74-S4	PR-1830K3-74-A4	PR-2130K3-74-S5	PR-2130K3-74-A5
21x36	530x914	PR-1836K3-74-S4	PR-1836K3-74-A4	PR-2136K3-74-S5	PR-2136K3-74-A5
21x42	530x1060	PR-1842K3-74-S4	PR-1842K3-74-A4	PR-2142K3-74-S5	PR-2142K3-74-A5
21x48	530x1219	PR-1848K3-74-S4	PR-1848K3-74-A4	PR-2148K3-74-S5	PR-2148K3-74-A5
21x54	530x1372	PR-1854K3-74-S4	PR-1854K3-74-A4	PR-2154K3-74-S5	PR-2154K3-74-A5
21x60	530x1524	PR-1860K3-74-S4	PR-1860K3-74-A4	PR-2160K3-74-S5	PR-2160K3-74-A5
21x72	530x1829	PR-1872K3-74-S4	PR-1872K3-74-A4	PR-2172K3-74-S5	PR-2172K3-74-A5
24x24	610x610	PR-1824K3-74-S4	PR-1824K3-74-A4	PR-2424K3-74-S5	PR-2424K3-74-A5
24x30	610x760	PR-1830K3-74-S4	PR-1830K3-74-A4	PR-2430K3-74-S5	PR-2430K3-74-A5
24x36	610x914	PR-1836K3-74-S4	PR-1836K3-74-A4	PR-2436K3-74-S5	PR-2436K3-74-A5
24x42	610x1060	PR-1842K3-74-S4	PR-1842K3-74-A4	PR-2442K3-74-S5	PR-2442K3-74-A5
24x48	610x1219	PR-1848K3-74-S4	PR-1848K3-74-A4	PR-2448K3-74-S5	PR-2448K3-74-A5
24x54	610x1372	PR-1854K3-74-S4	PR-1854K3-74-A4	PR-2454K3-74-S5	PR-2454K3-74-A5
24x60	610x1524	PR-1860K3-74-S4	PR-1860K3-74-A4	PR-2460K3-74-S5	PR-2460K3-74-A5
24x72	610x1829	PR-1872K3-74-S4	PR-1872K3-74-A4	PR-2472K3-74-S5	PR-2472K3-74-A5

Actual Height: 74.5" (1892 mm) with the leveling foot completely tightened.

Actual Dimensions: Width: Add 7/16" (11.11 mm) to nominal size. **Length:** Subtract 3/16" (4.76 mm).

Shelving – Stationary Units and Add-On Units

Stationary Units: consist of four or five Super Erecta Pro shelves with removable polymer mats and four posts.

Add-on Units: consist of four or five Super Erecta Pro shelves, (2) posts, and standard S-hooks (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.


Five-shelf units include (10) standard S-hooks.



Replacement S-hook

Cat. No. **Q9995Z**

2 are required for each storage level.





{10.82}



Super Erecta Pro® Wire Shelving Stationary Units and Add-on Units

Stationary Shelving Units and Add-On Units

UNIT HEIGHT		4-SHELF UNITS		5-SHELF UNITS	
86"					
		Stationary Unit Cat. No.	Add-on Unit Cat. No.	Stationary Unit Cat. No.	Add-on Unit Cat. No.
Nominal Width/Length (in.) (mm)					
18x24	457x610	PR-1824K3-86-S4	PR-1824K3-86-A4	PR-1824K3-86-S5	PR-1824K3-86-A5
18x30	457x760	PR-1830K3-86-S4	PR-1830K3-86-A4	PR-1830K3-86-S5	PR-1830K3-86-A5
18x36	457x914	PR-1836K3-86-S4	PR-1836K3-86-A4	PR-1836K3-86-S5	PR-1836K3-86-A5
18x42	457x1060	PR-1842K3-86-S4	PR-1842K3-86-A4	PR-1842K3-86-S5	PR-1842K3-86-A5
18x48	457x1219	PR-1848K3-86-S4	PR-1848K3-86-A4	PR-1848K3-86-S5	PR-1848K3-86-A5
18x54	457x1372	PR-1854K3-86-S4	PR-1854K3-86-A4	PR-1854K3-86-S5	PR-1854K3-86-A5
18x60	457x1524	PR-1860K3-86-S4	PR-1860K3-86-A4	PR-1860K3-86-S5	PR-1860K3-86-A5
18x72	457x1829	PR-1872K3-86-S4	PR-1872K3-86-A4	PR-1872K3-86-S5	PR-1872K3-86-A5
21x24	530x610	PR-1824K3-86-S4	PR-1824K3-86-A4	PR-2124K3-86-S5	PR-2124K3-86-A5
21x30	530x760	PR-1830K3-86-S4	PR-1830K3-86-A4	PR-2130K3-86-S5	PR-2130K3-86-A5
21x36	530x914	PR-1836K3-86-S4	PR-1836K3-86-A4	PR-2136K3-86-S5	PR-2136K3-86-A5
21x42	530x1060	PR-1842K3-86-S4	PR-1842K3-86-A4	PR-2142K3-86-S5	PR-2142K3-86-A5
21x48	530x1219	PR-1848K3-86-S4	PR-1848K3-86-A4	PR-2148K3-86-S5	PR-2148K3-86-A5
21x54	530x1372	PR-1854K3-86-S4	PR-1854K3-86-A4	PR-2154K3-86-S5	PR-2154K3-86-A5
21x60	530x1524	PR-1860K3-86-S4	PR-1860K3-86-A4	PR-2160K3-86-S5	PR-2160K3-86-A5
21x72	530x1829	PR-1872K3-86-S4	PR-1872K3-86-A4	PR-2172K3-86-S5	PR-2172K3-86-A5
24x24	610x610	PR-1824K3-86-S4	PR-1824K3-86-A4	PR-2424K3-86-S5	PR-2424K3-86-A5
24x30	610x760	PR-1830K3-86-S4	PR-1830K3-86-A4	PR-2430K3-86-S5	PR-2430K3-86-A5
24x36	610x914	PR-1836K3-86-S4	PR-1836K3-86-A4	PR-2436K3-86-S5	PR-2436K3-86-A5
24x42	610x1060	PR-1842K3-86-S4	PR-1842K3-86-A4	PR-2442K3-86-S5	PR-2442K3-86-A5
24x48	610x1219	PR-1848K3-86-S4	PR-1848K3-86-A4	PR-2448K3-86-S5	PR-2448K3-86-A5
24x54	610x1372	PR-1854K3-86-S4	PR-1854K3-86-A4	PR-2454K3-86-S5	PR-2454K3-86-A5
24x60	610x1524	PR-1860K3-86-S4	PR-1860K3-86-A4	PR-2460K3-86-S5	PR-2460K3-86-A5
24x72	610x1829	PR-1872K3-86-S4	PR-1872K3-86-A4	PR-2472K3-86-S5	PR-2472K3-86-A5

Actual Height: 86.5" (2197 mm) with the leveling foot completely tightened.

Actual Dimensions: **Width:** Add 7/16" (11.11 mm) to nominal size. **Length:** Subtract 3/16" (4.76 mm).

Shelving – Stationary Units and Add-On Units

Stationary Units: consist of four or five Super Erecta Pro shelves with removable polymer mats and four posts.

Add-on Units: consist of four or five Super Erecta Pro shelves, (2) posts, and standard S-hooks (2 per shelf) to configure end-to-end units.

Four-shelf units include (8) standard S-hooks.

Five-shelf units include (10) standard S-hooks.



Replacement S-hook

Cat. No. **Q9995Z**

2 are required for each storage level.

