



# SPEC SHEET

## KoolMore 48 in. Glass Countertop Display Warmer, 6.5 cu. ft. in Stainless Steel

Model: HDC-6C-SS

### FEATURES

- Self Service: 2 double pane tempered glass front doors are a convenient way for customers to serve themselves saving staff and customers valuable time
- Includes a water pan to add humidity and prevent the foods from drying out
- Two front doors for easy load
- Double pane tempered glass
- Stainless-Steel Frame
- Simple Thermostatic Temperature Control to easily adjust the temperature as needed
- Three chrome rust-resistant shelves
- Glass panels on all four sides for maximum visibility



### CLOSE UP IMAGES



# TECHNICAL SPECS

## Dimensions

|                   |       |
|-------------------|-------|
| Length            | 47.8  |
| Width             | 19.1  |
| Height            | 26.1  |
| Weightlbs         | 117   |
| Interior Depth    | 16.42 |
| Interior Width    | 47.24 |
| Interior Height   | 15.98 |
| Power Cord Length | 78    |

## Capacity

|                   |     |
|-------------------|-----|
| Cubic Feet        | 6.5 |
| Number Of Shelves | 3   |



## Features & Materials

|                                   |                       |
|-----------------------------------|-----------------------|
| Shelves Adjustable                | No                    |
| Color Finish                      | Stainless-Steel       |
| Exterior Material                 | Glass and Sheet Metal |
| Number Of Temperature Zones       | 1                     |
| Door Style                        | Sliding               |
| Light Type                        | LED                   |
| Shelf Material Type               | Steel                 |
| Number Of Warming Sections        | 1                     |
| Warming Time After Unplugging Min | 60 min.               |
| Glass Type                        | Tempered Glass        |

## Electric

|                |                                      |
|----------------|--------------------------------------|
| Control Type   | Mechanical                           |
| Plug Type      | NEMA 5-15P                           |
| Amps           | 13                                   |
| Wattage        | 1500                                 |
| Voltage        | 120                                  |
| Hertz          | 60                                   |
| Phase          | 1                                    |
| Certifications | ETL Listed for Safety and Sanitation |

# Plan View



## CERTIFICATIONS



706 Eastern Parkway STE 1G, Brooklyn NY 11213  
718-576-6342  
info@koolmore.com