RWN-1, RWN-2, RWN-3 BUILT-IN NARROW DRAWER WARMERS



Specifications

Overall Dimensions:	Inches	MM	
Width	20 1/4	514	
Depth	21 1/2	546	
Height (incl. 4" legs & splashguard)			
RWN-1 series	14 7/8	378	
RWN-2 series	25	635	
Height (no legs)	71.1/0	701	
RWN-3 series	31 1/8	791	
Temperature Range:	Fahrenheit	Celsius	
RWN series	90° to 210°	32° to 99°	
Pre-Heat Time to 175° F:	120V & 240	V 208V	
RW series	15 minutes	22 minutes	
Typical Capacity:	Dinner Rolls		
Individual drawer	Appox. 8 doz.		
Weights:	Lbs.	KG	
RWN-1 series:			
Installed	59	27	
Shipping	71	32	
RWN-2 series:			
Installed	106	48	
Shipping	121	55	
RWN-3 series:			
Installed	147	67	
Shipping	183	83	

Wells Narrow Drawer Warmers can keep a variety of foods hot and ready to serve. Their narrow width saves valuable space, yet the drawers accept all standard 12" x 20" pans up to 6" deep. All Wells warmers come with individual controls on each drawer for temperature and humidity, allowing food to be hot and crispy in one drawer, warm and moist in another.

Features

- Narrow width saves space while accommodating standard 12"x20" pans.
- Exclusive self-latching mechanism provides easy, one-touch, secure closure.
- Individual thermostatic temperature control on each drawer gives these warmers maximum versatility.
- Durable stainless steel tracks and bearings provide smooth, trouble-free operation.
- Adjustable front vent on each drawer allows for humidity control.
- A stainless steel pan is provided with each drawer warmer and is capable of holding a standard 12" x 20" pan.
- Fully insulated for maximum efficiency.
- The RWN series Drawer Warmers are Underwriters Laboratories, Inc. LISTED and meet the NSF International and Canadian standards.
- A one-year warranty against defects covers parts and labor.

Accessories / Options

Stainless Steel Replacement Pan, for all narrow drawer warmers, 22228

Caster Kit, 10" high casters, set of four, with two front brakes, 21034

Caster Kit, 3 1/2" high casters, set of four, all with brakes, 22201

Leg Kit, 6", set of four, metal, 20576




MODEL: RWN-1 NARROW DRAWER WARMERS





DIMENSIONS:

INCH (MM)



RWN-1 ELECTRICAL SPECIFICATIONS:

MODELS	VOLTS	WATTS	AMPS	PHASE	POWER SUPPLY CORD
RWN-1	120	450	3.8	SINGLE	NEMA 5-15P
RWN-1	208	338	1.6	SINGLE	NEMA 6-15P
RWN-1	240	450	1.9	SINGLE	NEMA 6-15P

NOTE: Specifications are subject to change without notice.


MODEL: RWN-2 NARROW DRAWER WARMERS






DIMENSIONS:

INCH (MM)





RWN-2 ELECTRICAL SPECIFICATIONS:

MODELS	VOLTS	WATTS	AMPS	PHASE	POWER SUPPLY CORD
RWN-2	120	900	7.5	SINGLE	NEMA 5-15P
RWN-2	208	676	3.3	SINGLE	NEMA 6-15P
RWN-2	240	900	3.8	SINGLE	NEMA 6-15P


^{*}NOTE: Specifications are subject to change without notice.





DIMENSIONS:

INCH (MM)



RWN-3 LECTRICAL SPECIFICATIONS:

MODELS	VOLTS	WATTS	AMPS	PHASE	POWER SUPPLY CORD
RWN-3	120	1350	11.3	SINGLE	NEMA 5-15P
RWN-3	208	1014	4.9	SINGLE	NEMA 6-15P
RWN-3	240	1350	5.6	SINGLE	NEMA 6-15P

NOTE: Specifications are subject to change without notice.

WELLS MANUFACTURING COMPANY 265 Hobson St. • Smithville, TN 37166 USA PHONE: (800) 264-7827 wells-mfg.com

