



JET AIR OVEN



Jet Air Convection Oven, Electric, Capacity (4) 18" x 26" Pans, Steam Injection System, Reversing Fan System, Digital Temperature Controller and Timer, Full View Glass Doors, Interior Lights, Stainless Steel Construction, cETLus, NSF



PROJECT _____

ITEM NO. _____

NOTES _____

MODEL NUMBER: **JA4 , JA4SC**



*SHOWN WITH JA4B STAND

FEATURES

- Countertop Model
- Digital Temperature Control up to 500°F (260°C)
- Fast Preheat (reaches temperature in 15 minutes)
- Digital Timer
- Jet Air Reversing Fan System with Variable Air Speeds & Fan Delay
- Door Switch Cutoff for Fan Blower
- Steam Injection System
- Available in Energy Efficient Gas or Electric

CONSTRUCTION

- Stainless Steel Construction
- Full View Heat Reflective Thermal Glass Doors with Magnetic Latches
- Brightly Lit Interior
- Fully Insulated and Completely Sealed

CLEARANCES

Minimum Clearance from Combustible Materials:

- 1" (25mm) Sides & Back
- 4" (102mm) on Non-Combustible Floor
- 12" (305mm) Top

OPTIONS & ACCESSORIES

- Water Filter (PLF240) [Recommended]
- High Temperature Gasket (HTG001) [Recommended for Temperatures above 400°F/205°C]
- JA4 Stand on Casters (JA4B)
- Perforated Nickel Plated Pizza Decks (GRPIZ3)

WARRANTY

- One Year Labor & Two Year Parts



Model	Crated Weight	Overall Dimensions			Interior Dimensions			Pan Capacity (18"x26")	Shelf Spacing
		W	D	H	W	D	H		
JA4	425 (193)	32 1/2" (826)	40" (1016)	31" (787)	27 1/2" (699)	20" (508)	17 1/2" (445)	4	3 1/2" (89)
JA4SC	650 (295)	32 1/2" (826)	37" (940)	71" (1803)	27 1/2" (699)	20" (508)	17 1/2" (445)	4	3 1/2" (89)

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

KCL & REVIT DRAWINGS UPON REQUEST

REVISION A | 4/19/2021

Follow Us









Doyon

5600 13th Street, Menominee, MI 49858

906.863.4401 | 800.338.9886 | www.doyon.qc.ca



DRAWINGS
JA4

JA4B

JA4SC


Model	Water Inlet	Electrical System *ground wire not included					
		Volts	Phases	Amps	kW	Wires*	Hz
JA4	1/4"	120/208	1/3	38/22	8.4	2/3	60
	(6)	120/240	1/3	35/19	8.4	2/3	60
JA4SC	1/4"	120/208	1/3	38/22	8.4	2/3	60
	(6)	120/240	1/3	35/19	8.4	2/3	60

